



http://www.jacmusic.com

Emission Labs tubes of own production
 Silver Wire of own production
 German Distributer for Deunde, Holland
 D-A-CH Distributer for Lundahl, Sweden
 European Distributer for Yamamoto, Japan

Horber Steige 25, D-72172 Sulz Muehlheim, Germany

Outside Europe, prices are the export price

12. Dez. 2018

Europe, incl. 19% MwSt. Export Price (VAT)



==>Use the pdf search function to find something!!

		Order Nr.	Packed in dual tube, very high quality box.	Euro	Euro
1	EML AD1-Mesh (Pair) 1.5 Amps	110-025-48	AD1, the Queen of Triodes! With true wire mesh plate. Filament is 1.5 Amps, 4V.	800,48	672,67
1	EML AD1-Mesh-UX4 (Pair) 1.5 Amps	110-052-04	AD1-Mesh tube with UX4 base. Sometimes available. Please ask.	752,88	632,67
1	EML AZ4-Mesh (One tube)	110-045-67	High Capacitor load 4V rectifier, for amplifiers with AD1, 2A3m etc. True mesh, from metal wire.	337,32	283,47
2	EML PX4-Mesh (Pair. UX4)	110-050-09	PX4 with UX4 base. Filament is 4V, 1.6 Amps	732,21	615,30
3	EML 20A-Mesh (Pair)	110-002-66	20x Gain, medium power. Matched pair, in gift box.	579,61	487,07
4	EML 20B (Pair)	110-003-19	20x Gain, high power. Matched pair, in gift box.	523,39	439,82
5	EML 20B-V4 (Pair, Octal)	110-046-56	V4 =Center Tap version of 20B	562,21	472,44
6	EML 274A -Mesh (One tube)	110-027-45	True mesh, from woven wire. (so not Chinese fake mesh, which is punched plate only)	293,15	246,35
7	EML 274B -Mesh (One tube)	110-029-85	True mesh, from woven wire. (so not Chinese fake mesh, which is punched plate only)	293,15	246,35
8	EML 2A3-Mesh (Pair)	110-008-14	Original specs of RCA 2A3. Matched pair, in gift box.	607,72	510,69
9	EML 2A3-Mesh-V4 (Pair, Octal)	110-042-91	V4 =Center Tap version of 2A3-Mesh	622,44	523,06
10	EML 2A3-S (Pair)	110-009-49	Can replace 15 Watt and 28 Watt 2A3 tubes. Matched pair, in gift box.	568,90	478,07
11	Quad matching for 2A3 Versions	127-006-76	For a Quad please order: Two pairs, plus this order number. Price is for the whole quad.	19,80	16,64
12	EML 300B (Pair)	110-010-76	Matched pair, in gift box. Standard WE Equivalent.	568,90	478,07
13	EML 300B-2.5 (Pair)	110-049-84	Matched pair, in gift box. 2.5V, 2.5 Ampere heater. To upgrade 2A3 amplifiers.	568,90	478,07
14	EML 300B-XLS (Pair)	110-012-25	Matched Pair in gift box. The ultimative 300B!	706,77	593,93
15	EML 300B-XLS-V4 (Pair, Octal)	110-043-66	V4 =Center Tap Connection version of 300B-XLS, with Gold Ceramic Octal base.	721,50	606,30
16	EML 300B-Mesh (Pair)	110-011-97	Matched pair, in gift box. Max plate dissipation 28 Watt. True mesh from woven wire.	732,21	615,30
17	EML 320B-XLS / 842 (Pair)	110-015-19	High dynamics tube. Will also replace KR 842.	709,45	596,18
18	Quad matching for 300B Versions	127-007-95	For a Quad please order: Two pairs, plus this order number. Price is for the whole quad.	19,80	16,64
19	EML 30A (Pair)	110-014-91	30x Gain, medium power. Matched pair, in gift box.	568,90	478,07
20	EML 45 (Pair)	110-017-90	Direct RCA replacement. Solid Plate tubes, matched pair, in gift box.	496,62	417,32
21	EML 45B (Pair)	110-048-94	RCA replacement + High Power. Solid Plate, matched pair, in gift box.	580,18	487,55
22	EML 45-V4 (Pair, Octal)	110-041-49	V4 =Center Tap version of 45.	511,34	429,70
23	EML 45 Mesh (Pair)	110-018-53	Mesh-Window. Direct 45 replacement. Matched pair, in gift box.	607,72	510,69
24	EML 45-Globe (Pair)	110-035-67	LIMITED EDITION. Globe Version, Matched pair, in gift box.	inquire	inquire
25	EML 45-Mesh-Globe (Pair)	110-047-67	LIMITED EDITION. Globe MESH Version, Matched pair, in gift box.	inquire	inquire
26	EML 50 (Pair)	110-038-43	Direct replacement for RCA Type 50.	647,88	544,43
27	Quad matching for 45 Type Versions	127-008-35	For a Quad please order: Two pairs, plus this order number. Price is for the whole quad.	19,80	16,64
28	EML 520B-V2 (Pair) 6.5Volt)	110-019-11	Can be build on order, for replacement purposes in old amplifiers.	inquire	inquire
29	EML 520B-V3 (Pair, UX4, 5Volt)	110-020-84	V3 = "Long Plate" 52B, 5.0 Volt filament. Matched pair, in gift box.	924,96	777,28
30	EML 520B-V4 (Pair, Octal, 5Volt)	110-040-38	V4 = Center Tap version of EML520B with 5Volt filament	939,69	789,65
31	EML 1605 (Pair, UX4, 5Volt)	110-030-91	Our ultimate power triode. Matched pair, in gift box.	1090,95	916,76
32	EML 1605-V4 (Pair, Octal, 5Volt)	110-044-85	V4 = Center Tap version of EML1605 with 5Volt filament	1105,67	929,14
33	Quad matching for 520B or 1605	127-009-36	For a Quad please order: Two pairs, plus this order number. Price is for the whole quad.	19,80	16,64
34	EML 5U4G-Mesh (One tube)	110-022-29	True mesh, from woven wire. (so not Chinese fake mesh, which is punched plate only)	293,15	246,35
35	EML 5Z3-Mesh (One tube)	110-024-75	True mesh, from woven wire. (so not Chinese fake mesh, which is punched plate only)	293,15	246,35
36	EML 80 Mesh (One tube)	110-037-41	True mesh, from woven wire. (so not Chinese fake mesh, which is punched plate only)	293,15	246,35
37	EML 81 (One tube)	110-039-90	Solid plate mono Diode	246,28	206,96
38					

Europe, incl. 19% MwSt. Export Price (VAT)


		Order Nr.	Check menu at NOS Tubes for more NOS. These are all MINT Condition	Euro	Euro
40	1st Quality NOS				
41	Tesla 3L3 = EP221 NOS, OB.	114-197-09	Mint condition battery tube, 50mA heater. See our NOS Pages for applications!	3,57	3,00
42	5U4G / GZ31.=C= Logo.Svetlana NOS	114-002-19	1975..1985 NOS, 8 filaments. Original Winged =C= Logo. As used by Audio Note. Orig. Box. This tube becomes harder to get now.	17,85	15,00
43	5U4G / GZ31.Other Logo. NOS	114-152-71	Same as above, NOS, but not Svetlana branded. From Bulk pack	15,47	13,00
44	5Z3 Haltron, London UK, NOS, OB.	114-094-77	5Z3 is a 5U4G with 4Pin socket, same as 300B	34,51	29,00

45	5Z3 Ken-Rad, USA, 1940's tube. NOS, OB	114-111-74	5Z3 is a 5U4G with 4Pin socket, same as 300B	38,08	32,00
46	5Z3 RCA, USA, NOS, OB	114-094-77	5Z3 is a 5U4G with 4Pin socket, same as 300B	45,22	38,00
47	5Z3 "Standard Brand". Looks like Haltron, NOS, OB.	114-094-77	5Z3 is a 5U4G with 4Pin socket, same as 300B	28,56	24,00
48	5Z3 Sylvania USA, NOS, OB	114-110-77	5Z3 is a 5U4G with 4Pin socket, same as 300B	28,56	24,00
49	6AK5 -> See EF95				
50	6C4C (=6S4S, 6B4G) = 6A3-Octal, WB. Matched Pair.	114-085-35	NOS 6C4C. Svetlana, Early 1970's Production. This is a 6A3, with Octal base. Mint items. Price is for MATCHED Pair. Testdata included.	87,40	73,45
51	6C19-PI, NOS, in it's own box.	114-079-98	NOS. Svetlana Russia. 100% tested, with -10% / +15% tolerance on Ia and -5% / +10% on Gm. Version with Zirkonium Getter and Zirkonium powdered anodes. Finest audio treasures! Test examples of this lot here: www.jacmusic.com/NOS/6C19 . Individual packed, no bulk pack.	9,52	8,00
52	6C33C Ulyanov. NOS. OB.	114-003-73	NOS. Original Ulyanov Russia. The original from Russian Jet Airplaines. Original box. Most boxes still sealed.	26,18	22,00
53	6C33C Ulyanov. from Bulk pack.	114-075-58	NOS. Original Ulyanov Russia. The original from Russian Jet Airplaines. NOS from Bulk pack.	22,61	19,00
54	6C4C (=6S4S, 6B4G) = 6A3-Octal, WB. Matched Pair.	114-085-35	NOS 6C4C. Svetlana, Early 1970's Production. This is a 6A3, with Octal base. Mint items. Price is for MATCHED Pair. Test data included.	87,40	73,45
55	6H6S, double rectifier.	114-180-76	Russian 6H6S (6X6C) is equivalent to D63 and 6H6GT. Lovely small dual rectifier, with Metal-bakelite base. Very nice for small projects. Should do 20mA or so. (only estimated by me)	2,38	2,00
56	6L6. Voskhod, NOS. OB.	114-052-32	Russian NOS. Individual boxed, with original datasheet. Long cilinder glass, older construction. (hand-blown glass). Extended specifications, better than standard 6L6. Very beautiful tubes, prime quality. Made 1983	10,71	9,00
57	6N1P-EB. Voskhod, NOS, from Bulk pack.	114-031-58	"EB" is a factory selected version of 6N1P. Almost the same as ECC85. It can also replace ECC88/ 6922, but 6N1P has more filament current. More Info: click ECC88 at our NOS page. Excellent tube for a nice price.	5,36	4,50
58	6N1P-EB. Voskhod, NOS. 100pcs pack	114-196-72	Original Factory 100 box of the above tube.	267,75	225,00
59	6N1P-VI. Voskhod, NOS. OB.	114-032-94	The "VI" version is the best tube of it's kind. It is balanced and matched per datasheet specification. With special mica. Original box. More Info: click ECC88 at our NOS page.	13,09	11,00
60	6N6P (6H6pi), NOS, WB	114-083-79	Double Triode for Audio. 2x 4.8Watt. Nice driver tube, head phone. Pin connections same as ECC88, but lower gain and more power. Secret tip! Very nice glow (side holes in plate)	10,71	9,00
61	6SJ7 General Electric, NOS	114-189-90	Absolutely Mint appearance tubes. Most white box.	17,85	15,00
58	6N1P-VI. Voskhod, NOS. OB.	114-032-94	The "VI" version is the best tube of it's kind. It is balanced and matched per datasheet specification. With special mica. Original box. More Info: click ECC88 at our NOS page.	13,09	11,00
59	6N6P (6H6pi), NOS, WB	114-083-79	Double Triode for Audio. 2x 4.8Watt. Nice driver tube, head phone. Pin connections same as ECC88, but lower gain and more power. Secret tip! Very nice glow (side holes in plate)	10,71	9,00
60	6SJ7 General Electric, NOS	114-189-90	Absolutely Mint appearance tubes. Most white box.	17,85	15,00
61	6SJ7 RCA, NOS	114-190-51	Absolutely Mint appearance tubes. Original red box	32,13	27,00
62	6SJ7- VT116 RCA, NOS	114-191-82	Absolutely Mint appearance tubes. Original military box 1950's	47,60	40,00
59	6SJ7 Hewlett Pacard branded.	114-192-87	Absolute reference tubes. Original box from 1950's, made by GE. Only 3pcs.	65,45	55,00
60	6SL7 / CV1985 Brimar UK, OB	114-132-84	NOS Brimar CV1985. Mint Quality! Military box, with datecode and more informations. Date Stamo 1972 on the box.	117,81	99,00
61	6SL7 / 6188 Philips, NOS, OB.	114-005-59	Philips 6188, which is a Long Plate 6SL7. Plates have 20mm. Mint Quality! Military box, with datecode and more informations. Nice green print.	30,94	26,00
62	6SL7 Frivre Italy, NOS, OB.	114-172-37	NOS Fivre Italy. Beautiful Quality, with original orange boxes.	89,25	75,00
63	6SL7 RCA, NOS, OB.	114-139-92	NOS RCA, Original red box. Box and tube like new.	77,35	65,00
64	6SL7 Reflektor, NOS, WB.	114-006-67	NOS Reflektor, Russia. From the 1960's.	7,50	6,30
65	6SL7-WGT Sylvania, NOS, OB.	114-087-09	NOS Sylvania 6SL7. Military box, with 1966 datecode and more informations. Lovely looking tube, brown base and colored print.	46,41	39,00
66	6SN7 also check under 7N7!		7N7 is a 6SN7 with another socket, but much lower cost. It costs only 1/3 of NOS tubes! The Loctal socket is appr 2 Euro. Part# 399-103-71, gold-Ceramic. For DIY the ideal 6SN7 replacement!		
67	6SN7-GT Reflektor, NOS, from Bulk pack	114-045-85	NOS Reflektor, Russia. 6H8C = 6SN7-GT from 1969. Hand made tubes.	5,95	5,00
68	6SN7-GTB Toshiba (made by TFK?) , NOS, OB	114-080-07	NOS. Branded Toshiba Japan, but Toshiba never made 6SN7. These are probably Telefunken 6SN7. Also Gm is around 3200 as can be observed with TFK NOS 6SN7. AMAZING TUBES. MUST SEE. Check for High resolution pictures at our NOS pages.	101,15	85,00

69	6V6 (Pair) Reflektor, NOS, OB.	114-068-89	NOS Reflektor, Russia. 6Pi6S = 6V6. Beautifull black version, filament nicely visible. Datecode 1987. Hand made tubes, originally packed in pairs, colored boxes, with some information on it. Price is for a matched pair. 6V6 is close to EL84, but octal base.	22,61	19,00
70	6X4 / EZ90 / EZ31. TESLA. Rectifier NOS.	114-168-78	(6X4, EZ90, EZ31) TESLA. NOS. From bulk pack. Prestine Quality	8,33	7,00
71	6X4-WA. Tung Sol. Rectifier. NOS, OB.	114-123-96	6X4 (=EZ90) NOS Tung-Sol, USA. Black plates, Military Tung-Sol boxes.	22,61	19,00
72	6X5-GT. Brimar. Type2. NOS, OB.	114-124-98	NOS Brimar, England. Very nice colored boxes. Perfect quality.	45,22	38,00
73	6X5-GT. Brimar. Type1. NOS, OB.	114-166-96	NOS Brimar, England. Original but simple box. Seems from WW2 period. Perfect quality.	34,51	29,00
74	6X5-GT. Rayth. Dual rectifier. NOS, OB.	114-137-09	NOS Raytheon. Original boxes. Appears identical to RCA from 1945. Perfect quality.	26,18	22,00
75	6X5-GT. RCA. Dual rectifier. NOS, OB.	114-164-99	NOS RCA. Boxes from 1960's	39,27	33,00
76	6X5GT / VT126B. RCA. Dual rectifier. NOS, OB.	114-167-94	NOS RCA. Mil boxes from 1940..1945. Probably strongest 6X5 ever made. WW2 quality.	83,30	70,00
77	6X5-GT. Sylvania Gold. Dual rectifier. NOS, OB.	114-138-76	NOS Sylvania Gold, made for VALVO Hamburg. Original Sylvania Gold tube, in very nice military VALVO Box from 1960. Most sought after 6X5. One pcs left only.	53,55	55,00
78	8Pin. Octal Adapter, for 7N7 to 6SN7. Gold 	399-125-92	Plug a 7N7 Octal tube into this adaper. Then, use it into any 6SN7 amplifier. 100% function guaranteed. With Gold plated LOCTAL and Gold plated OCTAL connectors.	34,51	29,00
78	7N7, SYLVANIA, NOS, OB 	114-142-90	NOS. Sylvania. Electrically fully equivalent to Sylvania 6SN7 angled plate, but 7N7 uses a LOCTAL socket (not octal). So 7N7 is a 6.3 Volt tube, and all electrical data is 100% identical to 6SN7. Fantastic test data. Just take two random tubes, and you have a matched pair.	10,12	8,50
79	7N7, SYLVANIA-FIVE PACK 	114-165-48	Same as above, but original packed five tubes in a sleeve. Five 7N7 for the price of four. Beautiful NOS. Socket Adapters to 6SN7 available (look @ Tube Sockets, 8Pins)	42,84	36,00
80	7N7, SYLVANIA-100-PACK 	114-186-91	Same as above, but original packed 100pcs in factory sealed box.	809,20	680,00
81	7N7, TRU-VAC, NOS, OB. TALL.	114-179-17	7N7, tall glass, chrome top. These are labeled TRU-VAC, but are believed to be Philco from 1940--1945. Inside systems same as rare VT231.	32,13	27,00
82	7N7, TRU-VAC, NOS, OB.	114-188-58	7N7, tall glass, chrome top. These are labeled TRU-VAC, but are believed to be Sylvania from 1940...1945. Inside systems same as Sylvania angled plate.	16,66	14,00
83	12AX7: See ECC83				
84	12BH7A Sylvania NOS. OB	114-029-81	Original yellow boxes. ONLY ONE LEFT.	24,99	21,00
85	47 Ken-Rad, NOS, OB	114-138-76	Ken-Rad, beautiful tube, coke bottle glass, clean print, original box. Versatile audio DHT pentode. Can also be used triode mode. See RCA manual for Triode use.	53,55	45,00
86	76 Raytheon, NOS, OB	114-114-95	Raytheon, beautiful tube, coke bottle glass, clean print, original box. Original Audio Pre-amplifier tube. Octal base.	65,45	55,00
87	80 Rectifier, NOS	114-127-71	NOS, USA brands, OB or white box.	53,55	45,00
88	80 Rectifier, NOS	114-181-89	NOS, Neutron France. Box with metal seal. Never opened since 1961. Exclusively nice.	47,60	40,00
89	83 Rectifier, NOS	114-098-90	NOS, RCA Brand, Original box.	77,35	65,00
90	211 (VT4C). NOS, OB.	114-169-39	211 (VT-4C) General Electric. Forget about Chinese tubes, when you can buy this NOS from 1945. Original box with cloth fillings inside. Most with original data sheet inside. All with very large, clean getter. Fully tested. Matched pairs/quads are possible at no extra cost.	357,00	300,00
91	4654 / EL50 TESLA, NOS, OB	114-125-39	In EL34 family, but not identical. Uses top cap. Nice Coke Bottle smoked glass. Wide, flat cathode. Ultimate tube! Matching, Quad or Pairs is possible.	26,18	22,00
92	5654 TFK NOS, NOS, OB	114-073-81	NOS. 5644 Telefunken, original box, with <> bottem.	38,08	32,00
93	5687WA Philips, NOS, OB	114-017-36	NOS Philips USA, color printed. SQ tube with 10000 hours lifetime, and special filament for long stand-by capability. From the family of 6SN7 / ECC81, but this is a lower impedance tube, so lower voltage and higher current. Another pin out.	28,56	24,00
94	5751 General Electric, NOS, OB	114-060-73	NOS GE USA, color printed. This is a low noise replacement for ECC83, but it has slightly lower gain. So when your amp has already enough gain, but you have noise problems with the ECC83, this is the tube to take.	49,98	42,00
95	5751 Philips, NOS, OB	114-059-34	NOS Philips USA, color printed. This is a low noise replacement for ECC83, but it has slightly lower gain. So when your amp has already enough gain, but you have noise problems with the ECC83, this is the tube to take.	38,08	32,00
96	6080WC (=6AS7) General Electric	114-198-94	NOS General Electric USA. Metal socket, original Military box.	36,89	31,00
97	6922: See E88CC (or 6N1P)				
98	18028, Philips (PTT3, Ca)	114-163-67	NOS Philips 18028 = RT PTT3 = Ca tube. Can replace RE134, but the socket is German Post-5. We sell those sockets from Yamamoto	113,05	95,00
99	AZ1, Tesla or Polam, NOS; original Wrap.	114-071-27	NOS. Original Box, or sealed plastic bag with some data on it.	21,42	18,00
100	AZ4, Tesla or Polam, NOS, original wrap.	114-072-91	NOS. Original Box, or sealed plastic bag with some data on it. Electrical like RGN2004.	29,75	25,00
101	C3g / Lorenz ITT. NOS, OB.	114-144-48	NOS ITT-Lorenz Germany. Ultimative Low Noise Penthode. Original box.	88,95	74,75
102	C3g-S / Lorenz ITT. NOS, OB.	114-145-90	NOS ITT-Lorenz Germany. Ultimative Low Noise Penthode. Original box.. S=Factory Selected for more transconductance.	249,90	210,00
103	C3g Siemens, NOS, OB.	114-146-50	NOS Siemens Germany. Ultimative Low Noise Penthode. Original box. Version with Zirkonium getter!	53,55	45,00
104	C3g-S Siemens, NOS, OB.	114-147-63	NOS Siemens Germany. Ultimative Low Noise Penthode. Original box. Version with Zirkonium	96,39	81,00
105	C3g Telefunken, NOS, OB.	114-148-89	NOS TFK <> Germany. Ultimative Low Noise Penthode. Original box.	171,06	143,75

106	C3g-S Telefunken, NOS, OB.	114-149-97	NOS TFK Germany. Ultimate Low Noise Penthode. Original box. S=Factory Selected for more transconductance. "S" is only printed on the box. The ultimate tube ever made like this.	239,49	201,25
107	C3g VALVO NOS, OB.	114-150-29	NOS VALVO Germany. Ultimate Low Noise Penthode. Original box.	95,80	80,50
108	C3g-S VALVO NOS, OB.	114-151-93	NOS VALVO Germany. Ultimate Low Noise Penthode. Original box. S= Factory Selected for more transconductance.	191,59	161,00
109	C3m Siemens, NOS, OB.	114-010-90	NOS Siemens Germany. The Ultimate Low Noise Penthode. Original box. As used by Yamamoto Soundcraft.	28,56	24,00
110	C3m Telefunken, NOS, OB.	114-081-39	NOS TFK Germany. Ultimate Low Noise Penthode. Original box.	142,80	120,00
111	C3o Lorenz or Siemens. NOS, WB	114-158-96	NOS TFK Germany. This is a 6.3V version of C3m. Very rare.	65,45	55,00
112	D3a, Siemens, NOS, OB	114-113-85	Top Class Audio Pentode, also excellent in Triode mode. Gold pin.	25,59	21,50
113	E180F, NOS TESLA.	114-141-09	Sealed in original plastic bag. Studio Quality, gold pin tube. Also perfect in triode mode.	5,95	5,00
114	E182CC Mullard, NOS, OB.	114-011-18	NOS Mullard. Long Plates. Replaces 5687WA/B and has lower noise. Original box. Pictures: See NOS from website menu	69,02	58,00
115	E83CC TESLA, NOS, WB. PAIR. 	114-187-58	NOS TESLA. identical to TFK ECC803S, but no gold pin. Has frame grid / Spanngitter Röhre. Price is for a precision balanced matched pair. Prague factory code. With crossed Swords. Shipped with complete Amplitrex test report (2 Pages, printed). Apart from TFK ECC803S, the best "ECC83" on the planet. See also NOS pages, under Triodes, ECC83, for pictures.	303,45	255,00
116	E88CC / 6922. Philips, NOS, OB 	114-096-33	NOS E88CC/ 6922. Philips. Color printed, with datecode. SECRET Tip! Why pay so much for new made tubes, when you can get NOS, original boxed, for this price!	24,99	21,00
117	E88CC / 6922. RCA, NOS, OB.	114-095-90	NOS RCA. Color printed. 6922 is a Special Quality ECC88, featuring 10.000 hrs, and low hum. Frame grid tube, original RCA box.	65,45	55,00
118	E88CC / 6922. Telefunken <> NOS, PAIR. OB.	114-133-88	NOS TFK <>. Matched + balanced PAIR. Original Boxes + matching data. PRICE IS FOR A PAIR, with Computer Test report. See NOS pages for PDF Copies of all test data.	404,60	340,00
119	E88CC / 6922. Siemens, NOS, PAIR. OB.	114-175-09	NOS Siemens. Matched + balanced PAIR. Gold Pin. Original Siemens Box. Mint appearance. Gold plating very thick. With Computer Test report.	184,45	155,00
120	E88CC / 6922. TESLA, Gold, NOS, PAIR. OB.	114-038-92	NOS TESLA. Matched + balanced PAIR. Original blue-yellow box, gold-pin. Gold Grid version (yes!) , with printed Amplitrex test report. Balanced +matched pair. So all four systems are the same.	113,05	95,00
121	E88CC / 6922. TESLA, Gold, NOS, OB	114-042-15	Same as above, but a single tube, not matched, and these are in original military boxes.	34,51	29,00
122	EC8010, Siemens.	114-173-42	NOS, SIEMENS, OB, gold-pin. Individual numbered, with original, tiny certificate wrapped inside each box.	59,50	50,00
123	EC8020, Siemens.		Hint: Connect two EC8010 in parallel, and you get the same tube!		
124	ECC70 / 6021W, NOS, OB.	114-018-19	NOS Philips USA. Military box, with datecode. Secret Tip, Ultra Quality double triode like other ECC types, but with flying leads. Very long life!	10,71	9,00
125	ECC81 / 12AT7. Sylvania. NOS	114-131-09	NOS 12AT7, Color printed, with datecode. Original Box.	26,18	22,00
126	ECC81 / 12AT7. Mullard, NOS, OB.	114-015-14	NOS Mullard England. Copper (!) plate, black coated. Military box, with militray CV part number, and datecode.	36,89	31,00
127	ECC81 / 12AT7. Philips, NOS, OB. 	114-014-67	NOS 12AT7, Philips. Color printed, with datecode. SECRET Tip! Why pay so much for new made tubes, when you can get NOS, original boxed, for this price!	11,66	9,80
128	E81CC Siemens, NOS, OB.	114-140-34	NOS Siemens München. Gemany. Original box. ULTRA Quality. Similar to ECC801S. Small print CØ 6# OC	55,93	47,00
129	ECC801S Siemens, NOS, OB.	114-013-91	NOS Siemens W-Germany. Original balanced tubes by Siemens München. Original box. ULTRA Quality.	41,65	35,00
130	ECC801S / 6201 Telefunken, NOS, OB.	114-012-48	NOS Telefunken USA, no <> Original box. Original datasheet of this tube on our website.	14,28	12,00
131	ECC801S <> SINGLE TUBE TFK, NOS, OB.	114-039-78	NOS Telefunken W-Germany with <> Original box.	309,40	260,00
132	ECC801S <> Telefunken, PAIR, NOS, OB.	114-195-93	NOS Telefunken W-Germany with <> Original box.	618,80	520,00
133	ECC82, 12AU7. Raytheon, NOS. OB	114-065-59	NOS Raytheon USA. White box, this was from a stock in Turkey, and all boxes were bad condition. Reboxed in white boxes. Tubes itself are like new. Very nice orange print.	35,70	30,00
134	ECC82 / 12AU7. FWE, NOS, WB	114-064-88	NOS Funkwerk Erfurt, Germany. Yellow print, in military box with some numbers and information.	21,42	18,00
135	ECC82 / 12AU7WA Philips, NOS, OB	114-033-56	NOS Philips. Original long plates, in colored Philips box. Mint quality items.	46,41	39,00
136	ECC82 / 5814 Philips SQ, NOS, OB	114-022-60	NOS Philips 5814, color printed. 5814 = SQ ECC82 with improved grid isolation. Was only sold to USA government.	21,42	18,00
137	ECC82 / 12AU7. RCA, NOS, OB	114-153-89	NOS 12AU7 (=ECC82) RCA, USA. Famous clear tops, Prestine condition. Amplitrex tested.	36,89	31,00
138	ECC82 / 12AU7. RFT, NOS, OB.	114-050-67	NOS RFT Berlin (East Germany) , Original box. The last original RFT.	22,61	19,00
139	ECC82 / 12AU7. <> TELEFUNKEN, NOS, WB	114-086-05	NOS TELEFUNKEN, Germany. Diamond bottem <>. WB, print partaily faded with most, but these are unused tubes. (see NOS Pages). Most excellent test data, Amplitrex test report included. Matched, balanced pairs at no extra cost.	101,15	85,00
140	ECC82 TESLA, NOS, OB	114-049-39	NOS TESLA. Czech Republic. Original boxes, white print, standard pins.	21,42	18,00
141	ECC82 TESLA, Rhodium pin, NOS, WB	114-077-47	NOS TESLA. Czech Republic. Original boxes, Yellow print, Rhodium plated pins.	24,99	21,00
142	ECC802S / 5963 Philips SQ, NOS, OB	114-023-94	NOS Philips 5963, Color printed. 5963 =SQ ECC82. Factory balanced tube, and 10.000 hours. On par with Telefunken ECC802S, and Tesla ECC802S.	41,65	35,00
143	ECC802S / 6189W Sylvania SQ, NOS, OB.	114-020-87	NOS 6189W. Color printed. 6189W. Equivalent to ECC802S, with 10000 hours lifetime and long Plates. Made for USA government only, Individual boxed.	22,61	19,00

144	ECC802S <> Telefunken, NOS, OB PAIR	114-156-59	NOS Telefunken W-Germany with <> Original box. Amplitrex test data + curve plot in color print. Price is for a matched pair. Mint appearance of tubes and boxes, and excellent test data.	654,50	550,00
145	ECC802S Tesla, NOS, Various boxes	114-040-88	NOS TESLA. Famous long plates from 1960. In original blue box, or in factory sealed plastic roll. Beautiful quality, finest NOS ECC82 we have available, same optics as TFK ECC802S.	130,90	110,00
146	ECC83. CV4004 Brimar, NOS, OB	114-178-09	Brimar, UK. See Website under NOS tubes for details. Some similarity with M8137 boxed anode.	105,91	89,00
147	ECC83 / 12AX7 Philips, NOS, OB	114-024-09	Philips 12AX7, NOS. Blue printing. Military box. Ultra Quality!	89,25	75,00
148	ECC83 / 12AX7 Sylvania, NOS, WB	114-108-89	Sylvania12AX7, NOS. Green printing. Some Military box, some white box. Datecode.1965 on box.	101,15	85,00
149	ECC83 Röhrenwerke Anna Seghers, NOS, WB.	114-066-69	NOS Röhrenwerke Anna Seghers, Germany. 1963. Bulk packed. See NOS tubes for beautiful pictures of those.	48,79	41,00
150	ECC83 China	117-012-37	NOS from 1990s. Triple Mica tube, for low microphonics.	10,71	9,00
151	ECC83: See also E83CC				
152	ECC803S <> Telefunken, NOS, OB PAIR		Sometimes available. See NOS page at this website.		
153	ECC88 TESLA, NOS, WB	114-101-90	NOS TESLA. Has frame grid / Spanngitter Röhre.	22,61	19,00
154	ECF802, NOS, EI (ECF82)	114-183-94	NOS, EI, WB, from Bulk pack.	6,90	5,80
155	ECL86, NOS, WB	114-041-27	NOS, Polamp. Pentode ~ EL84, Triode = ECC83 .	24,99	21,00
156	EF800, Telefunken.	114-172-37	NOS, TELEFUNKEN, OB, gold-pin. Family of EF86, but not equivalent. EF800 is more powerful version.	20,23	17,00
157	EF86. Svetlana NOS	114-001-84	1984 NOS, White mesh plate. Original "rolled box", never unpacked before.	22,61	19,00
158	EF806S TESLA, NOS, OB	114-100-48	TESLA, Original Box, with Quality stamp on inside flap. Shipped with Test data on box, with small	70,21	59,00
159	EF95 (6AK5, 5654) TFK NOS, NOS, OB	114-073-81	NOS. 5654 Telefunken, original box, with <> bottem.	38,08	32,00
160	EL84-EB (Pair), NOS, OB	114-036-27	Russian NOS from 1980's. This is the ULTIMATE EL84. Full DETAILS here: http://jacmusic.com/nos/6P14P-EB . Matched Pair.	40,46	34,00
161	EL84-EB (Quad), NOS, OB	114-037-39	Russian NOS from 1980's. This is the ULTIMATE EL84. Full DETAILS here: http://jacmusic.com/nos/6P14P-EB . Matched Quad.	80,92	68,00
162	EL84 EI (Pair), NOS, OB	114-160-29	EI Yugoslavia EL84, made on Philips machines. First class NOS, original box. Matched at 250V by plate current. Pair data is on boxes. 100% identical to Philips Holland.	86,28	72,50
163	EL84 EI (Quad), NOS, OB	114-161-72	EI Yugoslavia EL84, made on Philips machines. First class NOS, original box. Matched at 250V by plate current. Pair data is on boxes. 100% identical to Philips Holland.	172,55	145,00
164	EM4, NOS, OB	114-034-59	VALVO NOS. Gold series, OB, silver plated contacts. Mint appearance. The brightest I have ever seen! EM4 has dual sensitivity fields like EM34, but EM4 has another socket. The socket is the ONLY difference. Glass is the same. We sell sockets for EM4 also.	117,81	99,00
165	EZ90		See 6X4 (American name) or 6Z31 (Czech name)		
166	GM70, NOS, Original Wrap.	114-067-84	NOS. Original Ulyanov Russia. 125 Watt Audio triode. Version with Graphite plate and bright tungsten emitter. Runs on Lundahl transformer LL1688/100. DC heating recommended.	73,78	62,00
167	GR150DA. NOS, OB	114-126-92	NOS. Original tube by DGL France. Original Box. For all Funke testers only GR150DA ("DA" version) can be used. No other!	201,11	169,00
168	GU50 (EL152) , NOS, OB	114-043-09	NOS. Russia. Original Box. Excellent Audio pentode, similar to KT88, but 40Watt dissipation and Zirkonium Getter. (Datasheet on techcorner here). Ceramic Sockets available at low cost.	6,25	5,25
169	GZ34, NOS, WB, AEG branded.	114-182-76	NOS. Russia. AEG branded.	17,85	15,00
170	INN9, NOS, WB	114-030-79	Neon Linear Bar graph. Only two connections. Bar length depends on current. Sensitivity = 25mm/mA. Bar = 90mm. Very linrear. Why use magic eyes when you can use this?!!	2,38	2,00
171	OC3 / VR105 Tungstram, NOS, OB	114-028-82	NOS Tungstram. 105 Volt/40mA. Works like Zener diode. Burns bright orange	20,23	17,00
172	OC3 / VR105 USA, NOS, OB	114-027-26	NOS. RCA, Zenith, and other USA brands. Boxes from 1945. 105 Volt/40mA. Works like Zener diode. Pictures: See NOS at website.	34,51	29,00
173	RG105, NOS, OB	114-130-96	NOS, TFK RGN105. Coke bottle glas. 2.5V heater, 4.5 Ampere. Extremley strong rectifier.	101,15	85,00
174	UU7S	114-193-87	UU7S has an octal base, and is UPWARDS compatible to UU7. This is a 4V rectifier with octal base, but... see NOS pages, for how to wire an octal socket such that it works with UU7S and 5U4G at the same time. Yes it's really possible!	46,41	39,00
175	Amplitrex matching for single tubes. Listed above.	127-014-53	Computer Matching per tube, for single tubes, like EL34, EL84 and others. Incl Amplitrex report.	7,14	6,00
176	Amplitrex Matching for dual triodes. Listed above.	127-015-91	Computer Matching per tube, for small double triodes, like ECC81, ECC88, and others. Incl Amplitrex report.	14,28	12,00
177	<<< MORE NOS >>>		Check menu at NOS Tubes for more NOS.		

178				Europe, incl. 19% MwSt. (VAT)	Export Price
179	AVVT	Order Nr.	New Old Stock from 1999...2001	Euro	Euro
180	#BEZUG!	#BEZUG!	#BEZUG!	#BEZUG!	#BEZUG!
181	8B. AVVT NOS tubes. (Pair)	112-002-84	AVVT. Gain=8. Driver tube. Matched pair. LOW STOCK	654,50	550,00
182	8B-Blue. AVVT NOS tubes. (Pair)	112-118-46	Blue glass, with (transparent) gold coating. LOW STOCK	892,50	750,00
183	300B-SL. AVVT overhaul of one PAIR.	112-121-67	We repair your AVVT 300B tubes at Emission Labs. See under "Special Sales" on the jacmusic	1011,50	850,00
184	300B-SL. AVVT overhauled PAIR.	112-123-40	This is without sending in defective tubes	1309,00	1100,00
185	32B-SL. AVVT overhaul of one PAIR.	112-120-99	We repair your AVVT 32B tubes at Emission Labs. See under "Special Sales" on the jacmusic	1130,50	950,00
186	32B-SL. AVVT overhauled PAIR.	112-122-92	This is without sending in defective tubes	1428,00	1200,00

187	PX25M. AVVT NOS SINGLE tube NOS.	112-015-90	Two Single tubes left.	416,50	350,00
188	PX4M. AVVT NOS tubes. (Pair)	112-016-50	One single left	416,50	350,00

Europe, incl. 19% MwSt. (VAT) **Export Price**

190	Tube Boxes		White, with spacer inside. Are send folded, low shipping costs.	Euro	Euro
191	TESLA Boxes for EL84, ECC83.	610-013-58	Reprinted, 100% original looking Tesla boxes. 25x25x90mm	0,95	0,80
192	TFK EL84, ECC83 Tube boxes	610-014-90	Original, NOS Telefunken boxes. Black and white style. Unique found! 25x25x90mm	0,95	0,80
193	TFK paper wrap, 1930's	610-015-51	Original, 1930's Telefunken wrap. Unique found! Very old looking paper, but well preserved, and very good quality. DIN A4 size. Ideal for NOS tubes and you don't have boxes.	0,83	0,70
194	EL84, ECC83 Tube boxes 10pcs	610-010-28	Price for pack of 10 pcs. Very high quality boxes. 25x25x90mm	2,80	2,35
195	6SN7, EL34 Tube boxes 10pcs.	610-011-91	Price for pack of 10 pcs. Very high quality boxes. 110x35x35mm	3,20	2,69
196	5U4G Tube boxes 10pcs	610-012-58	Price for pack of 10 pcs. Very high quality boxes. 55x55x150mm	4,80	4,03



Full music



198		Order Nr.	First choice from the TJ tube factory.	Euro	Euro
199	102D (Pair) Fullmusic	116-008-92	Pre-amp. Tennis Ball glass.	140,89	118,40
200	102D/n (Pair) Fullmusic	116-009-58	Pre-amp. Tennis Ball glass.	183,16	153,92
201	274A/n/+ (One tube) Fullmusic	116-028-29	Mesh Rectifier, double size! Large coke bottle glass.	139,13	116,92

203		Order Nr.	Other Chinese tubes	Euro	Euro
204	6550 China	117-002-29	China. Like vintage GE Type, metal base. Price for PAIR.	44,53	37,42



206	VALVE ART	Order Nr.	VA= Double Selected Quality.	Euro	Euro
207	6550 (Quad) Valve Art	115-007-41	4x Matched tubes. Copy of GE Type. Same glass	157,33	132,21
208	KT88 (Pair) Valve Art	115-012-91	2x Matched tubes. With special polished metal base	105,16	88,37
209	KT88 (Quad) Valve Art	115-013-66	4x Matched tubes. With special polished metal base	210,33	176,74



211	SVETLANA New production	Order Nr.	From Reflektor, Ukraine	Euro	Euro
212	12AX7/ ECC83. Svetlana	111-064-67	Very good quality 12AX7 / ECC83.	12,55	10,55



Europe, incl. 19% MwSt. (VAT) **Export Price**

214	EHX	Order Nr.		Euro	Euro
215	5U4GB (One tube). ElectroHarmonix.	111-003-84	Cylinder glass rectifier. Looks same as RCA Types.	14,52	12,20
216	6CA7-EH-PL (Pair). ElectroHarmonix.	111-112-58	PL matched (2x burn-in). Price for PL matched PAIR	45,80	38,49
217	6CG7-EH (One tube). ElectroHarmonix.	111-006-26	This is a 6SN7, but Noval based.	17,87	15,02
218	6SN7-EH (One tube). ElectroHarmonix.	111-013-91	This is prestine production from 2005, that we stocked as production was still good. Newer datecodes we definitely do NOT recommend, as quality has gone down too much after 2008. If these 2005 tubes are sold off, we stop selling the EHX 6SN7. Take your chances here to buy New Old Stock from 2005	18,99	15,96
219	6SN7-EH-G (One tube). ElectroHarmonix.	111-014-48	On par with the famous RCA 5692 tube, with the extra support bars. Gold pins.	33,33	28,00
220	6SN7-EH-GB (One tube). ElectroHarmonix.	111-015-58	Balanced Tube. Two systems in one glass bulb matched together. Test data added for plate current + transconductance. Gold pins.	47,61	40,00
221	6SN7-EH-GB (Pair). ElectroHarmonix.	111-016-90	Balanced Matched pair. All four systems matched together. Test data added for plate current + transconductance. Gold Pins.	95,21	80,01
222	6V6-EH-PL (Pair). ElectroHarmonix.	111-126-90	PL matched (2x burn-in). Price for PL matched PAIR	32,77	27,53
223	12AT7-EH (One tube). ElectroHarmonix.	111-017-52	ECC81 Equivalent. HQ Version, with Bright white pins.	11,86	9,97
224	12AT7-EH-G (One tube). ElectroHarmonix.	111-018-82	E81CC Equivalent. HQ Version, with gold pins.	18,43	15,49
225	12AT7-EH-GB (One tube). ElectroHarmonix.	111-019-87	ECC801S Equivalent, with Gold pins. Balanced Tube. Two systems in one glass bulb matched together. Test data added for plate current + transconductance.	32,71	27,49
226	12AT7-EH-GB (Pair). ElectroHarmonix.	111-020-77	Balanced Matched pair. All four systems matched together. Test data added for plate current + transconductance. Equivalent to ECC801S. Gold pins.	65,42	54,98
227	12AU7-EH (One tube). ElectroHarmonix.	111-021-29	ECC82 Equivalent. HQ Version, with Bright white pins.	11,86	9,97
228	12AU7-EH-B (Pair). ElectroHarmonix.	111-159-09	Balanced Matched pair. All four systems matched together. Test data added for, plate current + transconductance. Matched like ECC801S.	52,29	43,94
229	12AX7-EH (One tube). ElectroHarmonix.	111-025-93	ECC83 Equivalent. HQ Version, with white plated pins.	11,86	9,97
230	12AX7-EH-G (One tube). ElectroHarmonix.	111-138-52	E83CC Equivalent. HQ Version, with gold pins.	18,43	15,49
231	12AX7-EH-GB (One tube). ElectroHarmonix.	111-027-29	ECC803S Equivalent, with Gold pins. Balanced Tube. Two systems in one glass bulb matched together. Test data added for plate current + transconductance.	32,71	27,49

232	12AX7-EH-GB (Pair). ElectroHarmonix.	111-028-85	Balanced Matched pair. All four systems matched together. Test data added for plate current + transconductance. Equivalent to ECC803S. Gold pins.	65,42	54,98
233	12AY7-EH / 6072 (One tube).	111-029-99	HQ Version, with Bright white pins.	16,70	14,03
234	12BH7-EH (One tube). ElectroHarmonix.	111-030-18	Based on RCA Version	22,15	18,62
235	12BH7-EH-G (One tube). ElectroHarmonix.	111-031-37	Same as above, but gold pins	29,60	24,88
236	300B-EH-PL (Pair). ElectroHarmonix.	111-147-58	Standard 300B tube from EHX. Precision matched pair.	186,17	156,45
237	5751-EH-G (One tube). ElectroHarmonix.	111-134-19	Low noise ECC83 version. Gold pins.	25,88	21,75
238	6550-EH-PL (Pair). ElectroHarmonix.	111-037-25	PL matched (2x burn-in). Price for PL matched PAIR	73,65	61,89
239	6550-EH-PL (Quad). ElectroHarmonix.	111-038-92	PL matched (2x burn-in). Price for PL matched QUAD	147,30	123,78
240	6550-EH-PL (8-Set). ElectroHarmonix.	111-145-81	PL matched (2x burn-in). Price for PL matched 8-set	294,60	247,56
241	6550-EH-PL (12-Set). ElectroHarmonix.	111-140-29	PL matched (2x burn-in). Price for PL matched 12-set	441,90	371,35
242	6550-EH-PL (14-Set). ElectroHarmonix.	111-141-76	PL matched (2x burn-in). Price for PL matched 14-set	515,55	433,24
243	6922-EH (One tube). ElectroHarmonix.	111-039-58	EC88/ 6DJ7. Long Life version, Bright white pins.	14,18	11,92
244	6922-EH (Pair). ElectroHarmonix.	111-160-85	Balanced Matched pair. All four systems matched together. Test data added for plate current + transconductance. Long Life version of ECC88 / 6DJ7.	46,72	39,26
245	6922-EH-Gold (One tube).	111-040-39	E88CC. Long Life version of ECC88 / 6DJ7, with Gold pins.	29,69	24,95
246	EL84-EH-PL (Pair). ElectroHarmonix.	111-048-82	PL matched (2x burn-in). Price for PL matched PAIR	27,93	23,47
247	EL84-EH-PL (Quad). ElectroHarmonix.	111-049-09	PL matched (2x burn-in). Price for PL matched QUAD	55,85	46,93
248	KT88-EH-PL (Pair). ElectroHarmonix.	111-050-35	PL matched (2x burn-in). Price for PL matched PAIR	71,63	60,19
249	KT88-EH-PL (Quad). ElectroHarmonix.	111-051-14	PL matched (2x burn-in). Price for PL matched QUAD	143,26	120,38
250	KT88-EH-PL (6-Set). ElectroHarmonix.	111-105-54	PL matched (2x burn-in). Price for PL matched 6-set	214,89	180,58
251	KT88-EH-PL (8-Set). ElectroHarmonix.	111-052-59	PL matched (2x burn-in). Price for PL matched 8-set	290,99	244,53
252	KT88-EH-PL (10-Set). ElectroHarmonix.	111-130-66	PL matched (2x burn-in). Price for PL matched 10-Set	369,34	310,37
253	KT88-EH-PL (12-Set). ElectroHarmonix.	111-131-95	PL matched (2x burn-in). Price for PL matched 12-Set	453,28	380,90
254	KT90-EH-PL (Pair). ElectroHarmonix.	111-106-20	PL matched (2x burn-in). Price for PL matched PAIR	88,62	74,47
255				Europe, incl. 19% MwSt. (VAT)	Export Price
256	GENALEX, GOLD LION	Order Nr.		Euro	Euro
257	KT66-GL-PL (Pair). Gold-Lion	111-108-47	PL matched (2x burn-in). Price for PL matched PAIR	85,45	71,81
258	KT66-GL-PL (Quad). Gold-Lion	111-109-29	PL matched (2x burn-in). Price for PL matched QUAD	170,91	143,62
259	KT77-GL-PL (Pair). Gold-Lion	111-115-09	PL matched (2x burn-in). Price for PL matched PAIR	103,51	86,99
260	KT77-GL-PL (Quad). Gold-Lion	111-116-85	PL matched (2x burn-in). Price for PL matched QUAD	207,03	173,97
261	KT88-GL-PL (Pair). Gold-Lion	111-110-92	Price for matched PAIR	128,50	107,98
262	KT88-GL-PL (Quad). Gold-Lion	111-111-76	Price for matched QUAD	254,50	213,86
263	KT88-GL-PL (Octett). Gold-Lion	111-135-93	Price for matched OCTETT	506,50	425,63
264				Europe, incl. 19% MwSt. (VAT)	Export Price
265	TUNG SOL	Order Nr.		Euro	Euro
266	6V6-TS-PL (Pair). Tung-Sol.	111-125-53	PL matched Pair (with 2x burn-in).	41,70	35,04
267	6SN7-GTB (One tube) Tung-Sol.	111-117-92	Russian Re-issue of 6SN7-GTB	27,74	23,31
268	ECC83 (One tube) Tung-Sol.	111-057-91	Equivalent to 12AX7. HQ Version, with Rhodium pins	15,82	13,30
269	ECC803S-TS-G (One tube) Tung-Sol.	111-058-29	Best Quality available ECC83 / 12AX7 with gold pins. Large halo getter, like Telefunken.	24,02	20,18
270	ECC803S-TS-GB (One tube). Tung-Sol.	111-059-58	Balanced Tube. Two systems in one glass bulb matched together. GB Version with same matching as TFK ECC803S	35,39	29,74
271	ECC803S-TS-GB (Pair). Tung-Sol.	111-060-90	Balanced Matched pair. All four systems matched together. GB Version, with same matching as TFK ECC803S. World's BEST tube from new production.	70,79	59,49
272	EF806S-TS. (One tube) Tung-Sol.	111-061-53	Equivalent to EF86. HQ Version, with gold pins	37,02	31,11
273	EL34B (Pair) Tung-Sol	111-132-66	PL matched (2x burn-in). Price for PL matched PAIR	64,83	54,48
274	EL34B (Quad) Tung-Sol	111-133-46	PL matched (2x burn-in). Price for PL matched QUAD	129,66	108,96
275	KT66-TS-PL (Pair). Tung-Sol.	111-062-01	PL matched (2x burn-in). Price for PL matched PAIR ==> @@ SPECIAL PRICE @@	78,38	65,86
276	KT66-TS-PL (Quad). Tung-Sol.	111-063-85	PL matched (2x burn-in). Price for PL matched QUAD ==> @@ SPECIAL PRICE @@	156,76	131,73
277				Europe, incl. 19% MwSt. (VAT)	Export Price
278	SOVTEK	Order Nr.	Original Russian tubes. "NOS" tubes are tubes from original old production. Often better than new production.	Euro	Euro
279	2A3-SOV-PL (Pair)	111-074-18	"PL" matched, for Plate Current and Transconductance. Tested at 250V/45V. Data with tube box.	117,81	99,00
280	2A3-SOV-PL (Quad)	111-075-55	"PL" matched, for Plate Current and Transconductance. Tested at 250V/45V. Data with tube box.	249,90	210,00
281	5U4G / GZ31. Sovtek	111-077-89	Sovtek NOS. SELL OFF. VERY SPECIAL PRICE	23,80	20,00
282	5Y3GT. Sovtek	111-078-67	Double Rectifier tube	16,67	14,01
283	6AS7. Sovtek.	111-081-34	Sovtek NOS. Twin (BIG) Power Triode.	51,22	43,04
284	6H30pi. Sovtek.	111-082-90	The ultimate HiFi Triode!	36,89	31,00
285	6H30pi (Pair). SOVTEK	111-158-25	Balanced Matched pair. All four systems matched together. Test data added for plate current +	87,65	73,66
286	6L6GB-SOV-PL (Pair). Sovtek.	111-092-84	PL matched (2x burn-in). Price for PL matched PAIR	29,99	25,20
287	6L6GB-SOV-PL (Quad). Sovtek.	111-093-09	PL matched (2x burn-in). Price for PL matched QUAD	59,97	50,40
288	6SL7-GT. Sovtek.	111-083-48	Sovtek NOS 6H9C. Older construction, hand made tubes.	12,94	10,88
289	6SN7-GT. Sovtek.	111-084-49	Sovtek NOS 6H8C. Older construction, hand made tubes.	14,71	12,36
290	12AX7-LP/ ECC83. Sovtek.	111-088-58	Famous "long plate" ECC83. Looks same as European Philips tubes.	14,71	12,36
291	12AX7-LPS/ Sovtek ECC83	111-089-56	Close copy of Telefunken ECC83.	15,27	12,83

292	12AX7-WA/ ECC83. Sovtek.	111-085-91	Long-life. Dark, boxed plates with open sides. Glows nice!	13,37	11,23
293	12AX7-WB/ 7025 / E83CC Sovtek.	111-086-65	Long-life. Dark, boxed plates with open sides. Glows nice! Low noise, for pre-amps.	16,02	13,46
294	12AX7-WC/ ECC83. Sovtek.	111-087-76		15,46	12,99
295	300B-SOV-PL. NOS. (Pair).	111-107-93	Out of production. We bought their last supply. These are NOS from 1990..2002. Patinum matched. Test data is with the tubes.	190,40	160,00
296	5881-PL (Pair). Sovtek.	111-121-79	Higher power 6L6. "PL" matched Pair. (with 2x burn-in).	38,55	32,40
297	5881-PL (Quad). Sovtek.	111-122-67	Higher power 6L6. "PL" matched Quad. (with 2x burn-in).	77,85	65,42
298	7027. Sovtek.	111-094-43	Single tube	22,16	18,63
299	EF86. Sovtek.	111-097-76	Obsoleted in 2004. Just a few pcs left on stock.	27,94	23,48
300	EL84. Sovtek (single)	111-098-98	EL84 / 6BQ5, Single tube	11,08	9,31
301	EL84. Sovtek (Pair)	111-127-28	EL84 / 6BQ5, Pair	25,89	21,76
302	EL84. Sovtek (Quad)	111-128-49	EL84 / 6BQ5, Quad	51,78	43,51
303	EL84M. Sovtek (Single)	111-142-90	M= Long Life Version. PL matched (2x burn-in). Price for PL matched QUAD. 10.00 hours version.	17,14	14,40
304	EL84M. Sovtek (Pair)	111-143-26	M= Long Life Version. PL matched (2x burn-in). Price for PL matched QUAD. 10.00 hours version.	38,00	31,93
305	EL84M. Sovtek (Quad)	111-144-74	M= Long Life Version. PL matched (2x burn-in). Price for PL matched QUAD. 10.00 hours version.	75,99	63,86
306	KT66-SOV-PL (Quad) . Sovtek.	111-100-55	PL matched (2x burn-in). Price for PL matched QUAD	96,48	81,07
307	OB2. Sovtek.	111-095-04	Sovtek NOS. 105Volt Reference tube. Only two connections,works like Zener, but radiates light.	10,24	8,61
308	OC3/ VR105. Sovtek.	111-096-49	Sovtek NOS. 105Volt Stabilizer tube. Only two connections,works like Zener, but radiates light. NOS	14,71	12,36



Europe, incl. 19% MwSt. Export Price (VAT)

311	Mains Cable and Silver Wire	Order Nr.	Specially made wires and cable	Euro	Euro
312	Mains-Flex-Black Cable, very thick cotton inside, two color PVC braided Cloth outside.	710-047-69	Mains cable, very flexible. With double cotton filling, AND additional PVC cloth layer outside. 3x 1.5mm ² wires. Strong, High-End mains cable. Price is per meter.	4,09	3,44
313	Same as Above, but a spool of 50 meter.	710-048-85	Same as Above, but a spool of 50 meter.	153,51	129,00
314	Solid-Silver-04, 100% Pure (4N)	710-021-05	D=0.4mm /AWG26. soft, outglowed, pure silver. (4N). Not isolated. Price per meter.	3,52	2,96
315	Solid-Silver-08, 100% Pure (4N)	710-037-50	D=0.8mm /AWG20. soft, outglowed, pure silver. (4N). Not isolated. Price per meter.	13,44	11,29
316	Solid-Silver-12, 100% Pure (4N)	710-023-84	D=1.2mm /AWG17. soft, outglowed, pure silver. (4N). Not isolated. Price per meter.	28,03	23,55
317	Solid-Silver-15, 100% Pure (4N)	710-024-87	D=1.5mm /AWG15. soft, outglowed, pure silver. (4N). Not isolated. Price per meter.	27,76	23,33
318	Solid-Silver-20, 100% Pure (4N)	710-025-09	D=2.0mm /AWG12. soft, outglowed, pure silver. (4N). Not isolated. Price per meter.	49,35	41,47
319	Solid-Silver-04-Black, 100% Pure (4N)	710-020-35	D=0.4mm /AWG26. soft, outglowed, pure silver. (4N). 1mm Cotton outside diameter, Brownish-Black. Price per meter.	4,39	3,69
320	Solid-Silver-04-Blue, 100% Pure (4N)	710-040-07	D=0.4mm /AWG26. soft, outglowed, pure silver. (4N). 1mm Cotton outside diameter, Dark-blue. Price per meter.	4,39	3,69
321	Solid-Silver-04-Red, 100% Pure (4N)	710-017-92	D=0.4mm /AWG26. soft, outglowed, pure silver. (4N). 1mm Cotton outside diameter, Chili-Red. Price per meter.	4,39	3,69
322	Solid-Silver-04-White, 100% Pure (4N)	710-019-07	D=0.4mm /AWG26. soft, outglowed, pure silver. (4N). 1mm Cotton outside diameter, Ivory-white. Price per meter.	4,39	3,69
323	Solid-Silver-04-Yellow, 100% Pure (4N)	710-018-70	D=0.4mm /AWG26. Soft, outglowed, pure silver. (4N). 1mm Cotton outside diameter, Dark-Yellow. Price per meter.	4,39	3,69
324	Solid-Silver-08-Black, 100% Pure (4N)	710-039-70	D=0.8mm /AWG20. soft, outglowed, pure silver. (4N). Double layer Cotton "Push-back" isolation, 1.8mm outside diameter. Brownish-black. For speaker cable, or medium voltage application.. Price per meter.	15,11	12,69
325	Solid-Silver-08-Blue, 100% Pure (4N)	710-045-87	D=0.8mm /AWG20. soft, outglowed, pure silver. (4N). Double layer Cotton "Push-back" isolation, 1.8mm outside diameter. Dark blue. For speaker cable, or medium voltage application.. Price per meter.	15,11	12,69
326	Solid-Silver-08-Red, 100% Pure (4N)	710-036-90	D=0.8mm /AWG20. soft, outglowed, pure silver. (4N). Double layer Cotton "Push-back" isolation, 1.8mm outside diameter. Chili Red. For speaker cable, or medium voltage application.. Price per meter.	15,11	12,69
327	Solid-Silver-08-White, 100% Pure (4N)	710-033-90	D=0.8mm /AWG20. soft, outglowed, pure silver. (4N). Double layer Cotton "Push-back" isolation, 1.8mm outside diameter. Ivory white. For speaker cable, or medium voltage application.. Price per meter.	15,11	12,69



LUNDAHL
— TRANSFORMERS —



**Important
Read this!**



With LUNDAHL, all PLATE chokes can be used as POWER SUPPLY chokes and vice versa. Though Power Supply chokes are specified @ ~RMS, and subject to ~100Hz or ~120Hz ripple, they are made with audiophile cores, and full audio range always.

Chokes with high inductance have many windings, and so higher DC resistance. This protects the rectifiers and capacitors. Though you do have some voltage loss across the DC resistance, this resistance limits the current, when the choke is saturated at cold start, due to empty capacitors. In case you do not want the power loss, lower resistance types exist too. For convenient selection, we have put them all here in one table, first sorted by DC Current, then by Henry.

Europe, incl. 19% MwSt. (VAT) Export Price

CHOKES for Anode or Power Supply.

Note, there is little logic in the product numbers.

Select from this table first your DC current, then choose the Henry. Mind the DC resistance. Check the Lundahl section, "Plate Chokes" about how and why is it allowed to exceed the rated DC current.

Order Nr.	DC-mA	Henry	Euro	Euro
LUNDAHL (Part1)				
LL1667-05mA	5mA	810H	101,59	85,37
LL1668-05mA	5mA	500H	96,70	81,26
LL1667-07mA	7mA	580H	101,59	85,37
LL1668-07mA	7mA	357H	96,70	81,26
LL1667-10mA	10mA	405H	101,59	85,37
LL1668-10mA	10mA	250H	96,70	81,26
LL1667-15mA	15mA	270H	101,59	85,37
LL1668-15mA	15mA	167H	96,70	81,26
LL1667-25mA	25mA	168H	101,59	85,37
LL1668-25mA	25mA	100H	96,70	81,26
LL2742-60mA	60mA	70H	107,27	90,14
LL2743-70mA	70mA	64H	110,10	92,52
LL2742-80mA	80mA	53H	107,27	90,14
LL2742-90mA	90mA	46H	107,27	90,14
LL2743-90mA	90mA	50H	110,10	92,52
LL1673-20H	100mA	20H	101,59	85,37
LL1673-20H-AM	100mA	20H	275,39	231,42
LL1685-17H	100mA	17H	92,83	78,01
LL1685-17H-AM	100mA	17H	238,64	200,54
LL2742-100mA	100mA	42H	107,27	90,14
LL2743-110mA	110mA	41H	110,10	92,52
LL1685-13H	130mA	13H	92,83	78,01
LL1685-13H-AM	130mA	13H	238,64	200,54
LL1673-15H	140mA	15H	101,59	85,37
LL1638-10H	150mA	10H	101,59	85,37
LL1685-10H	160mA	10H	92,83	78,01
LL2742-175mA	175mA	24H	107,27	90,14
LL1673-10H	200mA	10H	101,59	85,37
LL1638-08H	200mA	8H	101,59	85,37
LL1673-08H	250mA	8H	101,59	85,37
LL2742-250mA	250mA	17H	107,27	90,14
LL1685-10H	320mA	2,5H	92,83	78,01
LL1638-04H	400mA	4H	101,59	85,37
LL1673-08H	400mA	2H	101,59	85,37
LL1638-08H	400mA	2H	101,59	85,37
LL2742-250mA	500mA	4H	107,27	90,14
LL1638-04H	800mA	1H	101,59	85,37
			Europe, incl. 19% MwSt. (VAT)	Export Price

Order Nr.	CHOKES for Filament power supply	Ampere	Henry	Euro	Euro
LUNDAHL (Part2)					
LL2733-1.25 A	Filament Choke, for 1.25A (3,4Ω) or 2.6A (0,85Ω)	1.25 ... 2.5A	544mH	97,60	82,02
LL1694-1.5A	Low drop Filament Choke, for 1.5A (1,8Ω) or 3A (0,45Ω)	1,5 ... 4,8A	160mH	76,20	64,03
LL2733-1.7A	Filament Choke, for 1.7A (3,4Ω) or 3,4A (0,85Ω)	1,7 ... 5,4A	400mH	97,60	82,02
LL1694-2A	Low drop Filament Choke, for 2A (1,8Ω) or 4A (0,45Ω)	4 ... 6,4A	120mH	76,20	64,03

Europe, incl. 19% MwSt. (VAT) Export Price

Order Nr.	Grid Choke. Special for tube Grid. 1:1 or 1:2 step up	DC-mA	Henry	Euro	Euro
LUNDAHL (Part3)					
LL1670 Grid Choke	Special for tube Grid.	1	540H	60,08	50,49

Europe, incl. 19% MwSt. (VAT) Export Price

Order Nr.	INTERSTAGE TRANSFORMERS	DC-mA	Henry	Euro	Euro
LUNDAHL (Part4)					
LL1621-06mA	1+1 : 1+1. x Out 135V RMS. x 100kHz with peaking cap	6mA	130H	101,59	85,37
LL1621-20mA	1+1 : 1+1. x Out 135V RMS. x 100kHz with peaking cap	20mA	30H	101,59	85,37

383	LL1621-PP	218-025-94	1+1 : 1+1. x Out 135V RMS. x 100kHz with peaking cap	Balanced	>300H	101,59	85,37
384	LL1635-05mA	218-026-56	1+1 : 1+1 x output 125V RMS. 60kHz without cap.	5mA	130H	108,30	91,01
385	LL1635-20mA	218-027-59	1+1 : 1+1 x output 125V RMS. 75kHz without cap.	20mA	30H	108,30	91,01
386	LL1635-PP	218-028-90	1+1 : 1+1 x output 125V RMS. 60kHz without cap.	Balanced	300H	108,30	91,01
387	LL1660-10mA	218-029-27	Also Line Output, 1+1+1+1 : 2.25+2.25	10mA, Alt.Q	180H	109,85	92,31
388	LL1660-10mA-AG (Silver)	218-284-19	Version with pure silver wire. (AG=Argentum)	AG=Silver	180H	1916,00	1610,08
389	LL1660-10mA-AM	218-031-92	same as above, but Amorph core.	Amorph	180H	255,66	214,84
390	LL1660-10mA-AM-AG (Silver)	218-285-55	Version with pure silver wire. (AG=Argentum)	AG=Silver	180H	2061,68	1732,50
391	LL1660-10mA-S	218-030-39	Shield between primary and secondary. Very high noise rejection.	Shielded	180H	132,41	111,27
392	LL1660-14mA	218-283-91	Also Line Output, 1+1+1+1 : 2.25+2.25	14mA, Alt.Q	128H	109,85	92,31
393	LL1660-14mA-AM	218-238-85	same as above, but Amorph core.	Amorph	128H	255,66	214,84
394	LL1660-14mA-S	218-240-18	Shield between primary and secondary. Very high noise rejection.	Shielded	128H	132,41	111,27
395	LL1660-18mA	218-032-78	Also Line Output, 1+1+1+1 : 2.25+2.25	18mA, Alt.Q	100H	109,85	92,31
396	LL1660-18mA-AM	218-033-88	same as above, but Amorph core.	Amorph	100H	255,66	214,84
397	LL1660-18mA-S	218-040-81	Shield between primary and secondary. Very high noise rejection.	Shielded	100H	132,41	111,27
398	LL1660-25mA	218-034-27	Also Line Output, 1+1+1+1 : 2.25+2.25	25mA, Alt.Q	72H	109,85	92,31
399	LL1660-25mA-AM	218-035-15	same as above, but Amorph core.	Amorph	72H	255,66	214,84
400	LL1660-25mA-S	218-212-19	Shield between primary and secondary. Very high noise rejection.	Shielded	72H	132,41	111,27
401	LL1660-40mA	218-298-67	Also Line Output, 1+1+1+1 : 2.25+2.25	40mA, Alt.Q	45H	109,85	92,31
402	LL1660-40mA-S (On Special order only)	218-300-19	Also Line Output, 1+1+1+1 : 2.25+2.25	40mA, Alt.Q	45H	132,41	111,27
403	LL1660-PP	218-036-09	Dual output, for driving it with PP Tubes. 15% x offset.	Balanced	290H	109,85	92,31
404	LL1660-PP-AM	218-038-85	same as above, but Amorph core.	Amorph	290H	255,66	214,84
405	LL1660-PP-S	218-037-85	Shield between primary and secondary. Very high noise rejection.	Balanced	290H	132,41	111,27
406	LL1660-PP-S-AM	218-180-58	Shield between primary and secondary. Very high noise rejection.	Balanced	290H	278,22	233,80
407	LL1660-PP-Z (Parafeed)	218-213-84	For parafeed or other application with Zero DC current.	Z=Parafeed	580H	109,85	92,31
408	LL1660-PP-Z-S (Parf. + shield)	218-217-13	For parafeed or other application with Zero DC current.	Z=Parafeed	580H	132,41	111,27
409	LL1660-PPZ-AM	218-314-91	same as above, but Amorph core.	Z=Parafeed	580H	255,66	214,84
408	LL1671-20mA	218-247-24	High-Current, or Line Output, 1+1+1+1 : 2+2	Universal	52H	108,30	91,01
409	LL1671-20mA-AM	218-296-66	same as above, but Amorph core.	Amorph	52H	250,74	214,84
410	LL1671-30mA	218-041-43	High-Current, or Line Output, 1+1+1+1 : 2+2	Universal	35H	108,30	91,01
411	LL1671-30mA-AM	218-043-67	same as above, but Amorph core.	Amorph	35H	255,66	214,84
412	LL1671-PP	218-044-98	High-Current, or Line Output, 1+1+1+1 : 2+2	Balanced	Universal	108,30	91,01
413	LL1671-PP-AM	218-045-32	same as above, but Amorph core.	Amorph	Universal	255,66	214,84
414	LL1677-60mA	218-046-81	Use 300B or 2A3 as interstage driver tube. Can be used 1:2or 1:1.	60mA	32H	117,19	98,48
415	LL1677-60mA-AM	218-047-90	same as above, but Amorph core.	Amorph	32H	262,88	220,91
416	LL1677-80mA	218-048-98	Use 300B or 2A3 as interstage driver tube. Can be used 1:2or 1:1.	80mA	24H	117,19	98,48
417	LL1677-80mA-AM	218-049-48	same as above, but Amorph core.	Amorph	24H	262,88	220,91
418	LL1689-09mA	218-227-52	9+9 : 1+1+1+1+1. Interstage, low current tubes.	9mA	180H	124,93	104,98
419	LL1689-09mA-AM	218-228-91	same as above, but Amorph core.	Amorph	180H	270,75	227,52
420	LL1689-18mA	218-071-68	9+9 : 1+1+1+1+1. Interstage, for C3g and other tubes	18mA	90H	124,93	104,98
421	LL1689-18mA-AM	218-072-98	same as above, but Amorph core.	Amorph	90H	270,75	227,52
422	LL1689-PP	218-069-95	9+9 : 1+1+1+1+1. Interstage, for tube applications	Balanced	290H	124,93	104,98
423	LL1689-PP-AM	218-070-47	same as above, but Amorph core.	Amorph	290H	270,75	227,52
424	LL1692A-18mA	218-204-93	Also Line Output. 1+1+1+1 : 1.75+1.75	18mA	24...95H	109,85	92,31
425	LL1692A-18mA-AM	218-223-91	same as above, but Amorph core.	Amorph	24...95H	255,66	214,84
426	LL1692A-25mA	218-233-74	Also Line Output. 1+1+1+1 : 1.75+1.75	25mA	17...68H	109,85	92,31
427	LL1692A-40mA	218-234-29	Also Line Output. 1+1+1+1 : 1.75+1.75	40mA	11...18H	109,85	92,31
428	LL1692A-PP	218-216-26	Also Line Output. 1+1+1+1 : 1.75+1.75	Balanced	210H	109,85	92,31
429	LL1692A-PP-AM	218-205-68	same as above, but Amorph core.	Amorph	210H	255,66	214,84
430	LL2745-08mA	218-291-43	Also Line Output, 1+1+1+1 : 2.8 + 2.8	8mA	200H	124,93	104,98
431	LL2745-10mA	218-292-90	Also Line Output, 1+1+1+1 : 2.8 + 2.8	10mA	160H	124,93	104,98
432	LL2745-10mA-AM	218-293-38	Also Line Output, 1+1+1+1 : 2.8 + 2.8	Amorph	160H	270,75	227,52
433	LL2745-18mA	218-294-49	Also Line Output, 1+1+1+1 : 2.8 + 2.8	18mA	90H	124,93	104,98
434	LL2745-PP	218-293-38	Also Line Output, 1+1+1+1 : 2.8 + 2.8	Balanced	290H	124,93	104,98
435	LL2746-30mA	218-275-29	Interstage 1:2 for EML 20B or other.	30mA	45H	144,14	121,13
436	LL2753-25mA	218-324-35	Interstage 1:1 for EML 20A, 20B or other.	25mA	50H	144,14	121,13

Europe, incl. 19% MwSt. Export
(VAT) Price

437

438	LUNDAHL (Part5)	Order Nr.	SIGNAL INPUT		Euro	Euro	
439	LL1531	218-055-19	Line Input. High impedance, normal level.	1+1 : 2	0..10dBu	60,21	50,60
440	LL1532	218-056-93	Medium impedance. Line input or microphone Input	1+1 : 2		59,31	49,84
441	LL1540	218-058-59	Line Input. High impedance, high Level.	1+1 : 1+1	30 dBu	67,56	56,77
442	LL1544A	218-059-69	Can be wired for 600Ω, 2k5 or 10k. Amorph Core.	1+1+1+1:2+2	shielded	83,29	69,99
443	LL1545A	218-060-84	Can be wired for 600Ω, 2k5 or 10k. Mu-Metall Core.	1+1+1+1:2+2	shielded	72,97	61,32
444	LL1592	218-173-23	High impedance. Also excellent phase splitter (>46dB balance)	1+1 : 1+1	29 dBu	93,72	78,76
445	LL1674	218-066-81	Use 1:2 or 1:4 or 1:8 (up or down). Medium impedance. Step up 1:8	1+1 : 4+4	Amorph	128,28	107,80
446	LL1676	218-067-69	Use 1:1 or 1:2 or 1:4 (up or down). High Impedance. Ideal for HiFi	1+1 : 2+2	Amorph	128,28	107,80
447	LL1690	218-177-34	Input. Also excellent phase splitter.	1+1 : 1+1	Amorph	128,28	107,80
448	LL1922	218-073-07	1:4 or 1:8 step up for 600Ω input. Replaces UTC LS-10	1+1 : 4+4	26 dBu	99,27	83,42
449	LL1948	218-277-75	Input. Use 1:1 or 1:2 step up, or 2:1 step down.	1+1 : 1+1	25 dBu	224,85	188,95
450	LL1948-AG (Silver)	218-278-48	Version with pure silver wire. (AG=Argentum)	AG=Silver	25 dBu	734,62	617,33
451	LL7901	218-075-92	Input. High performance. Universal type. 1+1+1+1 : 1+1+1+1	High imp.	34 dBu	137,30	115,38
452	LL7902	218-076-79	Input. High performance. Universal type. 1+1+1+1 : 1+1+1+1	Low R-Cu	28 dBu	135,51	113,87

454	LUNDAHL (Part6.1)	Order Nr.	SIGNAL OUTPUT			Euro	Euro
455	LL1517	218-051-68	Audio Output, balanced or unbalanced drive. Mu Case.	1+1 : 1+1	24 dBu	67,04	56,34
456	LL1524	218-052-34	Audio Output, balanced drive. Mu Case.	1+1 : 1+1	24 dBu	59,69	50,16
457	LL1539	218-057-88	Audio Output, balanced drive.	2 : 1+1		59,69	50,16
458	LL1585	218-063-93	Outputs can be in series or parallel.	1+1 : 1+1	2x7Volt	72,59	61,00
459	LL1630-05mA	218-064-27	Max in: 130V Out: 18 Volt. 7.2+7.2 : 1+1	7.2+7.2 : 1+1	130H	135,51	113,87
460	LL1630-10mA	218-187-29	Max in: 130V Out: 18 Volt. 7.2+7.2 : 1+1	7.2+7.2 : 1+1	78H	135,51	113,87
461	LL1630-PP	218-065-91	Max in: 639V Out: 45 Volt. 7.2+7.2 : 1+1. Also headphone.	7.2+7.2 : 1+1	300H	135,51	113,87
462	LL1680-5mA	218-068-58	Line Output. Replaces UTC LS-27. 600Ω or 150Ω output. Excellent	1.9 or 1:4.5	210H	130,09	109,32
463	LL1680-8mA	218-280-45	8mA Version of the above.	1.9 or 1:4.5	131H	130,09	109,32
464	LL1930	218-206-39	Line output for tube preamp. Very high performance.	5.8+5.8 : 1+1	24V In	65,50	55,04
465	LL1940	218-303-09	Microphone Output transformer.	9 : 1	18V In	56,99	47,89
466	LL2763-07mA	218-330-53	Line output. For high impedance tubes.	4+4 : 1+1+1+1	280H	124,88	104,94
467	LL2763-07mA-AM	218-331-69	Amorphous Version of LL2763-07mA	4+4 : 1+1+1+1	280H	270,53	227,34
468	LL2763-07mA-Ag	218-332-67	Silver wire Version of LL2763-07mA	4+4 : 1+1+1+1	280H	1676,76	1409,04
469	LL2763-07mA-Ag-AM	218-333-96	Silver wire, amorphous Version of LL2763-07mA	4+4 : 1+1+1+1	280H	1822,41	1531,44
470	LL2763-PP	218-334-31	Line output. For high impedance tubes.	4+4 : 1+1+1+1		124,88	104,94

472	LUNDAHL (Part6.2)	Order Nr.	FOR SIGNAL, VARIOUS FUNCTIONS			Euro	Euro
473	LL1527	218-053-73	General Purpose Transformer	1+1 : 1+1	16dBu	63,69	53,52
474	LL1527A	218-148-64	LL1527, but with split shields	1+1 : 1+1	16dBu	63,69	53,52
475	LL1527-XL	218-054-26	LL1527, but high signal version	1+1 : 1+1	19dBu	75,55	63,49
476	LL1570	218-061-89	Low impedance. Input or output.	1+1 : 1+1	16dBu	70,27	59,05
477	LL1570-XL	218-062-76	Low impedance. Input or output. High signal.	1+1 : 1+1	19dBu	82,12	69,01
478	LL1575	218-156-67	Video Transformer 20Hz11MHz	1 : 1	1 Volt	51,18	43,01
479	LL1588	218-165-37	High Level General Purpose, Iron Core. Compare with LL1684	1+1 : 1+1	25..28dBu	93,72	78,76
480	LL1684	218-167-86	High Level General Purpose, Amorph Core. Compare with LL1588	1+1 : 1+1	23..25dBu	123,00	103,36
481	LL5402	218-074-39	Very Low distortion. Unbalanced drive possible.	2+2 : 1+1	Universal	58,27	48,97

483	LUNDAHL (Part7)	Order Nr.	MOVING COIL TRANSFORMERS	Freq.	Core	Euro	Euro
484	LL1636 (2x shielded Version of LL9206)	218-087-77	equals LL9206, but LL1636 is double shielded	10-90kHz	Amorph	88,06	74,00
485	LL1678	218-080-09	MC. 1:8 or 1:16 or 1:32. Shielded.	10-90kHz	Amorph	76,06	63,92
486	LL1681	218-081-84	MC. 1:13 or 1:26. Double shielded	7-70kHz	Mu-Metal	105,21	88,41
487	LL1931	218-229-86	MC. 1:8 or 1:16. COBALT core, and Cardas™ Wire.	10-100kHz	Cobalt	224,85	188,95
488	LL1931-AG (Silver)	218-262-49	Version with pure silver wire. (AG=Argentum)	AG=Silver	Cobalt	734,62	617,33
489	LL1933	218-220-95	MC. 1:8 or 1:16. NICKEL core, and Cardas™ Wire.	10-100kHz	Nickel	178,44	149,95
490	LL1933-AG (Silver)	218-263-76	Version with pure silver wire. (AG=Argentum)	AG=Silver	Nickel	688,99	578,98
491	LL1941	218-245-92	MC. 1:16 or 1:32. COBALT core, and Cardas™ Wire.	10-100kHz	Cobalt	224,85	188,95
492	LL1941-AG (Silver)	218-264-92	Version with pure silver wire. (AG=Argentum)	AG=Silver	Cobalt	734,62	617,33
493	LL1943	218-246-40	MC. 1:16 or 1:32. NICKEL core, and Cardas™ Wire.	10-100kHz	Nickel	178,44	149,95
494	LL1943-AG (Silver)	218-265-25	Version with pure silver wire. (AG=Argentum)	AG=Silver	Nickel	688,99	578,98
495	LL1961	218-335-52	MC. 1:3.2 or 1:6.4 COBALT core	12-100kHz	Cobalt	233,49	196,21
496	LL1971	218-336-90	MC. 1:12 or 1:24. Amorphous Core.	10-100kHz	Amorph	224,73	188,85
497	LL9206	218-078-35	Replace by LL1636 or LL9226.	10-90kHz	Amorph	n.a.	n.a.
498	LL9226 (Cobalt Version, replaces LL9206)	218-226-90	Cobalt Version of LL9206 with wider Frequency range.	10-100kHz	Amorph	85,48	71,83
499	MC Cookbook by Email only	218-231-29	Basics about building an MC transformer. Includes Excel program with most cartridges known, to calculate exactly each Lundahl MC transformer. We add any new cartridge for you if needed.			17,85	15,00
500	Discount, for buying MC Cookbook before.	218-232-92	Discount, for buying MC Cookbook before.			-17,85	-15,00

502	LUNDAHL (Part8)	Order Nr.	GUITAR INPUT			Euro	Euro
503	LL1935	218-222-37	High impedance Guitar Pickup to low impedance input.			68,07	57,20

505	LUNDAHL (Part9)	Order Nr.	MICROPHONE, PHONO INPUT			Euro	Euro
506	LL1528	218-082-87	1+1 : 2.5 + 2.5			64,59	54,28
507	LL1530	218-083-09	1+1 : 3.5+3.5			65,10	54,71
508	LL1538	218-084-90	1+1 : 5. Can be wired 1:5 or 1:2.5. High performance	0dBu		72,97	61,32
509	LL1538-XL	218-085-33	1+1 : 5. High performance. High Signal.	3dBu		85,22	71,61
510	LL1576	218-086-19	Microphone, or line Box.	1+1 : 7		72,97	61,32
511	LL1578	218-158-48	Microphone, or line Box.	1+1 : 10	Mu-Metal	72,97	61,32
512	LL1578-XL	218-159-96	Microphone, or line Box. High Signal	1+1 : 10	Mu-Metal	85,22	71,61
513	LL1581-XL	218-236-55	Microphone Splitter. 600Ω input	1 : 1+1	Mu-Metal	91,15	76,60
514	LL1636	218-087-77	Microphone or MC. 1+1+1+1 : 10+10		Amorph		
515	LL1927A	218-181-58	Ribbon Microphone. 1+1 : 55+55		Amorph	86,89	73,02
516	LL2912	218-209-56	Flying Lead version of 2911 and 2913		Amorph	74,39	62,51

517	LL2913	218-200-67	This a LL2911 with another pinout. Use 2913 for new designs		Amorph	74,39	62,51
518	LL7903	218-089-33	Micr. or Line Input. Universal Type. 1+1+1+1 : 2+2+2+2	28dBu	Low R-Cu	137,30	115,38
519	LL7903-AG (Silver)	218-089-33	Version with pure silver wire. (AG=Argentum)	AG=Silver	Low R-Cu	616,02	517,66
520	LL7904	218-172-17	High Level splitter transformer	1+1 : 1+1		141,65	121,67
521	LL7905	218-090-90	Micr. or Line Input. Universal Type. 1+1+1+1 : 5.6 + 5.6.	37dBu	Low R-Cu	137,30	115,38
522						Europe, incl. 19% MwSt. (VAT)	Export Price
523	LUNDAHL (Part10)		For Digital Audio. Finest Quality.			Euro	Euro
524	LL1572	218-154-72	For Digital Audio. Turns Ratio 1:1		Amorph	25,79	21,67
525	LL1573	218-174-89	For Digital Audio. Turns Ratio 1:1:1		Amorph	32,24	27,09
526	LL1574	218-160-94	For Digital Audio. Turns Ratio 1:1.2 (can be reversed)		Amorph	25,79	21,67
527	LL1589	218-175-76	For Digital Audio. Turns Ratio 1:1:1:1		Amorph	40,75	34,24
528						Europe, incl. 19% MwSt. (VAT)	Export Price
529	LUNDAHL (Part11)	Order Nr.	Mogami Cable, with transformer, for hum cancelling			Euro	Euro
530	LL6810-PHMPHM	218-091-90	RCA-male <=> RCA-Male.	High Imp.	150cm	131,25	110,29
531	LL156X-3FX3MX	218-189-72	XLR-Female <=> XLR-Male	High Imp.	Plug	164,90	138,57
532	LL156X-3FXNP2C	218-190-09	XLR Female <=> Mono Jack Plug 1/4"	High Imp.	10cm	179,59	150,92
533	LL156X-3FXPHM	218-191-94	XLR Female <=> RCA-Male	High Imp.	10cm	178,82	150,27
534	LL156X-PHF3MX	218-192-55	XLR Male <=> RCA-Female.	High Imp.	Plug	164,90	138,57
535	LL1584-3FX3MX	218-193-39	XLR Female <=> XLR-Male	600Ohms	Plug	164,90	138,57
536	LL1584-3FXNP2C	218-194-85	XLR-Female <=> Mono Jack Plug 1/4"	600Ohms	10cm	179,59	150,92
537	LL1584-3FXPHM	218-196-18	XLR-Female <=> RCA-Male	600Ohms	10cm	178,82	150,27
538	LL1584-PHF3MX	218-197-37	RCA-Female <=> XLR-Male	600Ohms	Plug	164,90	138,57
539						Europe, incl. 19% MwSt. (VAT)	Export Price
540	LUNDAHL (Part12.1)	Order Nr.	PUSH-PULL 3x primary Impedance / 3x secondary impedance		Henry	Euro	Euro
541	LL1693-PP (for 6C33 and other)	218-178-28	2k3, 1k, 0,6k giving 180, 360, 700Watt. BIG Core.	BIG Core	150H	347,85	292,31
542	LL1627-PP	218-092-88	2k3, 1k2, 0,65k, giving 62, 125, 250Watt.	PP or UL	50% tap	232,07	195,02
543	LL1627-PP-AM	218-098-07	2k3, 1k2, 0,65, giving 62, 125, 250Watt. Amorph Core.	PP or UL	50% tap	405,99	341,17
544	LL2752-PP	218-320-92	4k6, 2k, 1k2, giving 45, 105, 180Watt.	PP or UL	50% tap	232,07	195,02
545	LL2752-PP-AM	218-321-76	4k6, 2k, 1k2, giving 45, 105, 180Watt.	PP or UL	50% tap	405,99	341,17
546	LL2765-PP	218-326-85	4k6, 5k4 into 30, 150, 600 Ohms. For Headphone Amplifier.	PP	170H	124,93	104,98
547	LL1623-PP	218-093-48	5k6, 3k, 1k6, giving 62, 125, 250Watt.	PP or UL	50% tap	232,07	195,02
548	LL1623-PP-AM	218-093-48	5k6, 3k, 1k6, giving 62, 125, 250Watt.	PP or UL	50% tap	405,99	341,17
549	LL1623-PP-AM	218-099-29	5k6, 3k, 1k6, giving 62, 125, 250Watt. Amorph Core.	PP or UL	50% tap	405,99	341,17
550	LL1679-PP	218-095-69	9k7, 4k5, 2k6, giving 45, 105, 188 Watt.	PP or UL	36% tap	233,49	196,21
551	LL1679-PP-AM	218-100-93	9k7, 4k5, 2k6, giving 45, 105, 188 Watt. Amorph Core.	PP or UL	36% tap	407,41	342,36
552	LL1679-PP-Z (Parafeed)	218-214-81	For parafeed or other application with Zero DC current.	Z=Parafeed		233,49	196,21
553	LL1620-PP	218-096-43	11k5, 6k, 3k3, giving 62, 125, 250Watt.	PP or UL	50% tap	232,07	195,02
554	LL1620-PP-AM	218-101-89	11k5, 6k, 3k3, giving 62, 125, 250Watt. Amorph Core.	PP or UL	50% tap	405,99	341,17
555	LL1620-PP-CFB	218-202-49	11k5, 6k, 3k3, giving 62, 125, 250Watt.	Cath FB	25% tap	255,15	214,41
556	LL1620-PP-CFB-AM	218-203-15	11k5, 6k, 3k3, giving 62, 125, 250Watt. Amorph Core.	Cath FB	25% tap	429,07	360,56
557	LL1688-PP (BIG CORE)	218-094-90	20k5, 9k2, 5k5, giving 72, 160, 320Watt.	BIG Core	400H	347,85	292,31
558	LL9202-PP	218-097-71	23k, 11k, 6k5 giving 62, 125, 250Watt.	PP or UL	50% tap	232,07	195,02
559	LL9202-PP-AM	218-102-79	23k, 11k, 6k5 giving 62, 125, 250Watt.	PP or UL	50% tap	405,99	341,17
560						Europe, incl. 19% MwSt. (VAT)	Export Price
561	LUNDAHL (Part12.2)	Order Nr.	PUSH PULL / Single Impedance		Henry	Euro	Euro
562	LL1663-PP	218-104-74	5k to 8Ω. 40Watt. With Ultra Linear Tap.	PP	200H	144,14	121,13
563	LL1663-PP-AM	218-183-51	5k to 8Ω. 40Watt. With Ultra Linear Tap. Amorph Core.	PP	200H	317,93	267,17
564	LL1663-PP-Z-AM	218-299-56	5k to 8Ω. 40Watt. With Ultra Linear Tap. Amorph Core.	Z=Parafeed	>200H	317,93	267,17
565	LL1663-PP-AM-AG (Silver)	218-288-67	Version with pure silver wire. (AG=Argentum)	AG=Silver	200H	2838,59	2385,37
566	LL1691-PP (BIG CORE)	218-186-87	9k to 8Ω, 160Watt. For 845, GM70	PP	429H	347,85	292,31
567	LL1682-PP	218-105-69	5k5 to 5Ω. 40Watt. With Ultra Linear Tap.	PP	200H	144,14	121,13
568	LL1682-PP-AM	218-182-90	5k5 to 5Ω. 40Watt. With Ultra Linear Tap. Amorph Core.	PP	200H	317,93	267,17
569	LL1682-PP-Z-AM	218-304-43	5k5 to 5Ω. 40Watt. With Ultra Linear Tap. Amorph Core.	Z=Parafeed	>200H	317,93	267,17
570	LL1682-PP-Z	218-315-54	5k5 to 5Ω. 40Watt. With Ultra Linear Tap.	Z=Parafeed	>200H	144,14	121,13
571	LL1664-PP	218-103-77	3k to 8Ω. 55Watt. With Ultra Linear Tap.	PP	200H	144,14	121,13
572	LL1664-PP-AM	218-184-82	3k to 8Ω. 55Watt. With Ultra Linear Tap. Amorph Core.	PP	200H	317,93	267,17
573						Europe, incl. 19% MwSt. (VAT)	Export Price
574	LUNDAHL (Part12.3)	Order Nr.	SINGLE ENDED 3x primary Impedance / 3x secondary impedance	DC-mA	Henry	Euro	Euro
575	LL1693-230mA (for 6C33 and other)	218-179-91	2k3, 1k, 0,6k giving 35, 70, 140Watt. BIG Core.	230mA	16H	347,85	292,31
576	LL1693-350mA (for 6C33 and other)	218-259-09	2k3, 1k, 0,6k giving 35, 70, 140Watt. BIG Core.	350mA	11H	347,85	292,31
577	LL1627-090mA	218-106-85	2k3, 1k2, 0,65, giving 13, 25, 50Watt.	90mA	18H	232,07	195,02
578	LL1627-090mA-AM	218-119-92	2k3, 1k2, 0,65, giving 13, 25, 50Watt. Amorph Core.	90mA	18H	405,99	341,17
579	LL1627-120mA	218-251-91	2k3, 1k2, 0,65, giving 13, 25, 50Watt.	120mA	14H	232,07	195,02
580	LL1627-120mA-AM	218-246-40	2k3, 1k2, 0,65, giving 13, 25, 50Watt. Amorph Core.	120mA	14H	405,99	341,17

581	LL1627-140mA	218-107-95	2k3, 1k2, 0,65, giving 13, 25, 50Watt.	140mA	12H	232,07	195,02
582	LL1627-140mA-AM	218-120-71	2k3, 1k2, 0,65, giving 13, 25, 50Watt. Amorph Core.	140mA	12H	405,99	341,17
583	LL1627-185mA	218-108-27	2k3, 1k2, 0,65, giving 13, 25, 50Watt.	185mA	9H	232,07	195,02
584	LL1627-185mA-AM	218-121-27	2k3, 1k2, 0,65, giving 13, 25, 50Watt. Amorph Core.	185mA	9H	405,99	341,17
585	LL2752-060mA	218-318-47	4k6, 2k, 1k2, giving 10, 21, 36Watt.	60mA	30H	232,07	195,02
586	LL2752-060mA-AM	218-319-29	4k6, 2k, 1k2, giving 10, 21, 36Watt.	60mA	30H	405,99	341,17
587	LL2765-030mA	218-325-09	4k6, 5k4 into 30, 150, 600 Ohms. For Headphone Amplifier.	30mA	64H	124,93	104,98
588	LL1623-040mA	218-323-19	5k6, 3k, 1k6, giving 13, 25, 50Watt.	40mA	68H	232,07	195,02
589	LL1623-040mA-AM	218-289-94	5k6, 3k, 1k6, giving 13, 25, 50Watt. Amorph Core.	40mA	68H	405,99	341,17
590	LL1623-060mA	218-109-00	5k6, 3k, 1k6, giving 13, 25, 50Watt.	60mA	46H	232,07	195,02
591	LL1623-060mA-AM	218-122-34	5k6, 3k, 1k6, giving 13, 25, 50Watt. Amorph Core.	60mA	46H	405,99	341,17
592	LL1623-070mA-AM	218-270-90	5k6, 3k, 1k6, giving 13, 25, 50Watt. Amorph Core.	70mA	39H	405,99	341,17
593	LL1623-090mA	218-110-72	5k6, 3k, 1k6, giving 13, 25, 50Watt.	90mA	30H	232,07	195,02
594	LL1623-090mA-AM	218-123-96	5k6, 3k, 1k6, giving 13, 25, 50Watt. Amorph Core.	90mA	30H	405,99	341,17
595	LL1623-120mA	218-111-49	5k6, 3k, 1k6, giving 13, 25, 50Watt.	120mA	24H	232,07	195,02
596	LL1623-120mA-AM	218-124-09	5k6, 3k, 1k6, giving 13, 25, 50Watt. Amorph Core.	120mA	23H	405,99	341,17
597	LL1623-160mA	218-218-69	5k6, 3k, 1k6, giving 13, 25, 50Watt.	160mA	18H	232,07	195,02
598	LL1623-220mA	218-269-58	5k6, 3k, 1k6, giving 13, 25, 50Watt.	220mA	13H	232,07	195,02
599	LL1623-220mA-AM	218-295-91	5k6, 3k, 1k6, giving 13, 25, 50Watt.	220mA	13H	405,99	341,17
600	LL1679-55mA	218-286-52	9k7, 4k5, 2k6, giving 9, 20, 36Watt.	55mA	51H	233,49	196,21
601	LL1679-55mA-AM	218-287-79	9k7, 4k5, 2k6, giving 9, 20, 36Watt. Amorph Core.	55mA	51H	407,41	342,36
602	LL1679-70mA-AM	218-125-84	9k7, 4k5, 2k6, giving 9, 20, 36Watt. Amorph Core.	70mA	40H	407,41	342,36
603	LL1679-70mA	218-112-67	9k7, 4k5, 2k6, giving 9, 20, 36Watt.	70mA	40H	233,49	196,21
604	LL1679-120mA	218-268-19	9k7, 4k5, 2k6, giving 9, 20, 36Watt.	120mA	23H	233,49	196,21
605	LL1620-40mA-AM	218-126-88	11k5, 6k, 3k3, giving 13, 25, 50Watt. Amorph Core.	40mA	90H	405,99	341,17
606	LL1620-060mA	218-114-48	11k5, 6k, 3k3, giving 13, 25, 50Watt.	60mA	60H	232,07	195,02
607	LL1620-60mA-AM	218-127-09	11k5, 6k, 3k3, giving 13, 25, 50Watt. Amorph Core.	60mA	60H	405,99	341,17
608	LL1620-080mA	218-115-87	11k5, 6k, 3k3, giving 13, 25, 50Watt.	80mA	45H	232,07	195,02
609	LL1620-080mA-AM	218-128-09	11k5, 6k, 3k3, giving 13, 25, 50Watt. Amorph Core.	80mA	45H	405,99	341,17
610	LL1620-100mA	218-188-93	11k5, 6k, 3k3, giving 13, 25, 50Watt.	100mA	36H	232,07	195,02
611	LL1620-100mA-AM	218-219-76	11k5, 6k, 3k3, giving 13, 25, 50Watt. Amorph Core.	100mA	36H	405,99	341,17
612	LL1688-70mA (BIG CORE)	218-116-96	20k5, 9k2, 5k5, giving 15, 30, 60Watt.	70mA	70H	347,85	292,31
613	LL9202-50mA	218-117-98	23k, 11k, 6k5, giving 13, 25, 50Watt.	50mA	100H	232,07	195,02
614	LL9202-50mA-AM	218-129-33	23k, 11k, 6k5, giving 13, 25, 50Watt. Amorph Core.	50mA	100J	405,99	341,17
615	LL9202-85mA	218-118-39	23k, 11k, 6k5, giving 13, 25, 50Watt.	85mA	57H	232,07	195,02
616	LL9202-85mA-AM	218-130-09	23k, 11k, 6k5, giving 13, 25, 50Watt. Amorph Core.	85mA	57H	405,99	341,17

Europe, incl. 19% MwSt. **Export Price**
(VAT)

617							
618	LUNDAHL (Part12.4)	Order Nr.	Single Ended / 8 Ohm Output	DC-mA	Henry	Euro	Euro
619	LL1663-040mA	218-258-83	5k to 8Ω, 8Watt.	40mA	45H	144,14	121,13
620	LL1663-050mA	218-131-76	5k to 8Ω, 8Watt.	50mA	35H	144,14	121,13
621	LL1663-080mA	218-211-76	5k to 8Ω, 8Watt.	80mA	22H	144,14	121,13
622	LL1663-100mA	218-132-92	5k to 8Ω, 8Watt.	100mA	17H	144,14	121,13
623	LL1691-70mA (BIG CORE)	218-185-87	9k to 8Ω, 30Watt. For 845, GM70, or other	70mA	75H	347,85	292,31
624	LL1691B-70mA (BIG CORE)	218-318-47	20k to 8Ω, 30Watt. For 211 or other	70mA	110H	357,00	300,00
625	LL1664-050mA	218-133-34	3k to 8Ω, 10Watt.	50mA	35H	144,14	121,13
626	LL1664-060mA	218-134-09	3k to 8Ω, 10Watt.	60mA	29H	144,14	121,13
627	LL1664-AM-060mA	218-290-41	3k to 8Ω, 10Watt. Amorph Core.	60mA	29H	317,93	267,17
628	LL1664-080mA	218-135-90	3k to 8Ω, 10Watt.	80mA	22H	144,14	121,13
629	LL1664-100mA	218-136-68	3k to 8Ω, 10Watt.	100mA	17H	144,14	121,13

Europe, incl. 19% MwSt. **Export Price**
(VAT)

630							
631	LUNDAHL (Part13)	Order Nr.	Single Ended / 5 Ohm Output			Euro	Euro
632	LL2735B-25mA	218-256-19	16k to 8Ω, 5Watt. For EML20A/B Tube.	25mA	108H	144,14	121,13
633	LL2735B-AM-25mA	218-249-58	16k to 8Ω, 5Watt. For EML20A/B Tube. Amorph Core.	25mA	108H	317,93	267,17
634	LL2735B-40mA	218-257-94	16k to 8Ω, 5Watt. For EML20B Tube.	40mA	76H	144,14	121,13
635	LL2735B-AM-40mA	218-250-49	16k to 8Ω, 5Watt. For EML20B Tube. Amorph Core.	42mA	76H	317,93	267,17
636	LL1682-050mA	218-137-48	5k to 5Ω, 8Watt.	50mA	35H	144,14	121,13
637	LL1682-100mA	218-138-90	5k to 5Ω, 8Watt.	100mA	17H	144,14	121,13

Europe, incl. 19% MwSt. **Export Price**
(VAT)

638							
639	LUNDAHL (Part14)	Order Nr.	MAINS TRANSFORMERS with DC CANCELLATION			Euro	Euro
640	LL1683	218-139-50	2x 250V-80mA, 48V-100, 2x 5.2V 3Amp, 2x 6.6V 3Amp.	Primary:	115/230	183,59	154,28
641	LL1669A	218-140-63	340V-550mA, 110V-40mA, 4x 6,3V each 3.1Amp.	Primary:	115/230	194,93	163,81
642	LL1648	218-141-89	350V-630, 2x 5.9V, 2x 6.6V / each 3.1Amp.	Primary:	115/230	183,59	154,28
643	LL1649	218-142-97	230V-1A or 460V-0,5A 4x: 6.6V / each 3.1Amp.	Primary:	115/230	183,59	154,28
644	LL1650	218-143-29	350V-630mA, 4x 6.6V / each 3.1Amp.	Primary:	115/230	183,59	154,28
645	LL1651	218-144-93	500V-430mA, 4x 6.6V / each 3.1Amp.	Primary:	115/230	183,59	154,28
646	LL1665	218-166-42	590-0-590V-350mA, 4x 6.6V / each 3.1Amp. Tube rectifier possible.	Primary:	115/230	180,05	154,28
647	LL2741	218-302-84	290V-500mA, 4x 6.3Veach each 3.1Amp.	Primary:	115/230	183,59	154,28
648	LL2758	218-305-04	2x 250V-130mA, 30V-0,1A, 4x 6V 2Amp	Primary:	115/230	183,59	154,28
649	LL2748	218-297-85	443V-300mA, 2x 5.4V, 4A / 2x 6.7V, 2Amp.	Primary:	115/230	183,59	154,28

651 **LUNDAHL (Part15)** **Order Nr.** **MAINS Cleaning and Isolation transformers with DC CANCELLATION. 115-115, 230- 30, 115-230, 230-115, and /or adjust 10 or 20V.** **Euro** **Euro**

652	LL1662	218-176-94	LL1662 has step up/down option 10V or 20V. Replaces LL1655.	300VA	1:1 or 1:2	183,59	154,28
653	LL2760	218-306-39	Mains cleaning transformer, with airgap core.	200VA	1:1 or 1:2	177,54	149,19

654
655 **LUNDAHL (Part16)** **Order Nr.** **Transformer Covers** **Euro** **Euro**

656	Transformer Cover #1 (large)	218-241-46	For Transformer of 2.5kg. All Screws included.			71,04	59,70
657	Transformer Cover #2 (small)	218-274-57	For Transformer of 1.3kg or 0,75kg. All Screws included.			71,04	59,70
658	MC Box	218-328-19	Solid wooden Box, by Lundahl for MC transformers.			56,35	47,35

659
660 **LUNDAHL (Part17)** **Order Nr.** **Various Types Alphabetically sorted** **Euro** **Euro**

661	LL1550	218-149-59				84,32	70,86
662	LL1555	218-150-85				54,67	45,94
663	LL1560	218-151-96				77,74	65,33
664	LL1571	218-152-18				72,97	61,32
665	LL1577	218-157-99				72,97	61,32
666	LL1582	218-162-39				70,65	59,37
667	LL1583	218-163-91				71,04	59,70
668	LL1587	218-164-62				59,31	49,84
669	LL1590	218-242-62				135,51	113,87
670	LL1591	218-201-91				38,54	32,39
671	LL1691B	218-243-99				357,00	300,00
672	LL1936	218-244-67				93,72	78,76
673	LL2231	218-207-91				42,80	35,97
674	LL2734	218-247-24				99,79	83,86
675	LL2736	218-250-49				248,70	208,99
676	LL2737	218-251-91				160,64	134,99
677	LL2738	218-252-64				183,59	154,28
678	LL2811	218-208-63				58,79	49,40
679	LL2914	218-210-50				63,95	53,74
680	LL2915	218-254-59				67,18	56,45
681	LL6404	218-168-09				57,63	48,43
682	LL6702	218-169-84				49,90	41,93
683	LL7101	218-170-80				56,22	47,24
684	LL7401	218-171-09				59,69	50,16
685	LL1944	218-282-67	Audio Splitter			77,74	65,33

687	Accesories	Order Nr.				Euro	Euro
688	Pot Meter, Stepped Attenuator, Mono. 1x47k 23 steps.	399-123-98	1x 47k LOG. Make before brake contacts. Ceramic Precision Resistors, Vishay Type NPW-E3.			42,86	36,01




690		Order Nr.	BY DUENDE CRIATURA, HOLLAND	Metric	INCH	Euro	Euro
691	Duende Ring #01	318-036-09	For: 6021W, 6111WA	9-10mm	0.35... 0.39	16,00	13,45
692	Duende Ring #02	318-037-43	For: 6AU6	17,5-19mm	0.69...0.71	16,00	13,45
693	Duende Ring #03	318-038-04	For: ECC83, EL84	19,5-22mm	0.77...0.87	16,00	13,45
694	Duende Ring #04	318-039-39	For: 6SN7	26-29mm	1.02...1.14	18,00	15,13
695	Duende Ring #05	318-040-76	For: EL34, 5AR4, 6SN7	27,7-32mm	1.09...1.26	22,50	18,91
696	Duende Ring #06	318-041-99	For: EL34 big glass, 6L6 small glass	32..36mm	1,26...1,54	24,50	20,59
697	Duende Ring #07	318-042-26	For: 6080, KT90, 6L6GC, 300B	36-39mm	1.41...1.54	26,50	22,27
698	Duende Ring #08	318-043-64	For: 2A3, 300B	38-42mm	1.54...1.65	27,50	23,11
699	Duende Ring #09	318-044-81	For: 6550, KT88. (With all EML tubes, these fit on bottom part)	43-47mm	1.69...1.89	27,50	23,11
700	Duende Ring #10	318-045-09	For: 6C33, etc	50-54mm	1.97...2,1	30,00	25,21
701	Duende Ring #11	318-046-58	For: 211, VT4C, 845, 813	53-58mm	2.09...2.28	33,00	27,73
702	Duende Ring #12	318-047-91	For: Fullmusic Aubergine 300B, or GM70	63-68mm	2,5...2,68	33,00	27,73



705 **Order Nr.** **Finest connectors from Japan** **Euro** **Euro**

706	FI-E11-Copper. Furutech	319-002-90	Furutech. European Plug.	30,56	25,68
707	FI-E35-Gold. Furutech	319-003-52	European Plug, with earth jumper	63,77	53,59
708	FI-E35-Rhodium. Furutech	319-004-82	Furutech. European Plug, with earth jumper	65,10	54,71
709	FI-11-Copper. Furutech	319-018-62	Furutech. IEC connector (plug into equipment)	30,56	25,68
710	FI-25-Gold. Furutech	319-006-77	Furutech. IEC connector, with earth jumper. (plugs into equipment)	63,77	53,59
711	FI-25-Rhodium. Furutech	319-007-29	Furutech. IEC connector, with earth jumper. (plugs into equipment)	65,10	54,71
712	Inlet-Gold. Furutech	319-008-93	Furutech. Chassis inlet, Gold Plated	7,97	6,70
713	Inlet-Rhodium. Furutech	319-009-73	Furutech. Chassis inlet, Rhodium Plated	10,63	8,93
714	FP-162-Gold-Red. Furutech (one pcs)	319-010-19	Furutech. RCA plug. Gold/Teflon. Red color code.	3,99	3,35
715	FP-162-Gold-White. Furutech (one pcs)	319-011-93	Furutech. RCA plug. Gold/Teflon. White color code.	3,99	3,35



				Europe, incl. 19% MwSt. (VAT)	Export Price
Tools, Parts, Solder	Order Nr.			Euro	Euro
719	Silver-Gold solder. Mundorf 100gramm	611-001-87	Mundorf, Sn95,5Cu0,7Ag3,8Au. Melting point 217°C. 3% silver, 0,01% Gold. With Flux	48,19	40,50
720	Silver-Gold solder. Mundorf SUPREME 100gramm	611-003-09	Mundorf Sn88,6Cu1,8Ag9,5Au0,1 Melting point 290°C. 9.5% Silver, 0.1% Gold. With Flux	86,87	73,00
721	Solder Flux nr1. For Silver Solder.	611-006-77	Finest liquid flux, for silver and normal solder. In 10ml glass bottle with brush. (Price per ml 0,60 €)	7,14	6,00
722	Azimut Tool	620-005-73	For re-adjustung Azimut of Yamamoto headshells, if needed.	1,19	1,00
723	Wire Cutter (Side Cutter)	624-006-76	Side Cutter for Wires of Capacitors, Cables, etc.	3,57	3,00
724	Guide to tube tester repair and calibration.	624-017-37	Small book, color printed, in a binder.	53,55	45,00
725	Characterized tubes 6L6-RCA. Add 6L6-Russian.	624-019-92	For calibrating testers. Full tube curves + test data. NOS RCA Steel Can tube, same as used by tube tester manufacturers long ago. Plus additional Russian 6L6, to make a copy of the RCA tube. Manual order nr 624-014-55 explaining how to do this.	83,30	70,00
726	Tube Set for calibration. Incl Email Support	624-014-55	Full package: 2x 6L6, 6SN7, 6SL7+ leakage test tool + "Guide to tube tester repair and calibration". Repair or calibrate your tube tester!	202,30	170,00
727	Bias King Pro, Digital Tube tester.	624-015-39	See tube testers collection on www.jacmusic.com for manual. Year 2004 stock.	327,97	275,61
728	Meter, AVO CT160	624-020-77	New made meter for AVO CT160. 3250 Ohms, 30uA, Precision calibrated by AVO specs.	535,50	450,00
729	Meter, AVO Mk3, Mk4	624-021-68	New made meter for AVO Mk3 and Mk4 tube tester. 3250 Ohms, 30uA, Precision calibrated by AVO specs. Internal movement is made by the original meter factory! Not produced any more.	446,25	375,00
730	Meter, AVO Mk3, Mk4	624-021-68	New made meter for AVO Mk3 and Mk4 tube tester. 3250 Ohms, 30uA, Precision calibrated by AVO specs. Friction free, Tout Band Type meter. Housing looks reasonably similar to AVO.	535,50	450,00
731	Meter, AVO MK2, Mk3, Mk4, CT160	624-022-19	Meter small overhaul. Includes calibration and small repairs like sticky needle, dirt removal, antistatic treatment of glass and inside parts.	148,75	125,00
732	Meter, AVO MK2, Mk3, Mk4, CT160	624-023-25	Meter complete overhaul. Same as above, and also needle balancing, linearity adjustment, weak magnet, and other repairs if possible.	297,50	250,00
733	Meter L3-3 scale modification	624-024-09	Modify the original scale to a three range, colored scale, including antistatic coating renewal of glass, plastic, and needle paint.	101,15	85,00
734	Cable Binder (50 pcs)	699-003-90	Black cable binder. Lenth: 10cm, width 2,3mm, bag of 50pcs.	1,19	1,00
735	Pin Straightener	699-004-33	For tubes like ECC83, 12AT7, etc. Original NOS Mullard tool. Limited stock.	11,90	10,00

German Text
Deutscher Text

Lieber Kunde, wir dürfen die von Yamamoto fertig aufgebaute Elektro-Geräte nicht nach Deutschland liefern, oder sonstige Länder wofür das Deutsche Elektro- und Elektronikgerätegesetz Gültigkeit hat. Bedanken Sie sich bei den Grünen! Wir dürfen nach Deutschland nur Bausätze und Bauteile liefern. Wir bitten um Ihr Verständnis.



YAMAMOTO (1)	Order Nr.	HIFI EQUIPMENT and DIY Kits from Japan	Euro	Euro	
740	A06-3S. Yamamoto	520-060-83	A06. Version3. Model S, for KT88. Stereo tube amplifier. Price is without output tubes.	4282,45	3598,70
741	A08-205D. Yamamoto	520-011-04	205D tubes not included	3678,35	3091,05
742	A08-205D. Yamamoto	520-055-94	WE 205D tennis ball tubes included	6900,26	5798,54
743	A08-S. Yamamoto	520-009-19	45. Stereo tube amplifier, DC heated, Amp Meter. Price includes all tubes.	2953,41	2481,86
744	A08-S-Kit. Yamamoto	420-008-15	A08-S Amplifier, kit version	2601,70	2186,30
745	A09-S. Yamamoto	520-032-85	300B. Stereo tube amplifier. DC heated. Price is without 300B tubes.	7343,28	6170,82
746	A010. Yamamoto, without VT52 tubes	520-052-86	VT52 Stereo tube amplifier. DC heated. Price is without VT52 tubes	4282,45	3598,70
747	A010. Yamamoto, with VT52 by Western	520-054-61	VT52 Stereo tube amplifier. DC heated. Price is with VT52 tubes	5490,67	4614,01
748	A11. Yamamoto, with 2A3 RCA	520-027-77	2A3. Stereo tube amplifier, DC heated, Amp Meter. With 2A3 by RCA	4181,77	3514,09
749	A11. Yamamoto, without 2A3 tubes	520-035-73	2A3. Stereo tube amplifier, DC heated, Amp Meter. Without 2A3 tubes.	3678,35	3091,05
750	A14. Yamamoto.	520-059-26	300B amplifier. The price includes not the 300B tubes.	4349,58	3655,11
751	Tweak #1 for amplifier	520-015-26	Dual Rectifier option. Only for A08 and A11.	119,00	100,00
752	Tweak #2 for amplifier	520-016-74	Low Hum option, for very sensitive speakers.	487,90	410,00

753	Tweak #3 for amplifier A06 only	520-058-91	Improve the frequency range of A06 amplifier.	59,50	50,00
754	Optional 16Ω output	520-048-64	Amplifier is factory delivered with 16Ω outputs. For A06-3, A08, A09, A11.	302,06	253,83
755	HA-02. Head Phone amplifier Yamamoto	520-001-91	Vacuum Tube Head Phone amplifier, with Western Electric 408A tubes	1127,67	947,62
756	HA-03. Head Phone amplifier Yamamoto	420-054-84	Vacuum Tube Head Phone amplifier, with C3m tubes	1530,41	1286,06
757	CA-03. Yamamoto	520-004-66	All Telefunken Tube Pre-amp with MM / MC Input and Stepper Attenuator .	5967,24	5014,49
758	CA-03L. Yamamoto	520-005-46	All Telefunken Tube Pre-amp with MM / MC Input.	4436,84	3728,44
759	CA-04. Yamamoto	520-006-19	All Telefunken Tube Pre-amp.	2423,15	2036,26
760	EQB-01. Yamamoto	520-003-95	All Telefunken Tube Phono Equalizer. MM / MC Input.	3430,00	2882,35
761	YDA-01-kit. Yamamoto.	420-033-84	Kit Version. Digital to Analog Converter for CD players. Coaxial input.	1677,90	1410,00
762	YDA-01. Yamamoto	520-033-84	Digital to Analog Converter for CD players. Coaxial input.	2725,20	2290,08
763	YDA-01B. Yamamoto	520-042-90	Digital to Analog Converter for CD players. Tube Output. Coaxial input.	3248,76	2730,05
764	AL-2, Record Arm lift. Yamamoto	420-024-69	Smooth movement, with hydraulic control (oil pressure) arm lift. Made of Ceramic parts and Ebony wood. Prestine quality product.	143,57	120,65
765	RS-1, Record Clamp. Yamamoto	420-023-90	Silver plated bronze, all non magnetic. Special inner shape.	119,64	100,54
766	HS-1A, Ebony Wood. Yamamoto	420-001-99	Ebony wood head shell. 18x18x50 mm, 10.4 gram. Gold plated bronze accesories. Connections cables, with gold plated contacts included.	77,77	65,35
767	HS-1A-s with upgrade Cables. Yamamoto	420-002-17	Special version HS-1A with fixed mounted YR-01 wires to the headshell. The YR-01 wire set is made of special materials. (Check under YR-01, some lines below)	104,45	87,77
768	HS-2, Cherry Wood. Yamamoto	420-003-39	Asada treated Cherry wood, head shell. 18x18x50 mm, 10.4 gram. Gold plated bronze accesories. Connections cables, with gold plated contacts included.	69,32	58,25
769	HS-3, Box Wood. Yamamoto	420-018-33	From NOS Box wood, head shell. 18x18x50 mm, 8.2 gram. Gold plated bronze accesories. Connections cables, with gold plated contacts included. (What is boxwood? See: www.boxwood.org)	74,07	62,24
770	BT-1 Screw Set. Yamamoto	320-064-91	Titanium screw set 2.6mm for Headshells, various lengths included.	31,90	26,81
771	HS Azimut Tool. Yamamoto	620-005-73	For re-adjustung Azimut of Yamamoto headshells, if needed.	2,38	2,00
772	SUT-01. Yamamoto	520-002-66	Dual impedance, Moving Coil transformer. (Stereo)	1220,30	1025,46
773	SUT-02. Yamamoto	520-021-55	Solid Aluminium block, Mono Moving Coil transformer. 1:20 Step up. This is one channel, so you need two of those for stereo.	508,46	427,28
774	YC-03M. Yamamoto	420-020-90	Moving Coil cartridge, Box wood. Round Needle. "M" for mono version	972,58	817,29
775	YC-03S. Yamamoto	420-019-80	Moving Coil cartridge, Ebony wood, Line Contact Needle. "S" for Stereo Version	972,58	817,29
776	YC-03S. Full repair.	420-088-97	Complete repair + new needle.	667,28	560,74
777	YR-01 Upgrade cables.	320-005-97	Upgrade 4x cable set for head shell. 6N Copper / Soft Teflon Litz and 24k gold plated bronze	33,05	27,77
778	NOS Tube (one) 408A, GE	114-056-48	One 408A tube, General Electric NOS. Amplifier spare part. Recommended to try out another	8,33	7,00
779	NOS Tube (one) 408A, WE	114-057-90	One 408A tube, Western Electric NOS. Amplifier spare part. Test data is added with each tube.	23,21	19,50
780	NOS Tubes (PAIR) 717A, WE / Ray.	114-054-90	MATCHED Pair of 717A NOS tubes. Original Western Electric boxes, dated 1943. On tube glas is written: Western Electric and Raytheon. Amplifier spare part. Most boxes bad condition, but tubes inside are clean like new. Computer matched with Amplitrex tester, full report added.	89,25	75,00
781	Used Tubes (PAIR) 717A, WE / TS.	114-097-90	MATCHED Pair of 717A used tubes, Western Electric. On tubes is written: Western Electric and Tung-Sol. Amplifier spare part. Computer matched with Amplitrex tester, full report added. Quality like NOS tubes.	77,35	65,00
782	Tube (pair) 45, Tung Sol	114-061-26	Pair of 45 tubes. Tung-Sol brand.	460,76	387,19
783	115 Volt Option	420-051-35	For USA	0,01	0,01

784

Europe, incl. 19% MwSt. Export
(VAT) Price

785	YAMAMOTO (2)	Order Nr.	HIGH Precision, Machined Sockets. Adjustable contact force.		Euro	Euro
786	4Pin-Yamamoto-UX4-Gold	320-018-29	Socket 4Pin-Yamamoto-UX4-Gold For: 300B.	Wiring + PCB	42,73	35,91
787	4Pin-Yamamoto-UX4-Silver	320-019-67	Socket 4Pin-Yamamoto-UX4-Silver For: 300B.	Wiring + PCB	26,58	22,34
788	4Pin-Yamamoto-UV4-Gold-30mm	320-087-39	Socket 4Pin-Yamamoto-UV4-Gold-30mm For: WE102, WE205. Chassis hole 30mm	Wiring + PCB	53,17	44,68
789	4Pin-Yamamoto-UV4-Gold-35mm	320-020-99	Socket 4Pin-Yamamoto-UV4-Gold-35mm For: WE102, WE205. Chassis hole 35mm	Wiring + PCB	53,17	44,68
790	4Pin-Yamamoto-UV4-Silver	320-021-48	Socket 4Pin-Yamamoto-UV4-Silver For: WE102, WE205.	Wiring + PCB	26,58	22,34
791	4Pin-Yamamoto-WE212-Gold	320-090-52	Socket 4Pin-Yamamoto-WE212-Gold For: WE212, etc	Wiring + PCB	170,91	143,62
792	4Pin-Yamamoto-304TL-Gold	320-086-91	Socket 4Pin-Yamamoto-304TL-Gold For: 304-TL, VT191, etc	Wiring + PCB	94,95	79,79
793	4Pin-Yamamoto-316A-4P-Gold	320-069-39	Socket 4Pin-Yamamoto-316A-4P-Gold For: WE316A, 388A, etc	Wiring + PCB	47,48	39,90
794	4Pin-Yamamoto-703A-4P	320-075-19	Socket 4Pin-Yamamoto-703A-4P For: 703A, 368A, etc	Wiring + PCB	37,98	31,92
795	4Pin-Yamamoto-Jumbo-Gold	320-022-96	Socket 4Pin-Yamamoto-Jumbo-Gold For: 211, 845.	Wiring + PCB	66,46	55,85
796	2x 4Pin. Yamamoto-Gold-UX4-UV4	320-023-94	Socket 4Pin x2-Yamamoto-Pin-Gold-UX4-UV4 UX4 and UV4 in one socket. GENIUS product. Has 2x4 holes, 4 of which are used. Use original WE tubes or Chinese, in one socket.	Wiring + PCB	56,97	47,87
797	2x 4Pin. Yamamoto-Gold-UX4-B4	320-024-88	Socket 4Pin x2-Yamamoto-Pin-Gold-UX4-B4 UX4 and B4 in one socket. GENIUS product. Has 2x4 holes, 4 of which are used.	Wiring + PCB	56,97	47,87
798	2x 4Pin. Yamamoto-Gold-UX4-UX4	320-063-67	Socket 4Pin x2-Yamamoto-Pin-Gold-UX4-UX4 two UX4 in one socket. GENIUS product. Has 2x4 holes, 4 of which are used. Allows two electrical circuits for one socket. Like 302 and 300B.	Wiring + PCB	56,97	47,87
799	4/5 Pin-Yamamoto-B4/5-Gold	320-025-39	Socket 4/5 Pin-Yamamoto-B4/5-Gold For: PX25, RGN1064.	Wiring + PCB	42,73	35,91
800	5Pin-Yamamoto-UX5-Gold	320-026-91	Socket 5Pin-Yamamoto-UX5-Gold For: 807, 227.	Wiring + PCB	47,48	39,90
801	5Pin-Yamamoto-Post-Gold	320-027-62	Socket 5Pin-Yamamoto-Post-Gold For: Ba, Ca.	Wiring + PCB	37,98	31,92

802	6Pin-Yamamoto-UX6-Gold	320-028-37	Socket 6Pin-Yamamoto-UX6-Gold For: 310A.	Wiring + PCB	47,48	39,90
803	7Pin-Yamamoto-Post-Gold	320-029-42	Socket 7Pin-Yamamoto-Post-Gold For: Ed, Ec.	Wiring + PCB	37,98	31,92
804	7Pin-Yamamoto-miniature-Gold	320-030-86	Socket 7Pin-Yamamoto-miniature-Gold For: 6C4, 6AU6.	Wiring + PCB	45,58	38,30
805	7/4Pin-Yamamoto-GM70	320-032-84	Socket 7/4Pin-Yamamoto-GM70 For: GM70.	Wiring + PCB	75,96	63,83
806	7/4Pin-Yamamoto-813/4E27	320-032-84	Socket 7/4Pin-Yamamoto-813/4E27 For: 813, 4E27	Wiring + PCB	75,96	63,83
807	8Pin-Yamamoto-Octal-Gold	320-033-80	Socket 8Pin-Yamamoto-Octal-Gold For: KT88, EL34.	Wiring + PCB	53,17	44,68
808	8Pin-Yamamoto-Octal-Silver	320-034-09	Socket 8Pin-Yamamoto-Octal-Silver For: KT88, EL34.	Wiring + PCB	36,08	30,32
809	8Pin-Yamamoto-Octal-Silver	320-034-09	Socket 8Pin-Yamamoto-Octal-Silver For: KT88, EL34.	Wiring + PCB	36,08	30,32
810	8/5Pin-Yamamoto-Octal-Gold	320-035-17	8/Socket 5Pin-Yamamoto-Octal-Gold For: 5U4G, 274B, GZ34	Wiring + PCB	42,73	35,91
811	8Pin-Yamamoto-Loctal-Gold	320-036-23	Socket 8Pin-Yamamoto-Loctal-Gold For: C3g, C3m.	Wiring + PCB	56,97	47,87
812	8Pin-Yamamoto-P8/Au8-Gold	320-037-89	Socket 8Pin-Yamamoto-P8/Au8-Gold For: AZ1, AD1.	Wiring ONLY	26,58	22,34
813	9Pin-Yamamoto-Noval-Wired-Gold	320-038-76	Socket 9Pin-Yamamoto-Noval-Wired-Gold For: ECC83, EL84.	Wiring + PCB	56,97	47,87
814	9Pin-Yamamoto-Noval-PCB-Gold	320-039-94	Socket 9Pin-Yamamoto-Noval-PCB-Gold For: ECC83, EL84.	PCB ONLY	56,97	47,87
815	9Pin-Yamamoto-Magnoval-Gold	320-040-34	Socket 9Pin-Yamamoto-Magnoval-Gold For: EL519, WE418A, WE436A, WE437A,	Wiring + PCB	56,97	47,87
816	9Pin-Yamamoto-F2a German Post	320-082-76	Socket 9Pin-Yamamoto-F2a German Post For: F2a German post	Wiring + PCB	64,57	54,26
817	9-pin Gold-Bronze Shield Cap Yamamoto	320-081-69	9Pin Gold-Bronze Shield Cap. Yamamoto For 9-pin tubes like ECC81, 82, 83, 88, etc.		42,73	35,91
818	10Pin-Yamamoto-EL156	320-041-28	Socket 10Pin-Yamamoto-EL156 For: EL156.	Wiring + PCB	64,57	54,26
819	Yamamoto Plate Cap 6mm.	320-070-91	Plate Cap 6mm, Teflon-Gold. Yamamoto.		17,97	15,10
820	Yamamoto Plate Cap 9mm.	320-071-63	Plate Cap 9mm, Teflon-Gold. Yamamoto.		21,37	17,96
821	19mm Adapter for Noval Sockets	320-073-50	This base plate allows to mount the 19mm hole Yamamoto noval socket. 1) in any hole for an octal socket with 38mm screw distance. 2) In the hole for the Chinese noval socket (with 28mm screw distance)		18,99	15,96
822	30mm Air Ventilation adapter. Yamamoto	320-074-76	For most Yam. Sockets, Octal, UX4, and others. Made from treated black wood. Improved air flow around tube. Also for beautiful way of socket mounting. All high quality screws included, also to mount socket to Air Vent. Adapter. Finest Quality ever seen!		18,99	15,96
823	35mm Air Ventilation adapter. Yamamoto	320-080-13	For most larger type Yam. Sockets, like EL156 Sockets.		18,99	15,96
824	Silicon Damper part for Air Ventilation	320-128-89	30...35mm sockets: use with Yamamoto air ventilation adapter. 9 pin or smaller, use		1,49	1,25

Europe, incl. 19% MwSt. Export Price
(VAT)

826	YAMAMOTO (3)	Order Nr.	Vintage Solder Strip + RCA Jacks + Speaker Terminals	Euro	Euro
827	3Pin Solderstrip. 1L3P-COMP. Yamamoto	320-043-58	COMPLITE Material. GOLD Contacts. Vintage Solder Strip. 5x Round contacts (just as with vintage radios) Single mounting hole in the middle. Has space for large diameter part.	4,27	3,59
828	5Pin Solderstrip. 1L5P-COMP. Yamamoto	320-044-58	COMPLITE Material. GOLD Contacts. Vintage Solder Strip. 5x Round contacts (just as with vintage radios) Single mounting hole in the middle. Has space for large diameter part.	5,22	4,39
829	10Pin Solderstrip. 2L10P-COMP. Yamamoto	320-045-90	COMPLITE Material. GOLD Contacts. Vintage Solder Strip. 10x Round contacts (just as with vintage radios) One mounting hole at each end. (total =two mounting holes)	8,54	7,18
830	5Pin Solderstrip. 1L5P-TEF. Yamamoto	320-046-51	GOLD / TEFLON. Vintage Solder Strip. 5x Round contacts (just as with vintage radios) Single mounting hole in the middle. Has space for large diameter part.	8,54	7,18
831	5Pin Solderstrip. 2L5P-TEF. Yamamoto	320-047-82	GOLD / TEFLON. Vintage Solder Strip. 5x Round contacts (just as with vintage radios) One mounting hole at each end. (total =two mounting holes)	8,54	7,18
832	Cinch /RCA Input, 1pc. Yamamoto	320-050-29	GOLD / TEFLON. Very high contact quality, Audio input connector. Chassis part, with separate ground connection. Color rings included. (red, white, grey, olive-green)	20,88	17,55

Europe, incl. 19% MwSt. Export Price
(VAT)

834	YAMAMOTO (4)	Order Nr.	Accessories	Euro	Euro
835	MGB1. Equipment Stands. 1pc.	320-051-93	Without any mechanical contact! Equipment floats on circular Neodeme magnets. Carries 2....10kg /One. Ebony Wood + Teflon + Neodeme circular magnets. Price for one.	97,41	81,86
836	MGB2. Equipment Stands. 1pc.	320-072-56	Without any mechanical contact! Equipment floats on circular Neodeme magnets. Carries 0,9 ...3kg /One. Ebony Wood + Teflon + Neodeme circular magnets. Price for one.	71,78	60,32
837	PB09. Equipment Stands. 4pcs.	320-052-72	Black African Ebony wood. Pack of 4pcs. Parts (male) for equipment. 32 x 19mm	35,89	30,16
838	PB10. Equipment Stands. 4pcs.	320-053-09	Black African Ebony wood. Pack of 4pcs. Parts (female) to stand on. 32 x 12mm	30,76	25,85
839	PB18. Equipment Stands. 4pcs.	320-083-95	Black African Ebony wood. Pack of 4pcs. Large receptacles for spikes.	87,17	73,25
840	PB20. Equipment Stands. 4pcs.	320-054-94	Black African Ebony wood. Pack of 4pcs. Parts (male) for equipment. 41 x 21mm	51,28	43,09
841	PB21. Equipment Stands. 4pcs.	320-055-55	Black African Ebony wood. Pack of 4pcs. Parts (female) to stand on. 41 x 14mm	46,15	38,78
842	PB22. Equipment Stands. 4pcs.	320-056-39	Striped South Asian Ebony wood. Pack of 4pcs.	10,26	8,62
843	PB23. Spike Receptacles of Ebony. 4pcs.	320-079-26	Black African Ebony wood. Pack of 4pcs. 20 x 59mm	92,30	77,56
844	VB-18. Equipment Stands. Complete set.	320-077-81	V-Grooved Equipment base. Package with 2 pcs femala and 2pcs Mail .Outside dimension in milimeters: 25(W)x27(H)x180(D)	59,48	49,98
845	VB-25. Equipment Stands. Complete set.	320-078-09	V-Grooved Equipment base. Package with 2 pcs femala and 2pcs Mail. Outside dimension in milimeters: 35(W)x33(H) x250 (D)	123,06	103,41
846	9-pin Gold-Bronze Shield Cap Yamamoto	320-081-69	9Pin Gold-Bronze Shield Cap. Yamamoto For 9-pin tubes like ECC81, 82, 83, 88, etc.	42,73	35,91
847	Meter, Round. "VU". Yamamoto	320-068-68	VU meter. Sensitivity: 1.228V = 0dB . Internal Resistance = 26k.	69,81	58,66
848	Meter, Round. 300-0-300. Yamamoto	320-057-85	Balanced Meter. 300-0-300. The needle is in the middle. Full scale is +/-300mV.	69,81	58,66
849	Meter, Round. 050mA. Yamamoto	320-058-98	Meter, Round. 050mA. YamamotoSeries resistor = 50x Cathode Resistor	69,81	58,66
850	Meter, Round. 100mA. Yamamoto	320-059-18	Meter, Round. 100mA. YamamotoSeries resistor = 100x Cathode Resistor	69,81	58,66
851	Meter, Round. 150mA. Yamamoto	320-060-37	Meter, Round. 150mA. YamamotoSeries resistor = 150x Cathode Resistor	69,81	58,66
852	Meter, Round. 300mA. Yamamoto	320-066-15	Meter, Round. 300mA. YamamotoSeries resistor = 300x Cathode Resistor	69,81	58,66
853	Meter Flange, Round Metal. Yamamoto	320-061-62	Meter Flange, Round Metal. Yamamoto With screws from inside.	15,71	13,20



855	Tube Sockets	Order Nr.		Euro	Euro
856	4Pin-UX4-Large. UX4 Ceramic	399-064-59	UX4. Large Size. Solder lugs with double holes + extra space for large components. For 300B, 2A3,	1,79	1,50
857	4Pin-UX4-Large. Ceramic. Gold.	399-065-69	UX4. Large Size. Solder lugs with double holes + extra space for large components. For 300B, 2A3,	2,50	2,10
858	4Pin UX4-Classic. Ceramic. Gold.	399-066-84	UX4. Classic design, like in old USA Amplifiers. Gold plated. For 300B, 2A3, 83, etc	2,55	2,14
859	4Pin UX4. Teflon. Beryllium-Gold. Like Yamamoto	398-401-79	Yamamoto look-alike socket, from China. Variable mounting (0, 90,180, 270 degrees)	16,66	14,00
860	4Pin-Nude UX4 base, Ceramic-Gold (part on the tube)	399-127-17	Repair part for tubes, or use as connector. Ceramic, gold plated. The part on the glass tube.	5,95	5,00
861	4Pin-Nude UX4 base, Bakelite-Silver (part on the tube)	399-092-29	Repair part for tubes, or use as connector. Black material, silver plated. The part on the glass tube.	3,57	3,00
862	4-5Pin /Eu. Ceramic.	399-069-93	B4/B5 Socket for RGN1064, PX25, etc. Ceramic flange.	2,26	1,90
863	4-5Pin /Eu. Ceramic. Gold.	399-070-27	B4/B5 Socket for RGN1064, PX25, etc. Ceramic flange. GOLD plated.	2,86	2,40
864	7Pin-PCB-HQ. Ceramic	399-075-95	High Quality Version, for Printed Circuit Board. For 6AU6, 6AQ5, etc.	1,31	1,10
865	7Pin-Post. Ceramic. Silver	399-073-69	7 Pin German Post Socket.	5,36	4,50
866	7Pin-Post. Ceramic. Gold	399-074-58	7 Pin German Post Socket. GOLD plated.	7,02	5,90
867	7Pin-Wired-HQ. Ceramic. Gold	399-076-47	High Quality Version, for soldered wires. All metal parts are GOLD plated. (Also the flange is GOLD plated). For 6AU6, 6AQ5, etc.	2,26	1,90
868	7Pin (6C33). Ceramic. Gold	399-112-85	Very beautiful glazed version. Gold plated contacts. Specially for 6C33, with additional steel clamps on the contacts, for higher contact force.	5,65	4,75
869	8Pin. Octal Adapter, for 7N7 to 6SN7. Gold	399-125-92	Plug a 7N7 Octal tube into this adapter. Then, use it into any 6SN7 amplifier. 100% function guaranteed. With Gold plated LOCTAL and Gold plated OCTAL connectors.	34,51	29,00
870	8Pin. Ceramic. For GU50	399-117-49	Ceramic Disc Socket. Strong version, specially for GU50, FU50, etc.	2,98	2,50
871	8Pin-Loctal-Wired. Ceramic-Gold.	399-103-71	Loctal Socket. (Not octal!) Nice Gold plated Version, for free wiring. Tubes like C3g, C3m.	2,85	2,39
872	8Pin-Octal-PCB. Ceramic.	399-077-68	Octal. Standard Version for Printed Circuit Board. For KT88, EL34, etc	0,91	0,76
873	8Pin-Octal-Wired. Ceramic-Gold. Beryllium	399-102-43	Octal Socket. Gold plated Beryllium Cylinder contacts, Ceramic. Replaces classical Octal Wired	5,37	4,51
874	8Pin-Octal-Wired. Ceramic-Gold. Large.	399-080-39	Octal. Large Size. Solder lugs with double holes + extra space. For small octal base, EL,34, KT90, KT66. Will not fit wide base like KT88, 6550.	4,76	4,00
875	8Pin-Octal-Wired-HQ. Ceramic-Gold. Cylinder	398-801-18	Octal. Cylinder contacts. High Quality Version, for soldered wires. All metal parts are GOLD plated. (Also the flange is GOLD plated). For KT88, EL34, etc. With fork contacts, for many plug-in / Pull out	2,39	2,01
876	8Pin-Octal-Wired-HQ. Ceramic-Gold. Fork	398-802-33	Octal. Fork contacts. High Quality Version, for soldered wires. All metal parts are GOLD plated. (Also the flange is GOLD plated). For KT88, EL34, etc. With fork contacts, for many plug-in / Pull out	2,39	2,01
877	8Pin-P8/ AU8. NOS Bakelite.	399-093-77	NOS Bakelite socket, black color. For: AZ1, AD1, EL5, EL6, Etc. Very precise made.	7,14	6,00
878	8Pin-Nude-Octal-base (part on the tube)	399-091-43	Repair part for tubes, or use as connector. Brown material. The part on the glass tube.	3,57	3,00
879	8Pin-Nude-Octal-base-Gold (part on the tube)	399-126-71	Repair part for tubes, or use as connector. Brown material. The part on the glass tube.	7,14	6,00
880	9Pin-Magnoval-PCB. Ceramic	399-085-05	White Ceramic socket for PL504, etc. PCB Type.	2,04	1,72
881	9Pin-Magnoval-PCB. Gold. Ceramic	399-086-09	White Ceramic socket for PL504, etc. GOLD plated. PCB Type.	2,55	2,14
882	9Pin-Magnoval-Wired. Ceramic. Gold.	399-087-84	White Ceramic socket for PL504, etc. GOLD plated. For soldered wires.	2,55	2,14
883	9Pin-PCB. Ceramic.	399-081-92	Noval. Standard Ceramic socket, for Printed Circuit Board. For EL84, ECC81. etc	0,47	0,40
884	9Pin-PCB. Ceramic. Gold.	399-113-94	Noval. Gold, Standard Ceramic socket, for Printed Circuit Board. For EL84, ECC81. etc	1,31	1,10
885	9Pin-PCB-HQ. Ceramic.	399-082-79	Noval. High Quality Version, for Printed Circuit Board. For EL84, ECC81. etc	1,61	1,35
886	9Pin-PCB-HQ. Ceramic. Gold.	399-083-07	Noval. High Quality Version, gold plated, for Printed Circuit Board. For EL84, ECC81. etc	1,83	1,54
887	9Pin-Wired. Teflon. Gold. Like Yamamoto	398-901-01	Yamamoto look-alike socket, from China. Variable mounting (0, 90,180, 270 degrees)	21,12	17,75
888	9Pin-Wired-HQ. Ceramic. Gold.	399-084-36	Noval. High Quality Version, for soldered wires. All metal parts are GOLD plated. (Also the flange is GOLD plated). For EL84, 12AX7, ECC81. Etc	2,26	1,90
889	10Pin-Wired Black. AZ12. etc.	399-104-07	10 pins socket for tubes like EL152, AZ12, etc.	2,38	2,00
890	Plate Cap 6.3mm. GOLD. Ceramic.	399-114-27	Ceramic Plate / Anode Cap 6.3mm diameter. GOLD plated. Tube like PL504	1,34	1,13
891	Plate Cap 7.5mm. Ceramic. (not Gold)	399-119-97	Ceramic Plate / Anode Cap with 6.3mm diameter. Tube like PL504	0,62	0,52
892	Plate Cap 9mm. GOLD Ceramic.	399-115-00	Ceramic Plate / Anode Cap 9mm diameter. GOLD plated. Tube like 807	1,34	1,13
893	Plate Cap 14mm. Ceramic. (not Gold)	399-120-47	Ceramic Plate / Anode Cap with 14mm diameter. Tube like 813	0,76	0,63
894	Plate Cap 14mm. GOLD. Ceramic.	399-116-72	Ceramic Plate / Anode Cap 14mm diameter. GOLD plated. Tube like 813	1,60	1,35

896	BHC Aerovox, England	Order Nr.	Extended Temp Range: -40 ... +105°C	(mm)	Euro	Euro
897	390u /350V. PCB Type	399-106-93	BHC Aerovox England. Gold Series, for tube power supply.	50 x 29	5,83	4,90

899 **Mundorf Supreme**

900				D x L		
901	Mundorf (1)	Order Nr.	tan d = 0.0002 bei 1kHz /1µF	(mm)	Euro	Euro
902	Mundorf. Supreme 0,10µF 1200VDC	323-033-53	Precision Cap., max 2%. Zero inductance. Metal case.	17 x 36	6,73	5,66
903	Mundorf. Supreme 0,22µF 1200VDC	323-035-67	Precision Cap., max 2%. Zero inductance. Metal case.	20 x 38	7,34	6,17
904	Mundorf. Supreme 0,33µF 1200VDC	323-036-96	Precision Cap., max 2%. Zero inductance. Metal case.	25 x 56	8,01	6,73

905	Mundorf. Supreme 0,47µF 600VDC	323-037-31	Precision Cap., max 2%. Zero inductance. Metal case.	20 x 39	8,68	7,30
906	Mundorf. Supreme 0,68µF 600VDC	323-039-90	Precision Cap., max 2%. Zero inductance. Metal case.	20 x 39	9,36	7,86
907	Mundorf. Supreme 1,0µF 600VDC	323-041-48	Precision Cap., max 2%. Zero inductance. Metal case.	20 x 39	10,03	8,43
908	Mundorf. Supreme 1,5µF 600VDC	323-042-91	Precision Cap., max 2%. Zero inductance. Metal case.	25 x 52	10,70	8,99
909	Mundorf. Supreme 1,8µF 600VDC	323-043-67	Precision Cap., max 2%. Zero inductance. Metal case.	25 x 52	12,05	10,12
910	Mundorf. Supreme 2,2µF 600VDC	323-044-05	Precision Cap., max 2%. Zero inductance. Metal case.	25 x 52	13,39	11,26
911	Mundorf. Supreme 2,7µF 600VDC	323-045-65	Precision Cap., max 2%. Zero inductance. Metal case.	30 x 56	14,74	12,39
912	Mundorf. Supreme 3,3µF 600VDC	323-046-36	Precision Cap., max 2%. Zero inductance. Metal case.	30 x 56	16,09	13,52
913	Mundorf. Supreme 3,9µF 600VDC	323-047-19	Precision Cap., max 2%. Zero inductance. Metal case.	30 x 56	18,11	15,21
914	Mundorf. Supreme 4,7µF 600VDC	323-048-93	Precision Cap., max 2%. Zero inductance. Metal case.	36 x 56	20,12	16,91
915	Mundorf. Supreme 5,6µF 600VDC	323-049-86	Precision Cap., max 2%. Zero inductance. Metal case.	36 x 56	23,49	19,74
916	Mundorf. Supreme 6,8µF 600VDC	323-050-29	Precision Cap., max 2%. Zero inductance. Metal case.	41 x 53	26,86	22,57
917	Mundorf. Supreme 8,2µF 600VDC	323-051-51	Precision Cap., max 2%. Zero inductance. Metal case.	36 x 106	30,22	25,40
918	Mundorf. Supreme 10µF 600VDC	323-052-94	Precision Cap., max 2%. Zero inductance. Metal case.	36 x 106	33,59	28,22
919	Mundorf. Supreme 15µF 600VDC	323-053-19	Precision Cap., max 2%. Zero inductance. Metal case.	41 x 106	40,32	33,88
920	Mundorf. Supreme 18µF 600VDC	323-054-76	Precision Cap., max 2%. Zero inductance. Metal case.	41 x 106	43,68	36,71
921	Mundorf. Supreme 22µF 600VDC	323-055-90	Precision Cap., max 2%. Zero inductance. Metal case.	50 x 106	50,41	42,36
922						

923 **Mundorf Silver-Oil Series**

Green marked lines have lower prices. We can supply those only as stock lasts

				Aluminium Case, with two Caps in series.		D x L	
Mundorf (2)		Order Nr.	tan d: 0.00001 bei 10kHz. Absolutely Induction free	(mm)	Euro	Euro	
926	Mundorf. Silver Oil 0,01µF 1000VDC	323-056-26	Silver foil, with oil. Max 2%. Zero Inductance. Metal case. Special Sales. Only 6 PiecesLeft	13 x 36	14,74	12,39	
927	Mundorf. Silver Oil 0,015µF 1000VDC	323-057-73	Silver foil, with oil. Max 2%. Zero Inductance. Metal case. Special Sales. Only 10 PiecesLeft	13 x 36	13,18	11,07	
928	Mundorf. Silver Oil 0,022µF 1000VDC	323-058-81	Silver foil, with oil. Max 2%. Zero Inductance. Metal case. Special Sales. Only 2 PiecesLeft	13 x 36	13,18	11,07	
929	Mundorf. Silver Oil 0,033µF 1000VDC	323-059-89	Silver foil, with oil. Max 2%. Zero Inductance. Metal case. Special Sales. Only 6 PiecesLeft	13 x 36	13,18	11,07	
930	Mundorf. Silver Oil 0,068µF 1000VDC	323-061-93	Silver foil, with oil. Max 2%. Zero Inductance. Metal case. Special Sales. Only 5 PiecesLeft	13 x 36	13,18	11,07	
931	Mundorf. Silver Oil 0,10µF 1000VDC	323-062-55	Silver foil, with oil. Max 2%. Zero Inductance. Metal case. Special Sales. Only 8	17 x 36	22,98	19,31	
932	Mundorf. Silver Oil 0,15µF 1000VDC	323-063-49	Silver foil, with oil. Max 2%. Zero Inductance. Metal case. Special Sales. Only 12	17 x 36	22,98	19,31	
933	Mundorf. Silver Oil 0,22µF 1000VDC	323-064-90	Silver foil, with oil. Max 2%. Zero Inductance. Metal case. Special Sales. Only 8	19 x 39	24,90	20,93	
934	Mundorf. Silver Oil 0,33µF 1000VDC	323-065-27	Silver foil, with oil. Max 2%. Zero Inductance. Metal case. Special Sales. Only 0	19 x 39	26,83	22,54	
935	Mundorf. Silver Oil 0,47µF 1000VDC	323-066-39	Silver foil, with oil. Max 2%. Zero Inductance. Metal case	26 x 41	28,75	24,16	
936	Mundorf. Silver Oil 0,56µF 1000VDC	323-067-92	Silver foil, with oil. Max 2%. Zero Inductance. Metal case. Special Sales. Only 8	26 x 41	28,75	24,16	
937	Mundorf. Silver Oil 0,68µF 1000VDC	323-068-78	Silver foil, with oil. Max 2%. Zero Inductance. Metal case. Special Sales. Only 10	26 x 41	33,56	28,20	
938	Mundorf. Silver Oil 0,82µF 1000VDC	323-069-78	Silver foil, with oil. Max 2%. Zero Inductance. Metal case. Special Sales. Only 8	31 x 42	33,56	28,20	
939	Mundorf. Silver Oil 1,0µF 1000VDC	323-070-28	Silver foil, with oil. Max 2%. Zero Inductance. Metal case	31 x 42	38,36	32,24	
940	Mundorf. Silver Oil 1,5µF 1000VDC	323-071-25	Silver foil, with oil. Max 2%. Zero Inductance. Metal case	36 x 42	43,17	36,28	
941	Mundorf. Silver Oil 1,8µF 1000VDC	323-072-09	Silver foil, with oil. Max 2%. Zero Inductance. Metal case. Special Sales. Only 4	41 x 57	43,17	36,28	
942	Mundorf. Silver Oil 2,2µF 1000VDC	323-073-85	Silver foil, with oil. Max 2%. Zero Inductance. Metal case	41 x 57	47,98	40,32	
943	Mundorf. Silver Oil 2,7µF 1000VDC	323-074-84	Silver foil, with oil. Max 2%. Zero Inductance. Metal case	41 x 57	52,79	44,36	
944	Mundorf. Silver Oil 3,3µF 1000VDC	323-075-19	Silver foil, with oil. Max 2%. Zero Inductance. Metal case	41 x 57	57,60	48,40	
945	Mundorf. Silver Oil 3,9µF 1000VDC	323-076-82	Silver foil, with oil. Max 2%. Zero Inductance. Metal case	41 x 57	67,21	56,48	
946	Mundorf. Silver Oil 4,7µF 1000VDC	323-077-43	Silver foil, with oil. Max 2%. Zero Inductance. Metal case	41 x 71	76,83	64,56	
947	Mundorf. Silver Oil 5,6µF 1000VDC	323-078-49	Silver foil, with oil. Max 2%. Zero Inductance. Metal case	46 x 71	86,44	72,64	
948	Mundorf. Silver Oil 6,80µF 1000VDC	323-079-67	Silver foil, with oil. Max 2%. Zero Inductance. Metal case	46 x 71	96,06	80,72	
949	Mundorf. Silver Oil 8,2µF 1000VDC	323-080-98	Silver foil, with oil. Max 2%. Zero Inductance. Metal case	51 x 71	105,67	88,80	
950	Mundorf. Silver Oil 10µF 1000VDC	323-081-32	Silver foil, with oil. Max 2%. Zero Inductance. Metal case	46 x 110	124,90	104,96	

951 **Mundorf Silver-Gold Series**



Europe, incl. 19% MwSt. Export Price (VAT)

				Aluminium Case, with two Caps in series.		D x L	
Mundorf (3)		Order Nr.	tan d: 0.00001 bei 10kHz. Absolutely Induction free	(mm)	Euro	Euro	
954	Mundorf. Silver Gold 0,01µF 1000VDC	323-082-71	99% Silver, 1% Gold. Max 2%. Zero Inductance. Metal case	17 x 36	26,01	21,86	
955	Mundorf. Silver Gold 0,015µF 1000VDC	323-083-90	99% Silver, 1% Gold. Max 2%. Zero Inductance. Metal case. Special Sales.	17 x 36	18,21	15,30	
956	Mundorf. Silver Gold 0,022µF 1000VDC	323-084-08	99% Silver, 1% Gold. Max 2%. Zero Inductance. Metal case. Special Sales.	17 x 36	18,21	15,30	
957	Mundorf. Silver Gold 0,033µF 1000VDC	323-085-48	99% Silver, 1% Gold. Max 2%. Zero Inductance. Metal case. Special Sales.	17 x 36	18,21	15,30	
958	Mundorf. Silver Gold 0,047µF 1000VDC	323-086-91	99% Silver, 1% Gold. Max 2%. Zero Inductance. Metal case. Special Sales.	17 x 36	18,21	15,30	

959	Mundorf. Silver Gold 0,056µF 1000VDC	323-087-68	99% Silver, 1% Gold. Max 2%. Zero Inductance. Metal case. Special Sales.	17 x 36	18,21	15,30
960	Mundorf. Silver Gold 0,068µF 1000VDC	323-088-24	99% Silver, 1% Gold. Max 2%. Zero Inductance. Metal case. Special Sales.	17 x 36	18,21	15,30
961	Mundorf. Silver Gold 0,10µF 1000VDC	323-090-26	99% Silver, 1% Gold. Max 2%. Zero Inductance. Metal case	17 x 36	26,92	22,62
962	Mundorf. Silver Gold 0,15µF 1000VDC	323-091-19	99% Silver, 1% Gold. Max 2%. Zero Inductance. Metal case	17 x 36	27,86	23,41
963	Mundorf. Silver Gold 0,22µF 1000VDC	323-092-93	99% Silver, 1% Gold. Max 2%. Zero Inductance. Metal case	19 x 39	29,74	24,99
964	Mundorf. Silver Gold 0,33µF 1000VDC	323-093-87	99% Silver, 1% Gold. Max 2%. Zero Inductance. Metal case	19 x 39	32,52	27,33
965	Mundorf. Silver Gold 0,47µF 1000VDC	323-094-49	99% Silver, 1% Gold. Max 2%. Zero Inductance. Metal case	26 x 41	37,19	31,25
966	Mundorf. Silver Gold 0,68µF 1000VDC	323-096-84	99% Silver, 1% Gold. Max 2%. Zero Inductance. Metal case	26 x 41	41,83	35,15
967	Mundorf. Silver Gold 1,0µF 1000VDC	323-098-76	99% Silver, 1% Gold. Max 2%. Zero Inductance. Metal case	31 x 42	46,49	39,07
968	Mundorf. Silver Gold 1,5µF 1000VDC	323-099-92	99% Silver, 1% Gold. Max 2%. Zero Inductance. Metal case	36 x 42	55,82	46,90
969	Mundorf. Silver Gold 2,2µF 1000VDC	323-101-92	99% Silver, 1% Gold. Max 2%. Zero Inductance. Metal case	36 x 56	65,12	54,72
970	Mundorf. Silver Gold 2,7µF 1000VDC	323-102-81	99% Silver, 1% Gold. Max 2%. Zero Inductance. Metal case	36 x 56	74,45	62,56
971	Mundorf. Silver Gold 3,3µF 1000VDC	323-103-79	99% Silver, 1% Gold. Max 2%. Zero Inductance. Metal case	41 x 57	83,75	70,38
972	Mundorf. Silver Gold 3,9µF 1000VDC	323-104-58	99% Silver, 1% Gold. Max 2%. Zero Inductance. Metal case	41 x 57	93,08	78,21
973	Mundorf. Silver Gold 4,7µF 1000VDC	323-105-94	99% Silver, 1% Gold. Max 2%. Zero Inductance. Metal case	46 x 71	102,38	86,03
974	Mundorf. Silver Gold 5,6µF 1000VDC	323-106-46	99% Silver, 1% Gold. Max 2%. Zero Inductance. Metal case	46 x 71	111,70	93,87
975	Mundorf. Silver Gold 6,8µF 1000VDC	323-107-68	99% Silver, 1% Gold. Max 2%. Zero Inductance. Metal case	51 x 71	121,01	101,69
976	Mundorf. Silver Gold 8,2µF 1000VDC	323-108-99	99% Silver, 1% Gold. Max 2%. Zero Inductance. Metal case	51 x 71	139,64	117,34
977	Mundorf. Silver Gold 10µF 1000VDC	323-109-17	99% Silver, 1% Gold. Max 2%. Zero Inductance. Metal case	51 x 106	167,59	140,83

978	Mundorf Silver-Gold-Oil Series		Europe, incl. 19% MwSt. (VAT)	Export Price
-----	---------------------------------------	--	--------------------------------------	---------------------

979	Aluminium Case, with two Caps in series.			D x L		
980	Mundorf (4)	Order Nr.	tan d: 0.00001 bei 10kHz. Absolutely Induction free	(mm)	Euro	Euro
981	Mundorf. Silv/Gold/oil 0,01µF 1000VDC	323-134-16	99% Silver, 1% Gold, OIL TYPE. Max 2%. Zero Inductance. Metal case	17 x 36	32,52	27,33
982	Mundorf. Silv/Gold/oil 0,10µF 1000VDC	323-135-29	99% Silver, 1% Gold, OIL TYPE. Max 2%. Zero Inductance. Metal case	17 x 36	35,31	29,67
983	Mundorf. Silv/Gold/oil 0,22µF 1000VDC	323-136-93	99% Silver, 1% Gold, OIL TYPE. Max 2%. Zero Inductance. Metal case	19 x 39	37,19	31,25
984	Mundorf. Silv/Gold/oil 0,33µF 1000VDC	323-137-89	99% Silver, 1% Gold, OIL TYPE. Max 2%. Zero Inductance. Metal case	19 x 39	41,83	35,15
985	Mundorf. Silv/Gold/oil 0,47µF 1000VDC	323-138-69	99% Silver, 1% Gold, OIL TYPE. Max 2%. Zero Inductance. Metal case	26 x 41	46,49	39,07
986	Mundorf. Silv/Gold/oil 0,68µF 1000VDC	323-139-78	99% Silver, 1% Gold, OIL TYPE. Max 2%. Zero Inductance. Metal case	26 x 41	51,15	42,99
987	Mundorf. Silv/Gold/oil 1,0µF 1000VDC	323-140-84	99% Silver, 1% Gold, OIL TYPE. Max 2%. Zero Inductance. Metal case	31 x 42	55,82	46,90
988	Mundorf. Silv/Gold/oil 1,5µF 1000VDC	323-141-79	99% Silver, 1% Gold, OIL TYPE. Max 2%. Zero Inductance. Metal case	36 x 42	65,12	54,72
989	Mundorf. Silv/Gold/oil 2,2µF 1000VDC	323-142-76	99% Silver, 1% Gold, OIL TYPE. Max 2%. Zero Inductance. Metal case	36 x 56	74,45	62,56
990	Mundorf. Silv/Gold/oil 2,7µF 1000VDC	323-143-94	99% Silver, 1% Gold, OIL TYPE. Max 2%. Zero Inductance. Metal case	36 x 56	83,75	70,38
991	Mundorf. Silv/Gold/oil 3,3µF 1000VDC	323-144-27	99% Silver, 1% Gold, OIL TYPE. Max 2%. Zero Inductance. Metal case	41 x 57	93,08	78,21
992	Mundorf. Silv/Gold/oil 3,9µF 1000VDC	323-145-01	99% Silver, 1% Gold, OIL TYPE. Max 2%. Zero Inductance. Metal case	41 x 57	102,38	86,03
993	Mundorf. Silv/Gold/oil 4,7µF 1000VDC	323-146-72	99% Silver, 1% Gold, OIL TYPE. Max 2%. Zero Inductance. Metal case	46 x 71	116,34	97,77
994	Mundorf. Silv/Gold/oil 5,6µF 1000VDC	323-147-59	99% Silver, 1% Gold, OIL TYPE. Max 2%. Zero Inductance. Metal case	46 x 71	130,33	109,52
995	Mundorf. Silv/Gold/oil 6,8µF 1000VDC	323-148-58	99% Silver, 1% Gold, OIL TYPE. Max 2%. Zero Inductance. Metal case	51 x 71	139,64	117,34
996	Mundorf. Silv/Gold/oil 8,2µF 1000VDC	323-149-96	99% Silver, 1% Gold, OIL TYPE. Max 2%. Zero Inductance. Metal case	51 x 71	158,27	133,00
997	Mundorf. Silv/Gold/oil 10µF 1000VDC	323-150-47	99% Silver, 1% Gold, OIL TYPE. Max 2%. Zero Inductance. Metal case	51 x 106	199,00	167,23

				Europe, incl. 19% MwSt. (VAT)	Export Price
--	--	--	--	--------------------------------------	---------------------

998				D x L		
999	Mundorf (5)	Order Nr.	TubeCaps. These are foil caps, lifetime "for ever"	(mm)	Euro	Euro
1000	Mundorf. Tube Cap 10µF 1000VDC	323-300-96	Rectangular plastic case, wire connections, radial	35 x 55	17,21	14,46
1001	Mundorf. Tube Cap 20µF 750VDC	323-301-25	Rectangular plastic case, wire connections, radial	35 x 55	19,13	16,08
1002	Mundorf. Tube Cap 30µF 600VDC	323-302-46	Rectangular plastic case, wire connections, radial	35 x 55	21,06	17,70
1003	Mundorf. Tube Cap 47µF 600VDC	323-303-91	Round Aluminium case, wire connections, wire connections, radial	45 x 53	30,67	25,78
1004	Mundorf. Tube Cap 100µF 550VDC	323-304-29	Round Aluminium case, wire connections, with screws.	50 x 80	47,98	40,32
1005	Mundorf. Tube Cap 200µF 550VDC	323-305-58	Round Aluminium case, wire connections, with screws.	65 x 80	72,02	60,52

1006				D x L		
1007	Mundorf (6)	Order Nr.	Dual Electrolytic Cap. M-Lytic Series	(mm)	Euro	Euro
1008	Mundorf 50+50 / 500VDC	323-452-09	Needs a 35mm standard mounting clamp	35 x 50	16,09	13,52
1009	Mundorf 100+100 / 500VDC	323-453-81	Needs a 35mm standard mounting clamp	35 x 66	20,85	17,52
1010	Mundorf 200+200 / 500VDC	323-455-39	Needs a 35mm standard mounting clamp	35 x 80	37,98	31,92

1011				D x L		
1012	Mundorf (7)	Order Nr.	Mounting hardware	(mm)	Euro	Euro
1013	Clamp für 35mm Caps. Type MCNV	323-506-48	Black Nylon clamp, for chassis mounting	35 x 25	1,79	1,50
1014	Clamp für 50mm Caps. Type MCNV	323-507-90	Black Nylon clamp, for chassis mounting	50 x 25	2,98	2,50
1015	Clamp für 65mm Caps. Type MCNV	323-508-69	Black Nylon clamp, for chassis mounting	65 x 25	3,57	3,00
1016	TPCU870 Copper Speaker Posts. 2xRED +2x Black	323-509-43	For banana plugs, or forks, or bare wire. Special sales. Only one Quad	45 x 30	79,67	66,95

**PART 2: Same products as above, sorted by Product Name
-the yellow pages-**

Europe, incl. 19% MwSt.
(VAT)

Export
Price

Product Name

Euro

Euro

OB2. Sovtek.	111-095-04	Sovtek NOS. 105Volt Reference tube. Only two connections,works like Zener, but radiates light.	10,24	8,61
OC3 / VR105 Tungstram, NOS, OB	114-028-82	NOS Tungstram. 105 Volt/40mA. Works like Zener diode. Burns bright orange	20,23	17,00
OC3 / VR105 USA, NOS, OB	114-027-26	NOS. RCA, Zenith, and other USA brands. Boxes from 1945. 105 Volt/40mA. Works like Zener	34,51	29,00
OC3/ VR105. Sovtek.	111-096-49	Sovtek NOS. 105Volt Stabilizer tube. Only two connections,works like Zener, but radiates light. NOS	14,71	12,36
2A3 Quad Matching.	127-006-76	For a Quad please order: Two pairs, plus this order number. Price is for the whole quad.	19,80	16,64
2A3 Sovtek Pair	111-074-18	"PL" matched, for Plate Current and Transconductance. Tested at 250V/-45V. Data with tube box.	117,81	99,00
2A3 Sovtek Quad	111-075-55	"PL" matched, for Plate Current and Transconductance. Tested at 250V/-45V. Data with tube box.	249,90	210,00
2A3-Mesh EML (PAIR)	110-008-14	Original specs of RCA 2A3. Matched pair, in gift box.	607,72	510,69
2A3-Mesh-V4 EML (PAIR, Octal)	110-042-91	V4 =Center Tap version of 2A3-Mesh	622,44	523,06
2A3-S, EML (PAIR)	110-009-49	Can replace 15 Watt and 28 Watt 2A3 tubes.Matched pair, in gift box.	568,90	478,07
#BEZUG!	#BEZUG!	#BEZUG!	#BEZUG!	#BEZUG!
#BEZUG!	#BEZUG!	#BEZUG!	#BEZUG!	#BEZUG!
5U4G / GZ31.=C= Logo.Svetlana NOS	114-197-09	Mint condition battery tube, 50mA heater. See our NOS Pages for applications!	3,57	3,00
5U4G / GZ31. Sovtek	111-077-89	Sovtek NOS. SELL OFF. VERY SPECIAL PRICE	23,80	20,00
5U4G / GZ31.=C= Logo.Svetlana NOS	114-002-19	1975..1985 NOS, 8 filaments. Original Winged =C= Logo. As used by Audio Note. Orig. Box. This	17,85	15,00
5U4G / GZ31.Other Logo. NOS	114-152-71	Same as above, NOS, but not Svetlana branded. From Bulk pack	15,47	13,00
5U4GB (One tube). ElectroHarmonix.	111-003-84	Cylinder glass rectifier. Looks same as RCA Types.	14,52	12,20
5U4G-Mesh EML (One tube)	110-022-29	True mesh, from woven wire. (so not Chinese fake mesh, which is punched plate only)	293,15	246,35
5Y3GT. Sovtek	111-078-67	Double Rectifier tube	16,67	14,01
5Z3 Haltron, London UK, NOS, OB.	114-094-77	5Z3 is a 5U4G with 4Pin socket, same as 300B	34,51	29,00
5Z3 Ken-Rad, USA, 1940's tube. NOS, OB	114-111-74	5Z3 is a 5U4G with 4Pin socket, same as 300B	38,08	32,00
5Z3 RCA, USA, NOS, OB	114-094-77	5Z3 is a 5U4G with 4Pin socket, same as 300B	45,22	38,00
5Z3 "Standard Brand". Looks like Haltron, NOS, OB.	114-094-77	5Z3 is a 5U4G with 4Pin socket, same as 300B	28,56	24,00
5Z3 Sylvania USA, NOS, OB	114-110-77	5Z3 is a 5U4G with 4Pin socket, same as 300B	28,56	24,00
5Z3-Mesh EML (One tube)	110-024-75	True mesh, from woven wire. (so not Chinese fake mesh, which is punched plate only)	293,15	246,35
6AS7. Sovtek.	111-081-34	Sovtek NOS. Twin (BIG) Power Triode.	51,22	43,04
6C19-PI, NOS, OB.	114-079-98	NOS. Svetlana Russia. 100% tested, with -10% / +15% tolerance on Ia and -5% / +10% on Gm.	9,52	8,00
6C33-C Ulyanov. from Bulk pack.	114-075-58	NOS. Original Ulyanov Russia. The original from Russian Jet Airplaines. NOS from Bulk pack.	22,61	19,00
#BEZUG!	#BEZUG!	#BEZUG!	#BEZUG!	#BEZUG!
6C33-C Ulyanov. NOS. OB.	114-003-73	NOS. Original Ulyanov Russia. The original from Russian Jet Airplaines. Original box. Most boxes	26,18	22,00
6C4C (=6S4S, 6B4G) = 6A3-Octal, WB. Matched Pair.	114-085-35	NOS 6C4C. Svetlana, Early 1970's Production. This is a 6A3, with Octal base. Mint items. Price is for MATCHED Pair. Testdata included.	87,40	73,45
6C4C (=6S4S, 6B4G) = 6A3-Octal, WB. Matched Pair.	114-085-35	NOS 6C4C. Svetlana, Early 1970's Production. This is a 6A3, with Octal base. Mint items. Price is for MATCHED Pair. Test data included.	87,40	73,45
6CA7-EH-PL (Pair). ElectroHarmonix.	111-112-58	PL matched (2x burn-in). Price for PL matched PAIR	45,80	38,49
6CG7-EH (One tube). ElectroHarmonix.	111-006-26	This is a 6SN7, but Noval based.	17,87	15,02
#BEZUG!	#BEZUG!	#BEZUG!	#BEZUG!	#BEZUG!
6H30pi (Pair). SOVTEK	111-158-25	Balanced Matched pair. All four systems matched together. Test data added for plate current +	87,65	73,66
6H30pi. Sovtek.	111-082-90	The ultimative HiFi Triode!	36,89	31,00
6L6. Voskhod, NOS. OB.	114-052-32	Russian NOS. Individual boxed, with original datasheet. Long cilinder glass, older construction.	10,71	9,00
6L6GB-SOV-PL (Pair). Sovtek.	111-092-84	PL matched (2x burn-in). Price for PL matched PAIR	29,99	25,20
6L6GB-SOV-PL (Quad). Sovtek.	111-093-09	PL matched (2x burn-in). Price for PL matched QUAD	59,97	50,40
6N1P-EB. Voskhod, NOS, from Bulk pack.	114-031-58	"EB" is a factory selected verson of 6N1P. Almost the same as ECC85. It can also replace ECC88/ 6922, but 6N1P has more filament current. More Info: click ECC88 at our NOS page.	5,36	4,50
6N1P-VI. Voskhod, NOS. OB.	114-032-94	The "VI" version is the best tube of it's kind. It is balanced and matched per datasheet specification.	13,09	11,00
6N6P (6H6pi), NOS, WB	114-083-79	Double Triode for Audio. 2x 4.8Watt. Nice driver tube, head phone. Pin connections same as	10,71	9,00
6SJ7 General Electric, NOS	114-189-90	Absolutely Mint appearance tubes. Most white box.	17,85	15,00
6SJ7 Hewlett Pacard branded.	114-192-87	Absolute reference tubes. Original box from 1950's, made by GE. Only 3pcs.	65,45	55,00
6SJ7 RCA, NOS	114-190-51	Absolutely Mint appearance tubes. Original red box	32,13	27,00
6SJ7- VT116 RCA, NOS	114-191-82	Absolutely Mint appearance tubes. Original military box 1950's	47,60	40,00
6SL7 / 6188 Philips, NOS, OB.	114-005-59	Philips 6188, which is a Long Plate 6SL7. Plates have 20mm. Mint Quality! Military box, with	30,94	26,00
6SL7 Frivre Italy, NOS, OB.	114-172-37	NOS Fivre Italy. Beautiful Quality, with original orange boxes.	89,25	75,00
6SL7 RCA, NOS, OB.	114-139-92	NOS RCA. Original red box. Box and tube like new.	77,35	65,00
6SL7 Reflektor, NOS, WB.	114-006-67	NOS Reflektor, Russia. From the 1960's.	7,50	6,30
6SL7-GT. Sovtek.	111-083-48	Sovtek NOS 6H9C. Older construction, hand made tubes.	12,94	10,88
6SL7-WGT Sylvania, NOS, OB.	114-087-09	NOS Sylvania 6SL7. Military box, with 1966 datecode and more informations. Lovely looking tube,	46,41	39,00
6SN7 also check under 7N7!		7N7 is a 6SN7 with another socket, but much lower cost. It costs only 1/3 of NOS tubes! The Loctal		
6SN7 Octal Adapter, for 7N7 to 6SN7. Gold	399-125-92	Plug a 7N7 Loctal tube into this adaper. Then, use it into any 6SN7 amplifier. 100% function guaranteed. With Gold plated LOCTAL and Gold plated OCTAL connectors.	34,51	29,00
6SN7-EH (One tube). ElectroHarmonix.	111-013-91	This is prestine production from 2005, that we stocked as production was still good. Newer	18,99	15,96
6SN7-EH-G (One tube). ElectroHarmonix.	111-014-48	On par with the famous RCA 5692 tube, with the extra support bars. Gold pins.	33,33	28,00
6SN7-EH-GB (One tube). ElectroHarmonix.	111-015-58	Balanced Tube. Two systems in one glass bulb matched together. Test data added for plate current + transconductance. Gold pins.	47,61	40,00
6SN7-EH-GB (Pair). ElectroHarmonix.	111-016-90	Balanced Matched pair. All four systems matched together. Test data added for plate current +	95,21	80,01

1079	6SN7-GT Reflektor, NOS, from Bulk pack	114-045-85	NOS Reflektor, Russia. 6H8C = 6SN7-GT from 1969. Hand made tubes.	5,95	5,00
1080	6SN7-GT. Sovtek.	111-084-49	Sovtek NOS 6H8C. Older construction, hand made tubes.	14,71	12,36
1081	6SN7-GTB (One tube) Tung-Sol.	111-117-92	Russian Re-issue of 6SN7-GTB	27,74	23,31
1082	6SN7-GTB Toshiba, NOS, OB	114-080-07	NOS. Branded Toshiba Japan, but Toshiba never made 6SN7. These are probably Telefunken	101,15	85,00
1083	6V6 (Pair) Reflektor, NOS, OB.	114-068-89	NOS Reflektor, Russia. 6Pi6S = 6V6. Beautifull black version, filament nicely visible. Datecode	22,61	19,00
1084	6V6-EH-PL (Pair). ElectroHarmonix.	111-126-90	PL matched (2x burn-in). Price for PL matched PAIR	32,77	27,53
1085	6V6-TS-PL (Pair). Tung-Sol.	111-125-53	PL matched Pair (with 2x burn-in).	41,70	35,04
1086	6X4 / EZ90 / EZ31. TESLA. Rectifier NOS.	114-168-78	(6X4, EZ90, EZ31) TESLA. NOS. From bulk pack. Prestine Quality	8,33	7,00
1087	6X4-WA. Tung Sol. Rectifier. NOS, OB.	114-123-96	6X4 (=EZ90) NOS Tung-Sol, USA. Black plates, Military Tung-Sol boxes.	22,61	19,00
1088	6X5GT / VT126B. RCA. Dual rectifier. NOS, OB.	114-167-94	NOS RCA. Mil boxes from 1940..1945. Probably strongest 6X5 ever made. WW2 quality.	83,30	70,00
1089	6X5-GT. Brimar. Type1. NOS, OB.	114-166-96	NOS Brimar, England. Original but simple box. Seems from WW2 period. Perfect quality.	34,51	29,00
1090	6X5-GT. Brimar. Type2. NOS, OB.	114-124-98	NOS Brimar, England. Very nice colored boxes. Perfect quality.	45,22	38,00
1091	6X5-GT. Rayth. Dual rectifier. NOS, OB.	114-137-09	NOS Raytheon. Original boxes. Appears identical to RCA from 1945. Perfect quality.	26,18	22,00
1092	6X5-GT. RCA. Dual rectifier. NOS, OB.	114-164-99	NOS RCA. Boxes from 1960's	39,27	33,00
1093	6X5-GT. Sylvania Gold. Dual rectifier. NOS, OB.	114-138-76	NOS Sylvania Gold, made for VALVO Hamburg. Original Sylvania Gold tube, in very nice military VALVO Box from 1960. Most sought after 6X5. One pcs left only.	53,55	55,00
1094	6X5-GT. Sylvania Gold. Dual rectifier. NOS, OB.	114-180-76	Russian 6H6S (6X6C) is equivalent to D63 and 6H6GT. Lovely small dual rectifier, with Metal-bakelite base. Very nice for small projects. Should do 20mA or so. (only estimated by me)	2,38	2,00
1095	7N7, SYLVANIA, NOS, OB	114-142-90	NOS. Sylvania. Electrically fully equivalent to Sylvania 6SN7 angled plate, but 7N7 uses a LOCTAL	10,12	8,50
1096	7N7, SYLVANIA-100 PACK	114-186-91	Same as above, but original packed 100pcs in factory sealed box.	809,20	680,00
1097	7N7, SYLVANIA-FIVE PACK	114-165-48	Same as above, but original packed five tubes in a sleeve. Five 7N7 for the price of four. Beautiful	42,84	36,00
1098	7N7, TRU-VAC, NOS, OB.	114-188-58	7N7, tall glass, chrome top. These are labeled TRU-VAC, but are believed to be Sylvania from	16,66	14,00
1099	7N7, TRU-VAC, NOS, OB. TALL.	114-179-17	7N7, tall glass, chrome top. These are labeled TRU-VAC, but are believed to be Philco from 1940--	32,13	27,00
1100	8B. AVVT NOS tubes. (Pair)	112-002-84	AVVT. Gain=8. Driver tube. Matched pair. LOW STOCK	654,50	550,00
1101	8B-Blue. AVVT NOS tubes. (Pair)	112-118-46	Blue glass, with (transparent) gold coating. LOW STOCK	892,50	750,00
1102	#BEZUG!	#BEZUG!	#BEZUG!	#BEZUG!	#BEZUG!
1103	12A77-EH (One tube). ElectroHarmonix.	111-017-52	ECC81 Equivalent. HQ Version, with Bright white pins.	11,86	9,97
1104	12A77-EH-G (One tube). ElectroHarmonix.	111-018-82	E81CC Equivalent. HQ Version, with gold pins.	18,43	15,49
1105	12A77-EH-GB (One tube). ElectroHarmonix.	111-019-87	ECC801S Equivalent, with Gold pins. Balanced Tube. Two systems in one glass bulb matched together. Test data added for plate current + transconductance.	32,71	27,49
1106	12A77-EH-GB (Pair). ElectroHarmonix.	111-020-77	Balanced Matched pair. All four systems matched together. Test data added for plate current +	65,42	54,98
1107	12A77-EH (One tube). ElectroHarmonix.	111-021-29	ECC82 Equivalent. HQ Version, with Bright white pins.	11,86	9,97
1108	12A77-EH (One tube). ElectroHarmonix.	111-159-09	Balanced Matched pair. All four systems matched together. Test data added for plate current +	52,29	43,94
1109	12AX7/ ECC83. Svetlana	111-064-67	Very good quality 12AX7 / ECC83.	12,55	10,55
1110	12AX7: See ECC83				
1111	12AX7-EH (One tube). ElectroHarmonix.	111-025-93	ECC83 Equivalent. HQ Version, with white plated pins.	11,86	9,97
1112	12AX7-EH-G (One tube). ElectroHarmonix.	111-138-52	E83CC Equivalent. HQ Version, with gold pins.	18,43	15,49
1113	12AX7-EH-GB (One tube). ElectroHarmonix.	111-027-29	ECC803S Equivalent, with Gold pins. Balanced Tube. Two systems in one glass bulb matched together. Test data added for plate current + transconductance.	32,71	27,49
1114	12AX7-EH-GB (Pair). ElectroHarmonix.	111-028-85	Balanced Matched pair. All four systems matched together. Test data added for plate current +	65,42	54,98
1115	12AX7-LP/ ECC83. Sovtek.	111-088-58	Famous "long plate" ECC83. Looks same as European Philips tubes.	14,71	12,36
1116	12AX7-LPS/ Sovtek ECC83	111-089-56	Close copy of Telefunken ECC83.	15,27	12,83
1117	12AX7-WA/ ECC83. Sovtek.	111-085-91	Long-life. Dark, boxed plates with open sides. Glows nice!	13,37	11,23
1118	12AX7-WB/ 7025 / E83CC Sovtek.	111-086-65	Long-life. Dark, boxed plates with open sides. Glows nice! Low noise, for pre-amps.	16,02	13,46
1119	12AX7-WC/ ECC83. Sovtek.	111-087-76		15,46	12,99
1120	12AY7-EH / 6072 (One tube). ElectroHarmonix.	111-029-99	HQ Version, with Bright white pins.	16,70	14,03
1121	12BH7-EH (One tube). ElectroHarmonix.	111-030-18	Based on RCA Version	22,15	18,62
1122	12BH7-EH-G (One tube). ElectroHarmonix.	111-031-37	Same as above, but gold pins	29,60	24,88
1123	20A-Mesh EML (PAIR)	110-002-66	20x Gain, medium power. Matched pair, in gift box.	579,61	487,07
1124	20A-Mesh EML (PAIR)	110-050-09	PX4 with UX4 base. Filament is 4V, 1.6 Amps	732,21	615,30
1125	20B EML (PAIR)	110-003-19	20x Gain, high power. Matched pair, in gift box.	523,39	439,82
1126	20B-V4 EML (PAIR, Octal)	110-046-56	V4 =Center Tap version of 20B	562,21	472,44
1127	30A EML (PAIR)	110-014-91	30x Gain, medium power. Matched pair, in gift box.	568,90	478,07
1128	#BEZUG!	#BEZUG!	#BEZUG!	#BEZUG!	#BEZUG!
1129	45 EML (PAIR)	110-017-90	Direct RCA replacement. Solid Plate tubes, matched pair, in gift box.	496,62	417,32
1130	45 EML (PAIR)	110-048-94	RCA replacement + High Power. Solid Plate, matched pair, in gift box.	580,18	487,55
1131	45 Globe EML (PAIR)	110-035-67	LIMITED EDITION. Globe Version, Matched pair, in gift box.	669,29	562,43
1132	45 Mesh EML (PAIR)	110-018-53	Mesh-Window. Direct 45 replacement. Matched pair, in gift box.	607,72	510,69
1133	45 or 50, Quad Matching.	127-008-35	For a Quad please order: Two pairs, plus this order number. Price is for the whole quad.	19,80	16,64
1134	45 Tubes. (pair) 45, Tung Sol	114-061-26	Pair of 45 tubes. Tung-Sol brand.	460,76	387,19
1135	45-V4 EML (PAIR) Octal	110-041-49	V4 =Center Tap version of 45.	511,34	429,70
1136	47 Ken-Rad, NOS, OB	114-138-76	Ken-Rad, beautiful tube, coke bottle glass, clean print, original box. Versatile audio DHT pentode.	53,55	45,00
1137	50 EML (PAIR)	110-038-43	Direct replacement for RCA Type 50.	647,88	544,43
1138	76 Raytheon, NOS, OB	114-114-95	Raytheon, beautiful tube, coke bottle glass, clean print, original box. Original Audio Pre-amplifier	65,45	55,00
1139	80 Mesh EML (One tube)	110-037-41	True mesh, from woven wire. (so not Chinese fake mesh, which is punched plate only)	293,15	246,35

1140	80 Rectifier, NOS	114-127-71	NOS, USA brands, OB or white box.	53,55	45,00
1141	80 Rectifier, NOS	114-181-89	NOS, Neotron France. Box with metal seal. Never opened since 1961. Exclusively nice.	47,60	40,00
1142	81 EML Monodiode (One tube)	110-039-90	Solid plate mono Diode	246,28	206,96
1143	83 Rectifier, NOS	114-098-90	NOS, RCA Brand, Original box.	77,35	65,00
1144	102D (Pair) Fullmusic	116-008-92	Pre-amp. Tennis Ball glass.	140,89	118,40
1145	102D/n (Pair) Fullmusic	116-009-58	Pre-amp. Tennis Ball glass.	183,16	153,92
1146	211 (VT4C). NOS, OB.	114-169-39	211 (VT-4C) General Electric. Forget about Chinese tubes, when you can buy this NOS from 1945.	357,00	300,00
1147	274A -Mesh EML (One tube)	110-027-45	True mesh, from woven wire. (so not Chinese fake mesh, which is punched plate only)	293,15	246,35
1148	274A/n/+ (One tube) Fullmusic	116-028-29	Mesh Rectifier, double size! Large coke bottle glass.	139,13	116,92
1149	274B -Mesh EML (One tube)	110-029-85	True mesh, from woven wire. (so not Chinese fake mesh, which is punched plate only)	293,15	246,35
1150	300B EML (PAIR)	110-010-76	Matched pair, in gift box. Standard WE Equivalent.	568,90	478,07
1151	#BEZUG!	#BEZUG!	#BEZUG!	#BEZUG!	#BEZUG!
1152	300B-EH-PL (Pair). ElectroHarmonix.	111-147-58	Standard 300B tube from EHX. Precision matched pair.	186,17	156,45
1153	300B-Mesh EML (PAIR)	110-011-97	Matched pair, in gift box. Max plate dissipation 28 Watt. True mesh from woven wire.	732,21	615,30
1154	300B-SOV-PL. NOS. (Pair).	111-107-93	Out of production. We bought their last supply. These are NOS from 1990...2002. Patinum matched.	190,40	160,00
1155	300B-XLS EML (PAIR)	110-012-25	Matched Pair in gift box. The ultimate 300B!	706,77	593,93
1156	300B-XLS-V4 EML (PAIR) Octal	110-043-66	V4 =Center Tap Connection version of 300B-XLS, with Gold Ceramic Octal base.	721,50	606,30
1157	320B-XLS EML (PAIR)	110-015-19	High dynamics tube. Will also replace KR 842.	709,45	596,18
1158	408A. Headphone Amp Replament tube	114-056-48	One 408A tube, General Electric NOS. Amplifier spare part. Recommended to try out another	8,33	7,00
1159	408A. Headphone Amp Replament tube WE	114-057-90	One 408A tube, Western Electric NOS. Amplifier spare part. Test data is added with each tube.	23,21	19,50
1160	520B or 1605 Quad Matching	127-009-36	For a Quad please order: Two pairs, plus this order number. Price is for the whole quad.	19,80	16,64
1161	520B-V2 EML (PAIR) 6.5Volt	110-019-11	Can be build on order, for replacement purposes in old amplifiers.	n.a	n.a
1162	520B-V3 EML (PAIR) UX4, 5Volt	110-020-84	V3 = "Long Plate" 52B, 5.0 Volt filament. Matched pair, in gift box.	924,96	777,28
1163	520B-V4 EML (PAIR) Octal, 5Volt	110-040-38	V4 = Center Tap version of EML520B with 5Volt filament	939,69	789,65
1164	717A Tubes. NOS PAIR. WE / Raytheon.	114-054-90	MATCHED Pair of 717A NOS tubes. Original Western Electric boxes, dated 1943. On tube glas is	89,25	75,00
1165	717A Tubes. NOS PAIR. WE / Tung-Sol	114-097-90	MATCHED Pair of 717A used tubes, Western Electric. On tubes is written: Western Electric and	77,35	65,00
1166	1605 EML (PAIR) UX4, 5Volt	110-030-91	Our ultimate power triode. Matched pair, in gift box.	1090,95	916,76
1167	1605-V4 EML (PAIR) Octal, 5Volt	110-044-85	V4 = Center Tap version of EML1605 with 5Volt filament	1105,67	929,14
1168	4654 / EL50 TESLA, NOS, OB	114-125-39	In EL34 family, but not identical. Uses top cap. Nice Coke Bottle smoked glass. Wide, flat cathode.	26,18	22,00
1169	5687WA Philips, NOS, OB	114-017-36	NOS Philips USA, color printed. SQ tube with 10000 hours lifetime, and special filament for long	28,56	24,00
1170	5751 General Electric, NOS, OB	114-060-73	NOS GE USA, color printed. This is a low noise replacement for ECC83, but it has slightly lower	49,98	42,00
1171	5751 Philips, NOS, OB	114-059-34	NOS Philips USA, color printed. This is a low noise replacement for ECC83, but it has slightly lower	38,08	32,00
1172	5751-EH-G (One tube). ElectroHarmonix.	111-134-19	Low noise ECC83 version. Gold pins.	25,88	21,75
1173	5881-PL (Pair). Sovtek.	111-121-79	Higher power 6L6. "PL" matched Pair. (with 2x burn-in).	38,55	32,40
1174	5881-PL (Quad). Sovtek.	111-122-67	Higher power 6L6. "PL" matched Quad. (with 2x burn-in).	77,85	65,42
1175	7027. Sovtek.	111-094-43	Single tube	22,16	18,63
1176	6080WC (=6AS7) Philips, NOS, OB	114-198-94	NOS General Electric USA. Metal socket, original Military box.	36,89	31,00
1177	#BEZUG!	#BEZUG!	#BEZUG!	#BEZUG!	#BEZUG!
1178	6550 (Quad) Valve Art	115-007-41	4x Matched tubes. Copy of GE Type. Same glass	157,33	132,21
1179	6550 China	117-002-29	China. Like vintage GE Type, metal base. Price for PAIR.	44,53	37,42
1180	6550-EH-PL (12-Set). ElectroHarmonix.	111-140-29	PL matched (2x burn-in). Price for PL matched 12-set	441,90	371,35
1181	6550-EH-PL (14-Set). ElectroHarmonix.	111-141-76	PL matched (2x burn-in). Price for PL matched 14-set	515,55	433,24
1182	6550-EH-PL (8-Set). ElectroHarmonix.	111-145-81	PL matched (2x burn-in). Price for PL matched 8-set	294,60	247,56
1183	6550-EH-PL (Pair). ElectroHarmonix.	111-037-25	PL matched (2x burn-in). Price for PL matched PAIR	73,65	61,89
1184	6550-EH-PL (Quad). ElectroHarmonix.	111-038-92	PL matched (2x burn-in). Price for PL matched QUAD	147,30	123,78
1185	6922: See E88CC (or 6N1P)				
1186	6922-EH (One tube). ElectroHarmonix.	111-039-58	EC88/ 6DJ7. Long Life version, Bright white pins.	14,18	11,92
1187	6922-EH (Pair). ElectroHarmonix.	111-160-85	Balanced Matched pair. All four systems matched together. Test data added for plate current +	46,72	39,26
1188	6922-EH-Gold (One tube). ElectroHarmonix.	111-040-39	E88CC. Long Life version of ECC88 / 6DJ7, with Gold pins.	29,69	24,95
1189	6SL7 / CV1985 Mullard UK, OB	114-132-84	NOS Brimar CV1985. Mint Quality! Military box, with datecode and more informations. Date Stamo	117,81	99,00
1190	12BH7A GE, NOS, OB	114-029-81	Original yellow boxes. ONLY ONE LEFT.	24,99	21,00
1191	RE134 with POST SOCKET. 18028, Philips (PTT3, Ca)	114-163-67	NOS Philips 18028 = RT PTT3 = Ca tube. Can replace RE134, but the socket is German Post-5. We sell those sockets from Yamamoto	113,05	95,00
1192	#BEZUG!	#BEZUG!	#BEZUG!	#BEZUG!	#BEZUG!
1193	AD1-Mesh EML (PAIR) 1.5 Amps	110-025-48	AD1, the Queen of Triodes! With true wire mesh plate. Filament is 1.5 Amps, 4V.	800,48	672,67
1194	AZ4-Mesh EML (One tube)	110-045-67	High Capacitor load 4V rectifier, for amplifiers with AD1, 2A3m etc. True mesh, from metal wire.	337,32	283,47
1195	AZ1, Tesla or Polam, NOS; original Wrap.	114-071-27	NOS. Original Box, or sealed plastic bag with some data on it.	21,42	18,00
1196	AZ4, Tesla or Polam, NOS, original wrap.	114-072-91	NOS. Original Box, or sealed plastic bag with some data on it. Electrical like RGN2004.	29,75	25,00
1197	C3g / Lorenz ITT. NOS, OB.	114-144-48	NOS ITT-Lorenz Germany. Ultimate Low Noise Penthode. Original box.	88,95	74,75
1198	C3g Siemens, NOS, OB.	114-146-50	NOS Siemens Germany. Ultimate Low Noise Penthode. Original box. Version with Zirkonium	53,55	45,00
1199	C3g Telefunken, NOS, OB.	114-148-89	NOS TFK <> Germany. Ultimate Low Noise Penthode. Original box.	171,06	143,75
1200	C3g VALVO NOS, OB.	114-150-29	NOS VALVO Germany. Ultimate Low Noise Penthode. Original box.	95,80	80,50
1201	C3g-S / Lorenz ITT. NOS, OB.	114-145-90	NOS ITT-Lorenz Germany. Ultimate Low Noise Penthode. Original box.. S=Factory Selected for	249,90	210,00
1202	C3g-S Siemens, NOS, OB.	114-147-63	NOS Siemens Germany. Ultimate Low Noise Penthode. Original box. Version with Zirkonium	96,39	81,00
1203	C3g-S Telefunken, NOS, OB.	114-149-97	NOS TFK Germany. Ultimate Low Noise Penthode. Original box. S=Factory Selected for more	239,49	201,25
1204	C3g-S VALVO NOS, OB.	114-151-93	NOS VALVO Germany. Ultimate Low Noise Penthode. Original box. S= Factory Selected for more	191,59	161,00
1205	C3m Siemens, NOS, OB.	114-010-90	NOS Siemens Germany. The Ultimate Low Noise Penthode. Original box. As used by Yamamoto	28,56	24,00

1206	C3m Telefunken, NOS, OB.	114-081-39	NOS TFK Germany. Ultimate Low Noise Penthode. Original box.	142,80	120,00
1207	C3o Lorenz or Siemens. NOS, WB	114-158-96	NOS TFK Germany. This is a 6.3V version of C3m. Very rare.	65,45	55,00
1208	D3a, Siemens, NOS, OB	114-113-85	Top Class Audio Pentode, also excellent in Triode mode. Gold pin.	25,59	21,50
1209	E180F, NOS TESLA.	114-141-09	Sealed in original plastic bag. Studio Quality, gold pin tube. Also perfect in triode mode.	5,95	5,00
1210	E182CC Mullard, NOS, OB.	114-011-18	NOS Mullard. Long Plates. Replaces 5687WA/B and has lower noise. Original box. Pictures: See	69,02	58,00
1211	E81CC Siemens, NOS, OB.	114-140-34	NOS Siemens München. Gemany. Original box. ULTRA Quality. Similar to ECC801S. Small print	55,93	47,00
1212	E83CC TESLA, NOS, WB.	114-187-58	NOS TESLA. identical to TFK ECC803S, but no gold pin. Has frame grid / Spanngitter Röhre. Price	303,45	255,00
1213	E88CC / 6922. Philips, NOS, OB	114-096-33	NOS E88CC/ 6922. Philips. Color printed, with datecode. SECRET Tip! Why pay so much for new	24,99	21,00
1214	E88CC / 6922. RCA, NOS, OB.	114-095-90	NOS RCA. Color printed. 6922 is a Special Quality ECC88, featuring 10.000 hrs, and low hum.	65,45	55,00
1215	E88CC / 6922. RCA, NOS, OB.	114-175-09	NOS Siemens. Matched + balanced PAIR. Gold Pin. Original Siemens Box. Mint appearance. Gold	184,45	155,00
1216	E88CC / 6922. Telefunken Pair <>, NOS. OB.	114-133-88	NOS TFK <>. Matched + balanced PAIR. Original Boxes + matching data. PRICE IS FOR A PAIR, with Computer Test report. See NOS pages for PDF Copies of all test data.	404,60	340,00
1217	E88CC / 6922. TESLA, Gold, NOS, OB	114-038-92	NOS TESLA. Matched + balanced PAIR. Original blue-yellow box, gold-pin. Gold Grid version (yes!)	113,05	95,00
1218	E88CC / 6922. TESLA, Gold.	114-042-15	Same as above, but a single tube, not matched, and these are in original military boxes.	34,51	29,00
1219	EC8010, Siemens.	114-173-42	NOS, SIEMENS, OB, gold-pin. Individual numbered, with original, tiny certificate wrapped inside	59,50	50,00
1220	ECC70 / 6021W, NOS, OB.	114-018-19	NOS Philips USA. Military box, with datecode. Secret Tip, Ultra Quality double triode like other ECC	10,71	9,00
1221	ECC801S / 6201 Telefunken, NOS, OB.	114-012-48	NOS Telefunken USA, no <> Original box. Original datasheet of this tube on our website.	14,28	12,00
1222	ECC801S <> Telefunken, NOS, OB.	114-039-78	NOS Telefunken W-Germany with <> Original box.	309,40	260,00
1223	ECC801S Siemens, NOS, OB.	114-013-91	NOS Siemens W-Germany. Original balanced tubes by Siemens München. Original box. ULTRA	41,65	35,00
1224	ECC802S / 5963 Philips SQ, NOS, OB	114-023-94	NOS Philips 5963, Color printed. 5963 =SQ ECC82. Factory balanced tube, and 10.000 hours. On	41,65	35,00
1225	ECC802S / 6189W Sylvania SQ, NOS, OB.	114-020-87	NOS 6189W. Color printed. 6198W. Equivalent to ECC802S, with 10000 hours lifetime and long Plates. Made for USA government only, Individual boxed.	22,61	19,00
1226	ECC802S <> Telefunken, NOS, OB PAIR	114-156-59	NOS Telefunken W-Germany with <> Original box. Amplitrex test data + curve plot in color print. Price is for a matched pair. Mint appearance of tubes and boxes, and excellent test data.	654,50	550,00
1227	ECC802S Tesla, NOS, Various boxes	114-040-88	NOS TESLA. Famous long plates from 1960. In original blue box, or in factory sealed plastic roll.	130,90	110,00
1228	ECC803S <> Telefunken, NOS, OB PAIR		Sometimes available. See NOS page at this website.		
1229	ECC803S-TS-G (One tube) Tung-Sol.	111-058-29	Best Quality available ECC83 / 12AX7 with gold pins. Large halo getter, like Telefunken.	24,02	20,18
1230	ECC803S-TS-GB (One tube). Tung-Sol.	111-059-58	Balanced Tube. Two systems in one glass bulb matched together. GB Version with same matching	35,39	29,74
1231	ECC803S-TS-GB (Pair). Tung-Sol.	111-060-90	Balanced Matched pair. All four systems matched together. GB Version, with same matching as	70,79	59,49
1232	ECC81 / 12AT7. Mullard, NOS, OB.	114-015-14	NOS Mullard England. Copper (!) plate, black coated. Military box, with militray CV part number, and	36,89	31,00
1233	ECC81 / 12AT7. General Electric, NOS	114-131-09	NOS 12AT7, Color printed, with datecode. Original Box.	26,18	22,00
1234	ECC81 / 12AT7. Philips, NOS, OB.	114-014-67	NOS 12AT7, Philips. Color printed, with datecode. SECRET Tip! Why pay so much for new made	11,66	9,80
1235	ECC82 / 12AU7. <> TELEFUNKEN, NOS, WB	114-086-05	NOS TELEFUNKEN, Germany. Diamond bottem <>. WB, print partially faded with most, but these are unused tubes. (see NOS Pages). Most excellent test data, Amplitrex test report included.	101,15	85,00
1236	ECC82 / 12AU7. FWE, NOS, WB	114-064-88	NOS Funkwerk Erfurt, Germany. Yellow print, in military box with some numbers and information.	21,42	18,00
1237	ECC82 / 12AU7. RCA, NOS, OB	114-153-89	NOS 12AU7 (=ECC82) RCA, USA. Famous clear tops, Prestine condition. Amplitrex tested.	36,89	31,00
1238	ECC82 / 12AU7. RFT, NOS, OB.	114-050-67	NOS RFT Berlin (East Germany), Original box. The last original RFT.	22,61	19,00
1239	ECC82 / 12AU7WA Philips, NOS, OB	114-033-56	NOS Philips. Original long plates, in colored Philips box. Mint quality items.	46,41	39,00
1240	ECC82 / 5814 Philips SQ, NOS, OB	114-022-60	NOS Philips 5814, color printed. 5814 = SQ ECC82 with improved grid isolation. Was only sold to	21,42	18,00
1241	ECC82 TESLA, NOS, OB	114-049-39	NOS TESLA. Czech Republic. Original boxes, white print, standard pins.	21,42	18,00
1242	ECC82 TESLA, Rhodium pin, NOS, WB	114-077-47	NOS TESLA. Czech Republic. Original boxes, Yellow print, Rhodium plated pins.	24,99	21,00
1243	ECC82, 12AU7. Raytheon, NOS. OB	114-065-59	NOS Raytheon USA. White box, this was from a stock in Turkey, and all boxes were bad condition.	35,70	30,00
1244	ECC83 (One tube) Tung-Sol.	111-057-91	Equivalent to 12AX7. HQ Version, with Rhodium pins	15,82	13,30
1245	ECC83 / 12AX7 Philips, NOS, OB	114-024-09	Philips 12AX7, NOS. Blue printing. Military box. Ultra Quality!	89,25	75,00
1246	ECC83 / 12AX7 Philips, NOS, OB	114-178-09	Brimar, UK. See Website under NOS tubes for details. Some similarity with M8137 boxed anode.	105,91	89,00
1247	ECC83 / 12AX7 Sylvania, NOS, WB	114-108-89	Sylvania12AX7, NOS. Green printing. Some Military box, some white box. Datecode.1965 on box.	101,15	85,00
1248	ECC83 China	117-012-37	NOS from 1990s. Triple Mica tube, for low microphonics.	10,71	9,00
1249	ECC83 Röhrenwerke Anna Seghers, NOS, WB.	114-066-69	NOS Röhrenwerke Anna Seghers, Germany. 1963. Bulk packed. See NOS tubes for beautiful pictures of those.	48,79	41,00
1250	ECC83: See also E83CC				
1251	ECC88 TESLA, NOS, WB	114-101-90	NOS TESLA. Has frame grid / Spanngitter Röhre.	22,61	19,00
1252	ECL86, NOS, WB	114-041-27	NOS, Polamp. Pentode ~ EL84, Triode = ECC83 .	24,99	21,00
1253	ECL86, NOS, WB	114-183-94	NOS, EI, WB, from Bulk pack.	6,90	5,80
1254	EF800, Telefunken.	114-172-37	NOS, TELEFUNKEN, OB, gold-pin. Family of EF86, but not equivalent. EF800 is more powerful	20,23	17,00
1255	EF806S TESLA, NOS, OB	114-100-48	TESLA, Original Box, with Quality stamp on inside flap. Shipped with Test data on box, with small	70,21	59,00
1256	EF806S-TS. (One tube) Tung-Sol.	111-061-53	Equivalent to EF86. HQ Version, with gold pins	37,02	31,11
1257	EF86. Sovtek.	111-097-76	Obsoleted in 2004. Just a few pcs left on stock.	27,94	23,48
1258	EF86. Svetlana NOS	114-001-84	1984 NOS, White mesh plate. Original "rolled box", never unpacked before.	22,61	19,00
1259	EF95 (6AK5) TFK NOS, NOS, OB	114-073-81	NOS. 5644 Telefunken, original box, with <> bottem.	38,08	32,00
1260	EF95 (6AK5) TFK NOS, NOS, OB	114-073-81	NOS. 5654 Telefunken, original box, with <> bottem.	38,08	32,00
1261	EL34B (Pair) Tung-Sol	111-132-66	PL matched (2x burn-in). Price for PL matched PAIR	64,83	54,48
1262	EL34B (Quad) Tung-Sol	111-133-46	PL matched (2x burn-in). Price for PL matched QUAD	129,66	108,96
1263	EL84 EI (Pair), NOS, OB	114-160-29	EI Yugoslavia EL84, made on Philips machines. First class NOS, original box. Matched at 250V by	86,28	72,50
1264	EL84 EI (Quad), NOS, OB	114-161-72	EI Yugoslavia EL84, made on Philips machines. First class NOS, original box. Matched at 250V by	172,55	145,00
1265	EL84. Sovtek (Pair)	111-127-28	EL84 / 6BQ5, Pair	25,89	21,76
1266	EL84. Sovtek (Quad)	111-128-49	EL84 / 6BQ5, Quad	51,78	43,51
1267	EL84. Sovtek (single)	111-098-98	EL84 / 6BQ5, Single tube	11,08	9,31
1268	EL84-EB (Pair), NOS, OB	114-036-27	Russian NOS from 1980's. This is the ULTIMATE EL84. Full DETAILS here:	40,46	34,00
1269	EL84-EB (Quad), NOS, OB	114-037-39	Russian NOS from 1980's. This is the ULTIMATE EL84. Full DETAILS here:	80,92	68,00
1270	EL84M. Sovtek (Pair)	111-143-26	M= Long Life Version. PL matched (2x burn-in). Price for PL matched QUAD. 10.00 hours version.	38,00	31,93
1271	EL84M. Sovtek (Quad)	111-144-74	M= Long Life Version. PL matched (2x burn-in). Price for PL matched QUAD. 10.00 hours version.	75,99	63,86

1272	EL84M. Sovtek (Single)	111-142-90	M= Long Life Version. PL matched (2x burn-in). Price for PL matched QUAD. 10.00 hours version.	17,14	14,40
1273	EM4, NOS, OB	114-034-59	VALVO NOS. Gold series, OB, silver plated contacts. Mint appearance. The brightest I have ever	117,81	99,00
1274	EZ90, See 6X4		See 6X4 (American name) or 6Z31 (Czech name)		
1275	EL84-EH-PL (Pair). ElectroHarmonix.	111-048-82	PL matched (2x burn-in). Price for PL matched PAIR	27,93	23,47
1276	EL84-EH-PL (Quad). ElectroHarmonix.	111-049-09	PL matched (2x burn-in). Price for PL matched QUAD	55,85	46,93
1277	GM70, NOS, Original Wrap.	114-067-84	NOS. Original Ulyanov Russia. 125 Watt Audio triode. Version with Graphite plate and bright	73,78	62,00
1278	GR150DA. NOS, OB	114-126-92	NOS. Original tube by DGL France. Original Box. For all Funke testers only GR150DA ("DA"	201,11	169,00
1279	GU50 (EL152) , NOS, OB	114-043-09	NOS. Russia. Original Box. Excellent Audio pentode, similar to KT88, but 40Watt dissipation and	6,25	5,25
1280	GZ34, NOS, WB, AEG branded.	114-182-76	NOS. Russia. AEG branded.	17,85	15,00
1281	INN9, NOS, WB	114-030-79	Neon Linear Bar graph. Only two connections. Bar length depends on current. Sensitivity =	2,38	2,00
1282	KT66-GL-PL (Pair). Gold-Lion	111-108-47	PL matched (2x burn-in). Price for PL matched PAIR	85,45	71,81
1283	KT66-GL-PL (Quad). Gold-Lion	111-109-29	PL matched (2x burn-in). Price for PL matched QUAD	170,91	143,62
1284	KT66-SOV-PL (Quad) . Sovtek.	111-100-55	PL matched (2x burn-in). Price for PL matched QUAD	96,48	81,07
1285	KT66-TS-PL (Pair). Tung-Sol.	111-062-01	PL matched (2x burn-in). Price for PL matched PAIR ==> @@ SPECIAL PRICE @@	78,38	65,86
1286	KT66-TS-PL (Quad). Tung-Sol.	111-063-85	PL matched (2x burn-in). Price for PL matched QUAD ==> @@ SPECIAL PRICE @@	156,76	131,73
1287	KT77-GL-PL (Pair). Gold-Lion	111-115-09	PL matched (2x burn-in). Price for PL matched PAIR	103,51	86,99
1288	KT77-GL-PL (Quad). Gold-Lion	111-116-85	PL matched (2x burn-in). Price for PL matched QUAD	207,03	173,97
1289	KT88 (Pair) Valve Art	115-012-91	2x Matched tubes. With special polished metal base	105,16	88,37
1290	KT88 (Quad) Valve Art	115-013-66	4x Matched tubes. With special polished metal base	210,33	176,74
1291	KT88-EH-PL (Pair). ElectroHarmonix.	111-050-35	PL matched (2x burn-in). Price for PL matched PAIR	71,63	60,19
1292	KT88-EH-PL (Quad). ElectroHarmonix.	111-051-14	PL matched (2x burn-in). Price for PL matched QUAD	143,26	120,38
1293	KT88-EH-PL (6-Set). ElectroHarmonix.	111-105-54	PL matched (2x burn-in). Price for PL matched 6-set	214,89	180,58
1294	KT88-EH-PL (8-Set). ElectroHarmonix.	111-052-59	PL matched (2x burn-in). Price for PL matched 8-set	290,99	244,53
1295	KT88-EH-PL (10-Set). ElectroHarmonix.	111-130-66	PL matched (2x burn-in). Price for PL matched 10-Set	369,34	310,37
1296	KT88-EH-PL (12-Set). ElectroHarmonix.	111-131-95	PL matched (2x burn-in). Price for PL matched 12-Set	453,28	380,90
1297	KT88-GL-PL (Pair). Gold-Lion	111-110-92	Price for matched PAIR	128,50	107,98
1298	KT88-GL-PL (Quad). Gold-Lion	111-111-76	Price for matched QUAD	254,50	213,86
1299	KT88-GL-PL (8-Set). Gold-Lion	111-135-93	Price for matched OCTETT	506,50	425,63
1300	KT90-EH-PL (Pair). ElectroHarmonix.	111-106-20	PL matched (2x burn-in). Price for PL matched PAIR	88,62	74,47
1301	PX25M. AVVT NOS SINGLE tube.	112-015-90	Two Single tubes left.	416,50	350,00
1302	PX4M. AVVT NOS tubes. (Pair)	112-016-50	One single left	416,50	350,00
1303	RG105, NOS, OB	114-130-96	NOS, TFK RGN105. Coke bottle glas. 2.5V heater, 4.5 Ampere. Extremley strong rectifier.	101,15	85,00
1304	UU7S	114-193-87	UU7S has an octal base, and is UPWARDS compatible to UU7. This is a 4V rectifier with octal base,	46,41	39,00
1305	30mm Air Ventilation adapter. Yamamoto	320-074-76	For most Yam. Sockets, Octal, UX4, and others. Made from treated black wood. Improved air flow	18,99	15,96
1306	35mm Air Ventilation adapter. Yamamoto	320-080-13	For most larger type Yam. Sockets, like EL156 Sockets.	18,99	15,96
1307	4-Pin base. UX4. Bakelite-Silver (part on the tube)	399-092-29	Repair part for tubes, or use as connector. Black material, silver plated. The part on the glass tube.	3,57	3,00
1308	4-Pin base. UX4. Ceramic Gold (part on the tube)	399-127-17	Repair part for tubes, or use as connector. Ceramic, gold plated. The part on the glass tube.	5,95	5,00
1309	6SN7 Octal Adapter, for 7N7 to 6SN7. Gold	399-125-92	Plug a 7N7 Octal tube into this adaper. Then, use it into any 6SN7 amplifier. 100% function guaranteed. With Gold plated LOCTAL and Gold plated OCTAL connectors.	34,51	29,00
1310	8/Socket 5Pin-Yamamoto-Octal-Gold	320-035-17	8/Socket 5Pin-Yamamoto-Octal-Gold For: 5U4G, 274B, GZ34	42,73	35,91
1311	8-Pin Straightener Tool by Mullard	699-004-33	For tubes like ECC83, 12AT7, etc. Original NOS Mullard tool. Limited stock.	11,90	10,00
1312	8-Pin base, Octal. Bakelite. (part on the tube)	399-091-43	Repair part for tubes, or use as connector. Brown material. The part on the glass tube.	3,57	3,00
1313	8-Pin base, Octal. Bakelite-Gold. (part on the tube)	399-126-71	Repair part for tubes, or use as connector. Brown material. The part on the glass tube.	7,14	6,00
1314	Adapts Noval Sockets to Octal Chassis.	320-073-50	This base plate allows to mount the 19mm hole Yamamoto noval socket. 1) in any hole for an octal	18,99	15,96
1315	Plate Cap 14mm. Ceramic.	399-120-47	Ceramic Plate / Anode Cap with 14mm diameter. Tube like 813	0,76	0,63
1316	Plate Cap 14mm. GOLD. Ceramic.	399-116-72	Ceramic Plate / Anode Cap 14mm diameter. GOLD plated. Tube like 813	1,60	1,35
1317	Plate Cap 6.3mm. GOLD. Ceramic.	399-114-27	Ceramic Plate / Anode Cap 6.3mm diameter. GOLD plated. Tube like PL504	1,34	1,13
1318	Plate Cap 6mm, Teflon-Gold. Yamamoto.	320-070-91	Plate Cap 6mm, Teflon-Gold. Yamamoto.	17,97	15,10
1319	Plate Cap 7.5mm. Ceramic.	399-119-97	Ceramic Plate / Anode Cap with 6.3mm diameter. Tube like PL504	0,62	0,52
1320	Plate Cap 9mm, Teflon-Gold. Yamamoto.	320-071-63	Plate Cap 9mm, Teflon-Gold. Yamamoto.	21,37	17,96
1321	Plate Cap 9mm. GOLD Ceramic.	399-115-00	Ceramic Plate / Anode Cap 9mm diameter. GOLD plated. Tube like 807	1,34	1,13
1322	Silicon Damper part for Air Ventilation Adapter.	320-128-89	30...35mm sockets: use with Yamamoto air ventilation adapter. 9 pin or smaller, use directly, or use with Yamamoto Noval Base plate.	1,49	1,25
1323	Socket 10Pin-Wired Black. AZ12. etc.	399-104-07	10 pins socket for tubes like EL152, AZ12, etc.	2,38	2,00
1324	Socket 10Pin-Yamamoto-EL156	320-041-28	Socket 10Pin-Yamamoto-EL156 For: EL156.	64,57	54,26
1325	Socket 4/5 Pin-Yamamoto-B4/5-Gold	320-025-39	Socket 4/5 Pin-Yamamoto-B4/5-Gold For: PX25, RGN1064.	42,73	35,91
1326	Socket 4/5Pin /Eu. Ceramic.	399-069-93	B4/B5 Socket for RGN1064, PX25, etc. Ceramic flange.	2,26	1,90
1327	Socket 4/5Pin /Eu. Ceramic. Gold	399-070-27	B4/B5 Socket for RGN1064, PX25, etc. Ceramic flange. GOLD plated.	2,86	2,40
1328	Socket 4Pin UX4. Teflon. Beryllium-Gold. Like Yamamoto	398-401-79	Yamamoto look-alike socket, from China. Variable mounting (0, 90,180, 270 degrees)	16,66	14,00
1329	Socket 4Pin UX4-Classic. Ceramic. Gold.	399-066-84	UX4. Classic design, like in old USA Amplifiers. Gold plated. For 300B, 2A3, 83, etc	2,55	2,14
1330	Socket 4Pin x2-Yamamoto-Pin-Gold-UX4-B4	320-024-88	Socket 4Pin x2-Yamamoto-Pin-Gold-UX4-B4 UX4 and B4 in one socket. GENIUS product. Has 2x4 holes, 4 of which are used.	56,97	47,87
1331	Socket 4Pin x2-Yamamoto-Pin-Gold-UX4-UV4	320-023-94	Socket 4Pin x2-Yamamoto-Pin-Gold-UX4-UV4 UX4 and UV4 in one socket. GENIUS product. Has 2x4 holes, 4 of which are used. Use original WE tubes or Chinese, in one socket!	56,97	47,87

1332	Socket 4Pin x2-Yamamoto-Pin-Gold-UX4-UX4	320-063-67	Socket 4Pin x2-Yamamoto-Pin-Gold-UX4-UX4 two UX4 in one socket. GENIUS product. Has 2x4 holes, 4 of which are used. Allows two electrical circuits for one socket! Like 2A3 and 300B.	56,97	47,87
1333	Socket 4Pin-UX4-Large. Ceramic. Gold.	399-065-69	UX4. Large Size. Solder lugs with double holes + extra space for large components. For 300B, 2A3,	2,50	2,10
1334	Socket 4Pin-UX4-Large. UX4 Ceramic	399-064-59	UX4. Large Size. Solder lugs with double holes + extra space for large components. For 300B, 2A3,	1,79	1,50
1335	Socket 4Pin-Yamamoto-304TL-Gold	320-086-91	Socket 4Pin-Yamamoto-304TL-Gold For: 304-TL, VT191, etc	94,95	79,79
1336	Socket 4Pin-Yamamoto-316A-4P-Gold	320-069-39	Socket 4Pin-Yamamoto-316A-4P-Gold For: WE316A, 388A, etc	47,48	39,90
1337	Socket 4Pin-Yamamoto-703A-4P	320-075-19	Socket 4Pin-Yamamoto-703A-4P For: 703A, 368A, etc	37,98	31,92
1338	Socket 4Pin-Yamamoto-Jumbo-Gold	320-022-96	Socket 4Pin-Yamamoto-Jumbo-Gold For: 211, 845.	66,46	55,85
1339	Socket 4Pin-Yamamoto-UV4-Gold-30mm	320-087-39	Socket 4Pin-Yamamoto-UV4-Gold-30mm For: WE102, WE205. Chassis hole 30mm	53,17	44,68
1340	Socket 4Pin-Yamamoto-UV4-Gold-35mm	320-020-99	Socket 4Pin-Yamamoto-UV4-Gold-35mm For: WE102, WE205. Chassis hole 35mm	53,17	44,68
1341	Socket 4Pin-Yamamoto-UV4-Silver	320-021-48	Socket 4Pin-Yamamoto-UV4-Silver For: WE102, WE205.	26,58	22,34
1342	Socket 4Pin-Yamamoto-UX4-Gold	320-018-29	Socket 4Pin-Yamamoto-UX4-Gold For: 300B.	42,73	35,91
1343	Socket 4Pin-Yamamoto-UX4-Silver	320-019-67	Socket 4Pin-Yamamoto-UX4-Silver For: 300B.	26,58	22,34
1344	Socket 4Pin-Yamamoto-WE212-Gold	320-090-52	Socket 4Pin-Yamamoto-WE212-Gold For: WE212, etc	170,91	143,62
1345	Socket 5Pin-Yamamoto-Post-Gold	320-027-62	Socket 5Pin-Yamamoto-Post-Gold For: Ba, Ca.	37,98	31,92
1346	Socket 5Pin-Yamamoto-UX5-Gold	320-026-91	Socket 5Pin-Yamamoto-UX5-Gold For: 807, 227.	47,48	39,90
1347	Socket 6Pin-Yamamoto-UX6-Gold	320-028-37	Socket 6Pin-Yamamoto-UX6-Gold For: 310A.	47,48	39,90
1348	Socket 7/4Pin-Yamamoto-813/4E27	320-032-84	Socket 7/4Pin-Yamamoto-813/4E27 For: 813, 4E27	75,96	63,83
1349	Socket 7/4Pin-Yamamoto-GM70	320-032-84	Socket 7/4Pin-Yamamoto-GM70 For: GM70.	75,96	63,83
1350	Socket 7Pin (6C33). Ceramic. Gold	399-112-85	Very beautiful glazed version. Gold plated contacts. Specially for 6C33, with additional steel clamps	5,65	4,75
1351	Socket 7Pin-PCB-HQ. Ceramic	399-075-95	High Quality Version, for Printed Circuit Board. For 6AU6, 6AQ5, etc.	1,31	1,10
1352	Socket 7Pin-Post. Ceramic. Gold	399-074-58	7 Pin German Post Socket. GOLD plated.	7,02	5,90
1353	Socket 7Pin-Post. Ceramic. Silver	399-073-69	7 Pin German Post Socket.	5,36	4,50
1354	Socket 7Pin-Wired-HQ. Ceramic. Gold	399-076-47	High Quality Version, for soldered wires. All metal parts are GOLD plated. (Also the flange is GOLD	2,26	1,90
1355	Socket 7Pin-Yamamoto-6C33-Gold/Titanium	320-031-09	Socket 7Pin-Yamamoto-6C33-Gold/Titanium For: 6C33	76,72	64,47
1356	Socket 7Pin-Yamamoto-miniature-Gold	320-030-86	Socket 7Pin-Yamamoto-miniature-Gold For: 6C4, 6AU6.	45,58	38,30
1357	Socket 7Pin-Yamamoto-Post-Gold	320-029-42	Socket 7Pin-Yamamoto-Post-Gold For: Ed, Ec.	37,98	31,92
1358	Socket 8Pin. Ceramic. For GU50	399-117-49	Ceramic Disc Socket. Strong version, specially for GU50, FU50, etc.	2,98	2,50
1359	Socket 8Pin-Loctal-Wired. Ceramic-Gold.	399-103-71	Loktal Socket. (Not octal!) Nice Gold plated Version, for free wiring. Tubes like C3g, C3m.	2,85	2,39
1360	Socket 8Pin-Octal-PCB. Ceramic.	399-077-68	Octal. Standard Version for Printed Circuit Board. For KT88, EL34, etc	0,91	0,76
1361	Socket 8Pin-Octal-Wired. Ceramic-Gold. Beryllium	399-102-43	Octal Socket. Gold plated Beryllium Cylinder contacts, Ceramic. Replaces classical Octal Wired China sockets.	5,37	4,51
1362	Socket 8Pin-Octal-Wired. Ceramic-Gold. Large.	399-080-39	Octal. Large Size. Solder lugs with double holes + extra space. For small octal base, EL,34, KT90, KT66. Will not fit wide base like KT88, 6550.	4,76	4,00
1363	Socket 8Pin-Octal-Wired-HQ. Ceramic-Gold. Cylinder	398-801-18	Octal. Cylinder contacts. High Quality Version, for soldered wires. All metal parts are GOLD plated. (Also the flange is GOLD plated). For KT88, EL34, etc. With fork contacts, for many plug-in / Pull out	2,39	2,01
1364	Socket 8Pin-Octal-Wired-HQ. Ceramic-Gold. Fork	398-802-33	Octal. Fork contacts. High Quality Version, for soldered wires. All metal parts are GOLD plated. (Also the flange is GOLD plated). For KT88, EL34, etc. With fork contacts, for many plug-in / Pull out	2,39	2,01
1365	Socket 8Pin-P8/ AU8. NOS Bakelite.	399-093-77	NOS Bakelite socket, black color. For: AZ1, AD1, EL5, EL6, Etc. Very precise made.	7,14	6,00
1366	Socket 8Pin-Yamamoto-Loctal-Gold	320-036-23	Socket 8Pin-Yamamoto-Loctal-Gold For: C3g, C3m.	56,97	47,87
1367	Socket 8Pin-Yamamoto-Octal-Gold	320-033-80	Socket 8Pin-Yamamoto-Octal-Gold For: KT88, EL34.	53,17	44,68
1368	Socket 8Pin-Yamamoto-Octal-Silver	320-034-09	Socket 8Pin-Yamamoto-Octal-Silver For: KT88, EL34.	36,08	30,32
1369	Socket 8Pin-Yamamoto-P8/Au8-Gold	320-037-89	Socket 8Pin-Yamamoto-P8/Au8-Gold For: AZ1, AD1.	26,58	22,34
1370	Socket 9Pin-Magnoval-PCB. Ceramic	399-085-05	White Ceramic socket for PL504, etc. PCB Type.	2,04	1,72
1371	Socket 9Pin-Magnoval-PCB. Gold. Ceramic	399-086-09	White Ceramic socket for PL504, etc. GOLD plated. PCB Type.	2,55	2,14
1372	Socket 9Pin-Magnoval-Wired. Ceramic. Gold.	399-087-84	White Ceramic socket for PL504, etc. GOLD plated. For soldered wires.	2,55	2,14
1373	Socket 9Pin-PCB. Ceramic.	399-081-92	Noval. Standard Ceramic socket, for Printed Circuit Board. For EL84, ECC81. etc	0,47	0,40
1374	Socket 9Pin-PCB. Ceramic. Gold.	399-113-94	Noval. Gold, Standard Ceramic socket, for Printed Circuit Board. For EL84, ECC81. etc	1,31	1,10
1375	Socket 9Pin-PCB-HQ. Ceramic.	399-082-79	Noval. High Quality Version, for Printed Circuit Board. For EL84, ECC81. etc	1,61	1,35
1376	Socket 9Pin-PCB-HQ. Ceramic. Gold.	399-083-07	Noval. High Quality Version, gold plated, for Printed Circuit Board. For EL84, ECC81. etc	1,83	1,54
1377	Socket 9Pin-Wired. Teflon. Gold. Like Yamamoto	398-901-01	Yamamoto look-alike socket, from China. Variable mounting (0, 90, 180, 270 degrees)	21,12	17,75
1378	Socket 9Pin-Wired-HQ. Ceramic. Gold.	399-084-36	Noval. High Quality Version, for soldered wires. All metal parts are GOLD plated. (Also the flange is	2,26	1,90
1379	Socket 9Pin-Yamamoto-F2a German Post	320-082-76	Socket 9Pin-Yamamoto-F2a German Post For: F2a German post	64,57	54,26
1380	Socket 9Pin-Yamamoto-Magnoval-Gold	320-040-34	Socket 9Pin-Yamamoto-Magnoval-Gold For: EL519, WE418A, WE436A, WE437A, 6D22S	56,97	47,87
1381	Socket 9Pin-Yamamoto-Noval-PCB-Gold	320-039-94	Socket 9Pin-Yamamoto-Noval-PCB-Gold For: ECC83, EL84.	56,97	47,87
1382	Socket 9Pin-Yamamoto-Noval-Wired-Gold	320-038-76	Socket 9Pin-Yamamoto-Noval-Wired-Gold For: ECC83, EL84.	56,97	47,87
1383	0,01µF 1000VDC Mundorf Silver-Gold.	323-082-71	99% Silver, 1% Gold. Max 2%. Zero Inductance. Metal case	26,01	21,86
1384	0,01µF 1000VDC Mundorf Silver-Oil.	323-056-26	Silver foil, with oil. Max 2%. Zero Inductance. Metal case. Special Sales. Only 6 PiecesLeft	14,74	12,39
1385	0,01µF 1000VDC Mundorf Silv-Gold-Oil.	323-134-16	99% Silver, 1% Gold, OIL TYPE. Max 2%. Zero Inductance. Metal case	32,52	27,33
1386	0,015µF 1000VDC Mundorf Silver-Gold.	323-083-90	99% Silver, 1% Gold. Max 2%. Zero Inductance. Metal case. Special Sales.	18,21	15,30
1387	0,015µF 1000VDC Mundorf Silver-Oil.	323-057-73	Silver foil, with oil. Max 2%. Zero Inductance. Metal case. Special Sales. Only 10 PiecesLeft	13,18	11,07

1388	0,022µF 1000VDC Mundorf Silver-Gold.	323-084-08	99% Silver, 1% Gold. Max 2%. Zero Inductance. Metal case. Special Sales.	18,21	15,30
1389	0,022µF 1000VDC Mundorf Silver-Oil.	323-058-81	Silver foil, with oil. Max 2%. Zero Inductance. Metal case. Special Sales. Only 2 PiecesLeft	13,18	11,07
1390	0,033µF 1000VDC Mundorf Silver-Gold.	323-085-48	99% Silver, 1% Gold. Max 2%. Zero Inductance. Metal case. Special Sales.	18,21	15,30
1391	0,033µF 1000VDC Mundorf Silver-Oil.	323-059-89	Silver foil, with oil. Max 2%. Zero Inductance. Metal case. Special Sales. Only 6 PiecesLeft	13,18	11,07
1392	0,047µF 1000VDC Mundorf Silver-Gold.	323-086-91	99% Silver, 1% Gold. Max 2%. Zero Inductance. Metal case. Special Sales.	18,21	15,30
1393	0,056µF 1000VDC Mundorf Silver-Gold.	323-087-68	99% Silver, 1% Gold. Max 2%. Zero Inductance. Metal case. Special Sales.	18,21	15,30
1394	0,068µF 1000VDC Mundorf Silver-Gold.	323-088-24	99% Silver, 1% Gold. Max 2%. Zero Inductance. Metal case. Special Sales.	18,21	15,30
1395	0,068µF 1000VDC Mundorf Silver-Oil.	323-061-93	Silver foil, with oil. Max 2%. Zero Inductance. Metal case. Special Sales. Only 5 PiecesLeft	13,18	11,07
1396	0,10µF 1000VDC Mundorf Silver-Gold.	323-090-26	99% Silver, 1% Gold. Max 2%. Zero Inductance. Metal case	26,92	22,62
1397	0,10µF 1000VDC Mundorf Silver-Oil.	323-062-55	Silver foil, with oil. Max 2%. Zero Inductance. Metal case. Special Sales. Only 8 PiecesLeft	22,98	19,31
1398	0,10µF 1000VDC Mundorf Silv-Gold-Oil.	323-135-29	99% Silver, 1% Gold, OIL TYPE. Max 2%. Zero Inductance. Metal case	35,31	29,67
1399	0,10µF 1200VDC Mundorf Supreme.	323-033-53	Precision Cap., max 2%. Zero inductance. Metal case.	6,73	5,66
1400	0,15µF 1000VDC Mundorf Silver-Gold.	323-091-19	99% Silver, 1% Gold. Max 2%. Zero Inductance. Metal case	27,86	23,41
1401	0,15µF 1000VDC Mundorf Silver-Oil.	323-063-49	Silver foil, with oil. Max 2%. Zero Inductance. Metal case. Special Sales. Only 12 PiecesLeft	22,98	19,31
1402	0,22µF 1000VDC Mundorf Silver-Gold.	323-092-93	99% Silver, 1% Gold. Max 2%. Zero Inductance. Metal case	29,74	24,99
1403	0,22µF 1000VDC Mundorf Silver-Oil.	323-064-90	Silver foil, with oil. Max 2%. Zero Inductance. Metal case. Special Sales. Only 8 PiecesLeft	24,90	20,93
1404	0,22µF 1000VDC Mundorf Silv-Gold-Oil.	323-136-93	99% Silver, 1% Gold, OIL TYPE. Max 2%. Zero Inductance. Metal case	37,19	31,25
1405	0,22µF 1200VDC Mundorf Supreme.	323-035-67	Precision Cap., max 2%. Zero inductance. Metal case.	7,34	6,17
1406	0,33µF 1000VDC Mundorf Silver-Gold.	323-093-87	99% Silver, 1% Gold. Max 2%. Zero Inductance. Metal case	32,52	27,33
1407	0,33µF 1000VDC Mundorf Silver-Oil.	323-065-27	Silver foil, with oil. Max 2%. Zero Inductance. Metal case. Special Sales. Only 0 PiecesLeft	26,83	22,54
1408	0,33µF 1000VDC Mundorf Silv-Gold-Oil.	323-137-89	99% Silver, 1% Gold, OIL TYPE. Max 2%. Zero Inductance. Metal case	41,83	35,15
1409	0,33µF 1200VDC Mundorf Supreme.	323-036-96	Precision Cap., max 2%. Zero inductance. Metal case.	8,01	6,73
1410	0,47µF 1000VDC Mundorf Silver-Gold.	323-094-49	99% Silver, 1% Gold. Max 2%. Zero Inductance. Metal case	37,19	31,25
1411	0,47µF 1000VDC Mundorf Silver-Oil.	323-066-39	Silver foil, with oil. Max 2%. Zero Inductance. Metal case	28,75	24,16
1412	0,47µF 1000VDC Mundorf Silv-Gold-Oil.	323-138-69	99% Silver, 1% Gold, OIL TYPE. Max 2%. Zero Inductance. Metal case	46,49	39,07
1413	0,47µF 600VDC Mundorf Supreme.	323-037-31	Precision Cap., max 2%. Zero inductance. Metal case.	8,68	7,30
1414	0,56µF 1000VDC Mundorf Silver-Oil.	323-067-92	Silver foil, with oil. Max 2%. Zero Inductance. Metal case. Special Sales. Only 8 PiecesLeft	28,75	24,16
1415	0,68µF 1000VDC Mundorf Silver-Gold.	323-096-84	99% Silver, 1% Gold. Max 2%. Zero Inductance. Metal case	41,83	35,15
1416	0,68µF 1000VDC Mundorf Silver-Oil.	323-068-78	Silver foil, with oil. Max 2%. Zero Inductance. Metal case. Special Sales. Only 10 PiecesLeft	33,56	28,20
1417	0,68µF 1000VDC Mundorf Silv-Gold-Oil.	323-139-78	99% Silver, 1% Gold, OIL TYPE. Max 2%. Zero Inductance. Metal case	51,15	42,99
1418	0,68µF 600VDC Mundorf Supreme.	323-039-90	Precision Cap., max 2%. Zero inductance. Metal case.	9,36	7,86
1419	0,82µF 1000VDC Mundorf Silver-Oil.	323-069-78	Silver foil, with oil. Max 2%. Zero Inductance. Metal case. Special Sales. Only 8 PiecesLeft	33,56	28,20
1420	1,0µF 1000VDC Mundorf Silver-Gold.	323-098-76	99% Silver, 1% Gold. Max 2%. Zero Inductance. Metal case	46,49	39,07
1421	1,0µF 1000VDC Mundorf Silver-Oil.	323-070-28	Silver foil, with oil. Max 2%. Zero Inductance. Metal case	38,36	32,24
1422	1,0µF 1000VDC Mundorf Silv-Gold-Oil.	323-140-84	99% Silver, 1% Gold, OIL TYPE. Max 2%. Zero Inductance. Metal case	55,82	46,90
1423	1,0µF 600VDC Mundorf Supreme.	323-041-48	Precision Cap., max 2%. Zero inductance. Metal case.	10,03	8,43
1424	1,5µF 1000VDC Mundorf Silver-Gold.	323-099-92	99% Silver, 1% Gold. Max 2%. Zero Inductance. Metal case	55,82	46,90
1425	1,5µF 1000VDC Mundorf Silver-Oil.	323-071-25	Silver foil, with oil. Max 2%. Zero Inductance. Metal case	43,17	36,28
1426	1,5µF 1000VDC Mundorf Silv-Gold-Oil.	323-141-79	99% Silver, 1% Gold, OIL TYPE. Max 2%. Zero Inductance. Metal case	65,12	54,72
1427	1,5µF 600VDC Mundorf Supreme.	323-042-91	Precision Cap., max 2%. Zero inductance. Metal case.	10,70	8,99
1428	1,8µF 1000VDC Mundorf Silver-Oil.	323-072-09	Silver foil, with oil. Max 2%. Zero Inductance. Metal case. Special Sales. Only 4 PiecesLeft	43,17	36,28
1429	1,8µF 600VDC Mundorf Supreme.	323-043-67	Precision Cap., max 2%. Zero inductance. Metal case.	12,05	10,12
1430	10µF 1000VDC Mundorf Silv/Gold/oil.	323-150-47	99% Silver, 1% Gold, OIL TYPE. Max 2%. Zero Inductance. Metal case	199,00	167,23
1431	10µF 1000VDC Mundorf Silver-Gold.	323-109-17	99% Silver, 1% Gold. Max 2%. Zero Inductance. Metal case	167,59	140,83
1432	10µF 1000VDC Mundorf Silver-Oil.	323-081-32	Silver foil, with oil. Max 2%. Zero Inductance. Metal case	124,90	104,96
1433	10µF 1000VDC Mundorf Tube Cap.	323-300-96	Rectangular plastic case, wire connections, radial	17,21	14,46
1434	10µF 600VDC Mundorf Supreme.	323-052-94	Precision Cap., max 2%. Zero inductance. Metal case.	33,59	28,22
1435	100+100 / 500VDC Mundorf. Mylic.	323-453-81	Needs a 35mm standard mounting clamp	20,85	17,52
1436	100µF 550VDC Mundorf Tube Cap.	323-304-29	Round Aluminium case, wire connections, with screws.	47,98	40,32
1437	15µF 600VDC Mundorf Supreme.	323-053-19	Precision Cap., max 2%. Zero inductance. Metal case.	40,32	33,88
1438	18µF 600VDC Mundorf Supreme.	323-054-76	Precision Cap., max 2%. Zero inductance. Metal case.	43,68	36,71
1439	2,2µF 1000VDC Mundorf Silver-Gold.	323-101-92	99% Silver, 1% Gold. Max 2%. Zero Inductance. Metal case	65,12	54,72
1440	2,2µF 1000VDC Mundorf Silver-Oil.	323-073-85	Silver foil, with oil. Max 2%. Zero Inductance. Metal case	47,98	40,32
1441	2,2µF 1000VDC Mundorf Silv-Gold-Oil.	323-142-76	99% Silver, 1% Gold, OIL TYPE. Max 2%. Zero Inductance. Metal case	74,45	62,56
1442	2,2µF 600VDC Mundorf Supreme.	323-044-05	Precision Cap., max 2%. Zero inductance. Metal case.	13,39	11,26
1443	2,7µF 1000VDC Mundorf Silver-Gold.	323-102-81	99% Silver, 1% Gold. Max 2%. Zero Inductance. Metal case	74,45	62,56
1444	2,7µF 1000VDC Mundorf Silver-Oil.	323-074-84	Silver foil, with oil. Max 2%. Zero Inductance. Metal case	52,79	44,36
1445	2,7µF 1000VDC Mundorf Silv-Gold-Oil.	323-143-94	99% Silver, 1% Gold, OIL TYPE. Max 2%. Zero Inductance. Metal case	83,75	70,38
1446	2,7µF 600VDC Mundorf Supreme.	323-045-65	Precision Cap., max 2%. Zero inductance. Metal case.	14,74	12,39
1447	20µF 750VDC Mundorf Tube Cap.	323-301-25	Rectangular plastic case, wire connections, radial	19,13	16,08
1448	200+200 / 500VDC Mundorf. Mylic.	323-455-39	Needs a 35mm standard mounting clamp	37,98	31,92
1449	200µF 550VDC Mundorf Tube Cap.	323-305-58	Round Aluminium case, wire connections, with screws.	72,02	60,52
1450	22µF 600VDC Mundorf Supreme.	323-055-90	Precision Cap., max 2%. Zero inductance. Metal case.	50,41	42,36
1451	3,3µF 1000VDC Mundorf Silver-Gold.	323-103-79	99% Silver, 1% Gold. Max 2%. Zero Inductance. Metal case	83,75	70,38
1452	3,3µF 1000VDC Mundorf Silver-Oil.	323-075-19	Silver foil, with oil. Max 2%. Zero Inductance. Metal case	57,60	48,40
1453	3,3µF 1000VDC Mundorf Silv-Gold-Oil.	323-144-27	99% Silver, 1% Gold, OIL TYPE. Max 2%. Zero Inductance. Metal case	93,08	78,21
1454	3,3µF 600VDC Mundorf Supreme.	323-046-36	Precision Cap., max 2%. Zero inductance. Metal case.	16,09	13,52
1455	3,9µF 1000VDC Mundorf Silver-Gold.	323-104-58	99% Silver, 1% Gold. Max 2%. Zero Inductance. Metal case	93,08	78,21
1456	3,9µF 1000VDC Mundorf Silver-Oil.	323-076-82	Silver foil, with oil. Max 2%. Zero Inductance. Metal case	67,21	56,48

1457	3,9µF 1000VDC Mundorf Silv-Gold-Oil.	323-145-01	99% Silver, 1% Gold, OIL TYPE. Max 2%. Zero Inductance. Metal case	102,38	86,03
1458	3,9µF 600VDC Mundorf Supreme.	323-047-19	Precision Cap., max 2%. Zero inductance. Metal case.	18,11	15,21
1459	30µF 600VDC Mundorf Tube Cap.	323-302-46	Rectangular plastic case, wire connections, radial	21,06	17,70
1460	390u /350V. PCB Type 10mm. Aerovox Gold	399-106-93	BHC Aerovox England. Gold Series, for tube power supply.	5,83	4,90
1461	4,7µF 1000VDC Mundorf Silver-Gold.	323-105-94	99% Silver, 1% Gold. Max 2%. Zero Inductance. Metal case	102,38	86,03
1462	4,7µF 1000VDC Mundorf Silver-Oil.	323-077-43	Silver foil, with oil. Max 2%. Zero Inductance. Metal case	76,83	64,56
1463	4,7µF 1000VDC Mundorf Silv-Gold-Oil.	323-146-72	99% Silver, 1% Gold, OIL TYPE. Max 2%. Zero Inductance. Metal case	116,34	97,77
1464	4,7µF 600VDC Mundorf Supreme.	323-048-93	Precision Cap., max 2%. Zero inductance. Metal case.	20,12	16,91
1465	4,7µF 600VDC Mundorf Tube Cap.	323-303-91	Round Aluminium case, wire connections, wire connections, radial	30,67	25,78
1466	5,6µF 1000VDC Mundorf Silver-Gold.	323-106-46	99% Silver, 1% Gold. Max 2%. Zero Inductance. Metal case	111,70	93,87
1467	5,6µF 1000VDC Mundorf Silver-Oil.	323-078-49	Silver foil, with oil. Max 2%. Zero Inductance. Metal case	86,44	72,64
1468	5,6µF 1000VDC Mundorf Silv-Gold-Oil.	323-147-59	99% Silver, 1% Gold, OIL TYPE. Max 2%. Zero Inductance. Metal case	130,33	109,52
1469	5,6µF 600VDC Mundorf Supreme.	323-049-86	Precision Cap., max 2%. Zero inductance. Metal case.	23,49	19,74
1470	50+50 / 500VDC Mundorf. Myltic.	323-452-09	Needs a 35mm standard mounting clamp	16,09	13,52
1471	6,8µF 1000VDC Mundorf Silver-Gold.	323-107-68	99% Silver, 1% Gold. Max 2%. Zero Inductance. Metal case	121,01	101,69
1472	6,8µF 1000VDC Mundorf Silv-Gold-Oil.	323-148-58	99% Silver, 1% Gold, OIL TYPE. Max 2%. Zero Inductance. Metal case	139,64	117,34
1473	6,8µF 600VDC Mundorf Supreme.	323-050-29	Precision Cap., max 2%. Zero inductance. Metal case.	26,86	22,57
1474	6,80µF 1000VDC Mundorf Silver-Oil.	323-079-67	Silver foil, with oil. Max 2%. Zero Inductance. Metal case	96,06	80,72
1475	8,2µF 1000VDC Mundorf Silver-Gold.	323-108-99	99% Silver, 1% Gold. Max 2%. Zero Inductance. Metal case	139,64	117,34
1476	8,2µF 1000VDC Mundorf Silver-Oil.	323-080-98	Silver foil, with oil. Max 2%. Zero Inductance. Metal case	105,67	88,80
1477	8,2µF 1000VDC Mundorf Silv-Gold-Oil.	323-149-96	99% Silver, 1% Gold, OIL TYPE. Max 2%. Zero Inductance. Metal case	158,27	133,00
1478	8,2µF 600VDC Mundorf Supreme.	323-051-51	Precision Cap., max 2%. Zero inductance. Metal case.	30,22	25,40
1479	AD-Converter Kit YDA-01-kit. Yamamoto.	420-033-84	Kit Version. Digital to Analog Converter for CD players. Coaxial input.	1677,90	1410,00
1480	AD-Converter. YDA-01. Yamamoto.	520-033-84	Digital to Analog Converter for CD players. Coaxial input.	2725,20	2290,08
1481	AD-Converter. YDA-01B. Yamamoto.	520-042-90	Digital to Analog Converter for CD players. Tube Output. Coaxial input.	3248,76	2730,05
1482	Amplifier. Pre-Amp. CA-03. Yamamoto	520-004-66	All Telefunken Tube Pre-amp with MM / MC Input and Stepper Attenuator .	5967,24	5014,49
1483	Amplifier. Pre-Amp. CA-03L. Yamamoto	520-005-46	All Telefunken Tube Pre-amp with MM / MC Input.	4436,84	3728,44
1484	Amplifier. Pre-Amp. CA-04. Yamamoto	520-006-19	All Telefunken Tube Pre-amp.	2423,15	2036,26
1485	Amplifier. Head Phone. HA-02. Yamamoto. With WE tubes.	520-001-91	Vacuum Tube Head Phone amplifier, with Western Electric 408A tubes	1127,67	947,62
1486	Amplifier. Head Phone. HA-03. Yamamoto. With Siemens tubes.	420-054-84	Vacuum Tube Head Phone amplifier, with C3m tubes	1530,41	1286,06
1487	Amplifier. Optional 16 Ohms Output	520-048-64	Amplifier is factory delivered with 16Ω outputs. For A06-3, A08, A09, A11.	302,06	253,83
1488	Amplifier. 115 Volt Option	420-051-35	For USA	0,01	0,01
1489	Amplifier. 205D tubes A08-205D. Yamamoto	520-055-94	WE 205D tennis ball tubes included	6900,26	5798,54
1490	Amplifier. 205D tubes. A08-205D. Yamamoto	520-011-04	205D tubes not included	3678,35	3091,05
1491	Amplifier. 300B tubes. A09-S. Yamamoto	520-032-85	300B. Stereo tube amplifier. DC heated. Price is without 300B tubes.	7343,28	6170,82
1492	Amplifier. 45 tubes A08-S. Yamamoto	520-009-19	45. Stereo tube amplifier, DC heated, Amp Meter. Price includes all tubes.	2953,41	2481,86
1493	Amplifier. 45 tubes. A08-S-Kit. Yamamoto	420-008-15	A08-S Amplifier, kit version	2601,70	2186,30
1494	Amplifier. A010. VT52 tubes. Yamamoto, without VT52 tubes	520-052-86	VT52 Stereo tube amplifier. DC heated. Price is without VT52 tubes	4282,45	3598,70
1495	Amplifier. A010. Yamamoto, with VT52 WesternTubes.	520-054-61	VT52 Stereo tube amplifier. DC heated. Price is with VT52 tubes	5490,67	4614,01
1496	#BEZUG!	#BEZUG!	#BEZUG!	#BEZUG!	#BEZUG!
1497	Amplifier. A11. with RCA 2A3 tubes. Yamamoto.	520-027-77	2A3. Stereo tube amplifier, DC heated, Amp Meter. With 2A3 by RCA	4181,77	3514,09
1498	Amplifier. A11. Yamamoto, without 2A3 tubes	520-035-73	2A3. Stereo tube amplifier, DC heated, Amp Meter. Without 2A3 tubes.	3678,35	3091,05
1499	Amplifier. AD1 tubes. A06-3. Yamamoto	520-007-94	A06. Version3. Base Model for AD1. Stereo tube amplifier. Price is without output tubes.	4081,08	3429,48
1500	Amplifier. AD1 tubes. A06-3. Yamamoto	520-060-83	A06. Version3. Model S, for KT88. Stereo tube amplifier. Price is without output tubes.	4282,45	3598,70
1501	Book. Guide to tube tester repair and calibration.	624-017-37	Small book, color printed, in a binder.	53,55	45,00
1502	Cinch /RCA Input, 1pc. Yamamoto	320-050-29	GOLD / TEFLON. Very high contact quality, Audio input connector. Chassis part, with separate	20,88	17,55
1503	Clamp für 35mm Caps. Type MCNV	323-506-48	Black Nylon clamp, for chassis mounting	1,79	1,50
1504	Clamp für 50mm Caps. Type MCNV	323-507-90	Black Nylon clamp, for chassis mounting	2,98	2,50
1505	Clamp für 65mm Caps. Type MCNV	323-508-69	Black Nylon clamp, for chassis mounting	3,57	3,00
1506	Furutech. FI -11-Copper. VDC	319-018-62	Furutech. IEC connector (plug into equipment)	30,56	25,68
1507	Furutech. FI -25-Gold. VDC	319-006-77	Furutech. IEC connector, with earth jumper. (plugs into equipment)	63,77	53,59
1508	Furutech. FI -25-Rhodium. VDC	319-007-29	Furutech. IEC connector, with earth jumper. (plugs into equipment)	65,10	54,71
1509	Furutech. FI -E11-Copper. VDC	319-002-90	Furutech. European Plug.	30,56	25,68
1510	Furutech. FI -E35-Gold. VDC	319-003-52	European Plug, with earth jumper	63,77	53,59
1511	Furutech. FI -E35-Rhodium. VDC	319-004-82	Furutech. European Plug, with earth jumper	65,10	54,71
1512	Furutech. FP-162-Gold-Red. VDC (one pcs)	319-010-19	Furutech. RCA plug. Gold/Teflon. Red color code.	3,99	3,35
1513	Furutech. FP-162-Gold-White. VDC (one pcs)	319-011-93	Furutech. RCA plug. Gold/Teflon. White color code.	3,99	3,35
1514	Furutech. Inlet-Gold. VDC	319-008-93	Furutech. Chassis inlet, Gold Plated	7,97	6,70
1515	Furutech. Inlet-Rhodium. VDC	319-009-73	Furutech. Chassis inlet, Rhodium Plated	10,63	8,93
1516	Glue for tube bases.	611-007-91	Heat resistant, tube base repair glue. No removing of the socket needed. 10ml Bottle with brush, for	11,31	9,50

1517	Headshell YR-01 Upgrade cables. Yamamoto	320-005-97	Upgrade 4x cable set for head shell. 6N Copper / Soft Teflon Litz and 24k gold plated bronze contacts. 6N meaning 6x Nine, like 99,9999% purity. Recommended upgrade for any headshell.	33,05	27,77
1518	Headshell. HS-1A, Ebony Wood. Yamamoto	420-001-99	Ebony wood head shell. 18x18x50 mm, 10.4 gram. Gold plated bronze accessories. Connections cables, with gold plated contacts included.	77,77	65,35
1519	Headshell. Azimut Tool. Yamamoto	620-005-73	For re-adjustung Azimut of Yamamoto headshells, if needed.	2,38	2,00
1520	Headshell. BT-1 Screw Set. Yamamoto	320-064-91	Titanium screw set 2.6mm for Headshells, various lengths included.	31,90	26,81
1521	Headshell. HS-1A-s with upgrade Cables. Yamamoto	420-002-17	Special version HS-1A with fixed mounted YR-01 wires to the headshell. The YR-01 wire set is made of special materials. (Check under YR-01, some lines below)	104,45	87,77
1522	Headshell. HS-2, Cherry Wood. Yamamoto	420-003-39	Asada treated Cherry wood, head shell. 18x18x50 mm, 10.4 gram. Gold plated bronze accesories. Connections cables, with gold plated contacts included.	69,32	58,25
1523	Headshell. HS-3, Box Wood. Yamamoto	420-018-33	From NOS Box wood, head shell. 18x18x50 mm, 8.2 gram. Gold plated bronze accessories.	74,07	62,24
1524	Headshell. HS-3, Box Wood. Yamamoto	420-091-39	Layered Carbon Fiber, head shell. 18x18x50 mm, 10.7 gram. Gold plated bronze accessories.	113,94	95,75
1525	LL1517	218-051-68	Audio Output, balanced or unbalanced drive. Mu Case.	67,04	56,34
1526	LL1524	218-052-34	Audio Output, balanced drive. Mu Case.	59,69	50,16
1527	LL1527	218-053-73	General Purpose Transformer	63,69	53,52
1528	LL1527A	218-148-64	LL1527, but with split shields	63,69	53,52
1529	LL1527-XL	218-054-26	LL1527, but high signal version	75,55	63,49
1530	LL1528	218-082-87	1+1 : 2.5 + 2.5	64,59	54,28
1531	LL1530	218-083-09	1+1 : 3.5+3.5	65,10	54,71
1532	LL1531	218-055-19	Line Input. High impedance, normal level.	60,21	50,60
1533	LL1532	218-056-93	Medium impedance. Line input or microphone Input	59,31	49,84
1534	LL1538	218-084-90	1+1 : 5. Can be wired 1:5 or 1:2.5. High performance	72,97	61,32
1535	LL1538-XL	218-085-33	1+1 : 5. High performance. High Signal.	85,22	71,61
1536	LL1539	218-057-88	Audio Output, balanced drive.	59,69	50,16
1537	LL1540	218-058-59	Line Input. High impedance, high Level.	67,56	56,77
1538	LL1544A	218-059-69	Can be wired for 600Ω, 2k5 or 10k. Amorph Core.	83,29	69,99
1539	LL1545A	218-060-84	Can be wired for 600Ω, 2k5 or 10k. Mu-Metall Core.	72,97	61,32
1540	LL1550	218-149-59		84,32	70,86
1541	LL1555	218-150-85		54,67	45,94
1542	LL1560	218-151-96		77,74	65,33
1543	LL156X-3FX3MX	218-189-72	XLR-Female <==> XLR-Male	164,90	138,57
1544	LL156X-3FXNP2C	218-190-09	XLR Female <==> Mono Jack Plug 1/4"	179,59	150,92
1545	LL156X-3FXPHM	218-191-94	XLR Female <==> RCA-Male	178,82	150,27
1546	LL156X-PHF3MX	218-192-55	XLR Male <==> RCA-Female.	164,90	138,57
1547	LL1570	218-061-89	Low impedance. Input or output.	70,27	59,05
1548	LL1570-XL	218-062-76	Low impedance. Input or output. High signal.	82,12	69,01
1549	LL1571	218-152-18		72,97	61,32
1550	LL1572	218-154-72	For Digital Audio. Turns Ratio 1:1	25,79	21,67
1551	LL1573	218-174-89	For Digital Audio. Turns Ratio 1:1:1	32,24	27,09
1552	LL1574	218-160-94	For Digital Audio. Turns Ratio 1:1.2 (can be reversed)	25,79	21,67
1553	LL1575	218-156-67	Video Transformer 20Hz11MHz	51,18	43,01
1554	LL1576	218-086-19	Microphone, or line Box.	72,97	61,32
1555	LL1577	218-157-99		72,97	61,32
1556	LL1578	218-158-48	Microphone, or line Box.	72,97	61,32
1557	LL1578-XL	218-159-96	Microphone, or line Box. High Signal	85,22	71,61
1558	LL1581-XL	218-236-55	Microphone Splitter. 600Ω input	91,15	76,60
1559	LL1582	218-162-39		70,65	59,37
1560	LL1583	218-163-91		71,04	59,70
1561	LL1584-3FX3MX	218-193-39	XLR Female <==> XLR-Male	164,90	138,57
1562	LL1584-3FXNP2C	218-194-85	XLR-Female <==> Mono Jack Plug 1/4"	179,59	150,92
1563	LL1584-3FXPHM	218-196-18	XLR-Female <==> RCA-Male	178,82	150,27
1564	LL1584-PHF3MX	218-197-37	RCA-Female <==> XLR-Male	164,90	138,57
1565	LL1585	218-063-93	Outputs can be in series or parallel.	72,59	61,00
1566	LL1587	218-164-62		59,31	49,84
1567	LL1588	218-165-37	High Level General Purpose, Iron Core. Compare with LL1684	93,72	78,76
1568	LL1589	218-175-76	For Digital Audio. Turns Ratio 1:1:1:1	40,75	34,24
1569	LL1590	218-242-62		135,51	113,87
1570	LL1591	218-201-91		38,54	32,39
1571	LL1592	218-173-23	High impedance. Also exclent phase splitter (>46dB balance)	93,72	78,76
1572	LL1620-060mA	218-114-48	11k5, 6k, 3k3, giving 13, 25, 50Watt.	232,07	195,02
1573	LL1620-080mA	218-115-87	11k5, 6k, 3k3, giving 13, 25, 50Watt.	232,07	195,02
1574	LL1620-080mA-AM	218-128-09	11k5, 6k, 3k3, giving 13, 25, 50Watt. Amorph Core.	405,99	341,17
1575	LL1620-100mA	218-188-93	11k5, 6k, 3k3, giving 13, 25, 50Watt.	232,07	195,02
1576	LL1620-100mA-AM	218-219-76	11k5, 6k, 3k3, giving 13, 25, 50Watt. Amorph Core.	405,99	341,17

1577	LL1620-40mA-AM	218-126-88	11k5, 6k, 3k3, giving 13, 25, 50Watt. Amorph Core.	405,99	341,17
1578	LL1620-60mA-AM	218-127-09	11k5, 6k, 3k3, giving 13, 25, 50Watt. Amorph Core.	405,99	341,17
1579	LL1620-PP	218-096-43	11k5, 6k, 3k3, giving 62, 125, 250Watt.	232,07	195,02
1580	LL1620-PP-AM	218-101-89	11k5, 6k, 3k3, giving 62, 125, 250Watt. Amorph Core.	405,99	341,17
1581	LL1620-PP-CFB	218-202-49	11k5, 6k, 3k3, giving 62, 125, 250Watt.	255,15	214,41
1582	LL1620-PP-CFB-AM	218-203-15	11k5, 6k, 3k3, giving 62, 125, 250Watt. Amorph Core.	429,07	360,56
1583	LL1621-06mA	218-023-79	1+1 : 1+1. x Out 135V RMS. x 100kHz with peaking cap	101,59	85,37
1584	LL1621-20mA	218-024-58	1+1 : 1+1. x Out 135V RMS. x 100kHz with peaking cap	101,59	85,37
1585	LL1621-PP	218-025-94	1+1 : 1+1. x Out 135V RMS. x 100kHz with peaking cap	101,59	85,37
1586	LL1623-040mA-AM	218-289-94	5k6, 3k, 1k6, giving 13, 25, 50Watt. Amorph Core.	405,99	341,17
1587	LL1623-060mA	218-109-00	5k6, 3k, 1k6, giving 13, 25, 50Watt.	232,07	195,02
1588	LL1623-060mA	218-323-19	5k6, 3k, 1k6, giving 13, 25, 50Watt.	232,07	195,02
1589	LL1623-060mA-AM	218-122-34	5k6, 3k, 1k6, giving 13, 25, 50Watt. Amorph Core.	405,99	341,17
1590	LL1623-070mA-AM	218-270-90	5k6, 3k, 1k6, giving 13, 25, 50Watt. Amorph Core.	405,99	341,17
1591	LL1623-090mA	218-110-72	5k6, 3k, 1k6, giving 13, 25, 50Watt.	232,07	195,02
1592	LL1623-090mA-AM	218-123-96	5k6, 3k, 1k6, giving 13, 25, 50Watt. Amorph Core.	405,99	341,17
1593	LL1623-120mA	218-111-49	5k6, 3k, 1k6, giving 13, 25, 50Watt.	232,07	195,02
1594	LL1623-120mA-AM	218-124-09	5k6, 3k, 1k6, giving 13, 25, 50Watt. Amorph Core.	405,99	341,17
1595	LL1623-160mA	218-218-69	5k6, 3k, 1k6, giving 13, 25, 50Watt.	232,07	195,02
1596	LL1623-220mA	218-269-58	5k6, 3k, 1k6, giving 13, 25, 50Watt.	232,07	195,02
1597	LL1623-220mA-AM	218-295-91	5k6, 3k, 1k6, giving 13, 25, 50Watt.	405,99	341,17
1598	LL1623-PP	218-093-48	5k6, 3k, 1k6, giving 62, 125, 250Watt.	232,07	195,02
1599	LL1623-PP	218-093-48	5k6, 3k, 1k6, giving 62, 125, 250Watt.	405,99	341,17
1600	LL1623-PP-AM	218-099-29	5k6, 3k, 1k6, giving 62, 125, 250Watt. Amorph Core.	405,99	341,17
1601	LL1627-090mA	218-106-85	2k3, 1k2, 0,65, giving 13, 25, 50Watt.	232,07	195,02
1602	LL1627-090mA-AM	218-119-92	2k3, 1k2, 0,65, giving 13, 25, 50Watt. Amorph Core.	405,99	341,17
1603	LL1627-120mA	218-251-91	2k3, 1k2, 0,65, giving 13, 25, 50Watt.	232,07	195,02
1604	LL1627-120mA-AM	218-246-40	2k3, 1k2, 0,65, giving 13, 25, 50Watt. Amorph Core.	405,99	341,17
1605	LL1627-140mA	218-107-95	2k3, 1k2, 0,65, giving 13, 25, 50Watt.	232,07	195,02
1606	LL1627-140mA-AM	218-120-71	2k3, 1k2, 0,65, giving 13, 25, 50Watt. Amorph Core.	405,99	341,17
1607	LL1627-185mA	218-108-27	2k3, 1k2, 0,65, giving 13, 25, 50Watt.	232,07	195,02
1608	LL1627-185mA-AM	218-121-27	2k3, 1k2, 0,65, giving 13, 25, 50Watt. Amorph Core.	405,99	341,17
1609	LL1627-PP	218-092-88	2k3, 1k2, 0,65k, giving 62, 125, 250Watt.	232,07	195,02
1610	LL1627-PP-AM	218-098-07	2k3, 1k2, 0,65, giving 62, 125, 250Watt. Amorph Core.	405,99	341,17
1611	LL1630-05mA	218-064-27	Max in: 130V Out: 18 Volt. 7.2+7.2 : 1+1	135,51	113,87
1612	LL1630-10mA	218-187-29	Max in: 130V Out: 18 Volt. 7.2+7.2 : 1+1	135,51	113,87
1613	LL1630-PP	218-065-91	Max in: 639V Out: 45 Volt. 7.2+7.2 : 1+1. Also headphone.	135,51	113,87
1614	LL1635-05mA	218-026-56	1+1 : 1+1 x output 125V RMS. 60kHz without cap.	108,30	91,01
1615	LL1635-20mA	218-027-59	1+1 : 1+1 x output 125V RMS. 75kHz without cap.	108,30	91,01
1616	LL1635-PP	218-028-90	1+1 : 1+1 x output 125V RMS. 60kHz without cap.	108,30	91,01
1617	LL1636	218-087-77	equals LL9206, but LL1636 is double shielded	88,06	74,00
1618	LL1636	218-087-77	Microphone or MC. 1+1+1+1 : 10+10		
1619	LL1638-04H	218-005-48	Coils in Series, DC Resistance 36Ω, x 300V~ 100Hz Ripple	101,59	85,37
1620	LL1638-04H	218-005-48	Coils in Parallel, DC Resistance 9Ω, x 150V~ 100Hz Ripple	101,59	85,37
1621	LL1638-08H	218-007-67	Coils in Series, DC Resistance 36Ω, x 300V~ 100Hz Ripple	101,59	85,37
1622	LL1638-08H	218-007-67	Coils in Parallel, DC Resistance 9Ω, x 150V~ 100Hz Ripple	101,59	85,37
1623	LL1638-10H	218-004-18	Coils in Series, DC Resistance 36Ω, x 300V~ 100Hz Ripple	101,59	85,37
1624	LL1648	218-141-89	350V-630, 2x 5.9V, 2x 6.6V / each 3.1Amp.	183,59	154,28
1625	LL1649	218-142-97	230V-1A or 460V-0,5A 4x 6.6V / each 3.1Amp.	183,59	154,28
1626	LL1650	218-143-29	350V-630mA, 4x 6.6V / each 3.1Amp.	183,59	154,28
1627	LL1651	218-144-93	500V-430mA, 4x 6.6V / each 3.1Amp.	183,59	154,28
1628	LL1660-10mA	218-029-27	Also Line Output, 1+1+1+1 : 2.25+2.25	109,85	92,31
1629	LL1660-10mA-AG (Silver)	218-284-19	Version with pure silver wire. (AG=Argentum)	1916,00	1610,08
1630	LL1660-10mA-AM	218-031-92	same as above, but Amorph core.	255,66	214,84
1631	LL1660-10mA-AM-AG (Silver)	218-285-55	Version with pure silver wire. (AG=Argentum)	2061,68	1732,50
1632	LL1660-10mA-S	218-030-39	Shield between primary and secondary. Very high noise rejection.	132,41	111,27
1633	LL1660-14mA	218-283-91	Also Line Output, 1+1+1+1 : 2.25+2.25	109,85	92,31
1634	LL1660-14mA-AM	218-238-85	same as above, but Amorph core.	255,66	214,84
1635	LL1660-14mA-S	218-240-18	Shield between primary and secondary. Very high noise rejection.	132,41	111,27
1636	LL1660-18mA	218-032-78	Also Line Output, 1+1+1+1 : 2.25+2.25	109,85	92,31
1637	LL1660-18mA-AM	218-033-88	same as above, but Amorph core.	255,66	214,84
1638	LL1660-18mA-S	218-040-81	Shield between primary and secondary. Very high noise rejection.	132,41	111,27
1639	LL1660-25mA	218-034-27	Also Line Output, 1+1+1+1 : 2.25+2.25	109,85	92,31
1640	LL1660-25mA-AM	218-035-15	same as above, but Amorph core.	255,66	214,84
1641	LL1660-25mA-S	218-212-19	Shield between primary and secondary. Very high noise rejection.	132,41	111,27
1642	LL1660-40mA	218-298-67	Also Line Output, 1+1+1+1 : 2.25+2.25	109,85	92,31
1643	LL1660-40mA-S (On Special order only)	218-300-19	Also Line Output, 1+1+1+1 : 2.25+2.25	132,41	111,27
1644	LL1660-PP	218-036-09	Dual output, for driving it with PP Tubes. 15% x offset.	109,85	92,31
1645	LL1660-PP-AM	218-038-85	same as above, but Amorph core.	255,66	214,84
1646	LL1660-PP-S	218-037-85	Shield between primary and secondary. Very high noise rejection.	132,41	111,27
1647	LL1660-PP-S-AM	218-180-58	Shield between primary and secondary. Very high noise rejection.	278,22	233,80
1648	LL1660-PP-Z (Parafeed)	218-213-84	For parafeed or other application with Zero DC current.	109,85	92,31

1649	LL1660-PP-Z (Parafeed)	218-217-13	For parafeed or other application with Zero DC current.	132,41	111,27
1650	LL1660-PPZ-AM	218-314-91	same as above, but Amorph core.	255,66	214,84
1651	LL1662	218-176-94	LL1662 has step up/down option 10V or 20V. Replaces LL1655.	183,59	154,28
1652	LL1663-040mA	218-258-83	5k to 8Ω, 8Watt.	144,14	121,13
1653	LL1663-050mA	218-131-76	5k to 8Ω, 8Watt.	144,14	121,13
1654	LL1663-080mA	218-211-76	5k to 8Ω, 8Watt.	144,14	121,13
1655	LL1663-100mA	218-132-92	5k to 8Ω, 8Watt.	144,14	121,13
1656	LL1663-PP	218-104-74	5k to 8Ω. 40Watt. With Ultra Linear Tap.	144,14	121,13
1657	LL1663-PP-AM	218-183-51	5k to 8Ω. 40Watt. With Ultra Linear Tap. Amorph Core.	317,93	267,17
1658	LL1663-PP-AM-AG (Silver)	218-288-67	Version with pure silver wire. (AG=Argentum)	2838,59	2385,37
1659	LL1663-PP-Z-AM	218-299-56	5k to 8Ω. 40Watt. With Ultra Linear Tap. Amorph Core.	317,93	267,17
1660	LL1664-050mA	218-133-34	3k to 8Ω, 10Watt.	144,14	121,13
1661	LL1664-060mA	218-134-09	3k to 8Ω, 10Watt.	144,14	121,13
1662	LL1664-080mA	218-135-90	3k to 8Ω, 10Watt.	144,14	121,13
1663	LL1664-100mA	218-136-68	3k to 8Ω, 10Watt.	144,14	121,13
1664	LL1664-AM-060mA	218-290-41	3k to 8Ω, 10Watt. Amorph Core.	317,93	267,17
1665	LL1664-PP	218-103-77	3k to 8Ω. 55Watt. With Ultra Linear Tap.	144,14	121,13
1666	LL1664-PP-AM	218-184-82	3k to 8Ω. 55Watt. With Ultra Linear Tap. Amorph Core.	317,93	267,17
1667	LL1665	218-166-42	590-0-590V-350mA, 4x 6.6V / each 3.1Amp. Tube rectifier possible.	180,05	154,28
1668	LL1667-05mA	218-014-39	Coils in Series, DC Resistance 2400Ω, x 390V~ 100Hz Ripple	101,59	85,37
1669	LL1667-07mA	218-015-60	Coils in Series, DC Resistance 2400Ω, x 390V~ 100Hz Ripple	101,59	85,37
1670	LL1667-10mA	218-016-94	Coils in Series, DC Resistance 2400Ω, x 390V~ 100Hz Ripple	101,59	85,37
1671	LL1667-15mA	218-017-09	Coils in Series, DC Resistance 2400Ω, x 390V~ 100Hz Ripple	101,59	85,37
1672	LL1667-25mA	218-019-91	Coils in Series, DC Resistance 2400Ω, x 390V~ 100Hz Ripple	101,59	85,37
1673	LL1668-05mA	218-321-76	Coils in Series, DC Resistance 680Ω, x 235V~ 100Hz Ripple	96,70	81,26
1674	LL1668-07mA	218-322-58	Coils in Series, DC Resistance 680Ω, x 235V~ 100Hz Ripple	96,70	81,26
1675	LL1668-15mA	218-223-91	Coils in Series, DC Resistance 680Ω, x 235V~ 100Hz Ripple	96,70	81,26
1676	LL1668-25mA	218-020-26	Coils in Series, DC Resistance 680Ω, x 235V~ 100Hz Ripple	96,70	81,26
1677	LL1668-25mA	218-324-35	Coils in Series, DC Resistance 680Ω, x 235V~ 100Hz Ripple	96,70	81,26
1678	LL1669A	218-140-63	340V-550mA, 110V-40mA, 4x 6.3V each 3.1Amp.	194,93	163,81
1679	LL1670 Grid Choke	218-021-82	Special for tube Grid.	60,08	50,49
1680	LL1671-20mA	218-247-24	High-Current, or Line Output, 1+1+1+1 : 2+2	108,30	91,01
1681	LL1671-20mA-AM	218-296-66	same as above, but Amorph core.	250,74	214,84
1682	LL1671-30mA	218-041-43	High-Current, or Line Output, 1+1+1+1 : 2+2	108,30	91,01
1683	LL1671-30mA-AM	218-043-67	same as above, but Amorph core.	255,66	214,84
1684	LL1671-PP	218-044-98	High-Current, or Line Output, 1+1+1+1 : 2+2	108,30	91,01
1685	LL1671-PP-AM	218-045-32	same as above, but Amorph core.	255,66	214,84
1686	LL1673-08H	218-301-94	Coils in Series, DC Resistance 60Ω, x 400V~ 100Hz Ripple	101,59	85,37
1687	LL1673-08H	218-316-20	Coils in Parallel, DC Resistance 15Ω, x 200V~ 100Hz Ripple	101,59	85,37
1688	LL1673-10H	218-008-14	Coils in Series, DC Resistance 60Ω, x 400V~ 100Hz Ripple	101,59	85,37
1689	LL1673-15H	218-009-64	Coils in Series, DC Resistance 60Ω, x 400V~ 100Hz Ripple	101,59	85,37
1690	LL1673-20H	218-010-36	Coils in Series, DC Resistance = 60Ω, x 400V~ 100Hz Ripple	101,59	85,37
1691	LL1673-20H-AM	218-279-01	Coils in Series, DC Resistance = 60Ω, x 200V~ 100Hz Ripple	275,39	231,42
1692	LL1674	218-066-81	Use 1:2 or 1:4 or 1:8 (up or down). Medium impedance. Step up 1:8 only at low drive impedance.	128,28	107,80
1693	LL1676	218-067-69	Use 1:1 or 1:2 or 1:4 (up or down). High Impedance. Ideal for HiFi Amplifier input. Low phase error.	128,28	107,80
1694	LL1677-60mA	218-046-81	Use 300B or 2A3 as interstage driver tube. Can be used 1:2or 1:1.	117,19	98,48
1695	LL1677-60mA-AM	218-047-90	same as above, but Amorph core.	262,88	220,91
1696	LL1677-80mA	218-048-98	Use 300B or 2A3 as interstage driver tube. Can be used 1:2or 1:1.	117,19	98,48
1697	LL1677-80mA-AM	218-049-48	same as above, but Amorph core.	262,88	220,91
1698	LL1678	218-080-09	MC. 1:8 or 1:16 or 1:32. Shielded.	76,06	63,92
1699	LL1679-120mA	218-268-19	9k7, 4k5, 2k6, giving 9, 20, 36Watt.	233,49	196,21
1700	LL1679-55mA	218-286-52	9k7, 4k5, 2k6, giving 9, 20, 36Watt.	233,49	196,21
1701	LL1679-55mA-AM	218-287-79	9k7, 4k5, 2k6, giving 9, 20, 36Watt. Amorph Core.	407,41	342,36
1702	LL1679-70mA	218-112-67	9k7, 4k5, 2k6, giving 9, 20, 36Watt.	233,49	196,21
1703	LL1679-70mA-AM	218-125-84	9k7, 4k5, 2k6, giving 9, 20, 36Watt. Amorph Core.	407,41	342,36
1704	LL1679-PP	218-095-69	9k7, 4k5, 2k6, giving 45, 105, 188 Watt.	233,49	196,21
1705	LL1679-PP-AM	218-100-93	9k7, 4k5, 2k6, giving 45, 105, 188 Watt. Amorph Core.	407,41	342,36
1706	LL1679-PP-Z (Parafeed)	218-214-81	For parafeed or other application with Zero DC current.	233,49	196,21
1707	LL1680-5mA	218-068-58	Line Output. Replaces UTC LS-27. 600Ω or 150Ω output. Excellent product, also for general	130,09	109,32
1708	LL1680-8mA	218-280-45	8mA Version of the above.	130,09	109,32
1709	LL1681	218-081-84	MC. 1:13 or 1:26. Double shielded	105,21	88,41
1710	LL1682-050mA	218-137-48	5k to 5Ω, 8Watt.	144,14	121,13
1711	LL1682-100mA	218-138-90	5k to 5Ω, 8Watt.	144,14	121,13
1712	LL1682-PP	218-105-69	5k5 to 5Ω. 40Watt. With Ultra Linear Tap.	144,14	121,13
1713	LL1682-PP-AM	218-182-90	5k5 to 5Ω. 40Watt. With Ultra Linear Tap. Amorph Core.	317,93	267,17
1714	LL1682-PP-Z	218-315-54	5k5 to 5Ω. 40Watt. With Ultra Linear Tap.	144,14	121,13
1715	LL1682-PP-Z-AM	218-304-43	5k5 to 5Ω. 40Watt. With Ultra Linear Tap. Amorph Core.	317,93	267,17
1716	LL1683	218-139-50	2x 250V-80mA, 48V-100, 2x 5.2V 3Amp, 2x 6.6V 3Amp.	183,59	154,28
1717	LL1684	218-167-86	High Level General Purpose, Amorph Core. Compare with LL1588	123,00	103,36
1718	LL1685-10H	218-011-19	Coils in Series, DC Resistance 130Ω, x 330V~ 100Hz Ripple	92,83	78,01
1719	LL1685-10H	218-011-19	Coils in Parallel, DC Resistance 33Ω, x 165V~ 100Hz Ripple	92,83	78,01
1720	LL1685-13H	218-012-93	Coils in Series, DC Resistance 130Ω, x 330V~ 100Hz Ripple	92,83	78,01

1721	LL1685-13H-AM	218-261-14	Coils in Series, DC Resistance 130Ω. x 165V~ 100Hz Ripple	238,64	200,54
1722	LL1685-17H	218-013-87	Coils in Series, DC Resistance 130Ω, x 330V~ 100Hz Ripple	92,83	78,01
1723	#BEZUG!	#BEZUG!	#BEZUG!	#BEZUG!	#BEZUG!
1724	LL1685-17H-AM	218-260-34	Coils in Series, DC Resistance 130Ω. x 165V~ 100Hz Ripple	238,64	200,54
1725	LL1688-70mA (BIG CORE)	218-116-96	20k5, 9k2, 5k5, giving 15, 30, 60Watt.	347,85	292,31
1726	LL1688-PP (BIG CORE)	218-094-90	20k5, 9k2, 5k5, giving 72, 160, 320Watt.	347,85	292,31
1727	LL1689-09mA	218-227-52	9+9 : 1+1+1+1+1. Interstage, low current tubes.	124,93	104,98
1728	LL1689-09mA-AM	218-228-91	same as above, but Amorph core.	270,75	227,52
1729	LL1689-18mA	218-071-68	9+9 : 1+1+1+1+1. Interstage, for C3g and other tubes	124,93	104,98
1730	LL1689-18mA-AM	218-072-98	same as above, but Amorph core.	270,75	227,52
1731	LL1689-PP	218-069-95	9+9 : 1+1+1+1+1. Interstage, for tube applications	124,93	104,98
1732	LL1689-PP-AM	218-070-47	same as above, but Amorph core.	270,75	227,52
1733	LL1690	218-177-34	Input. Also excellent phase splitter.	128,28	107,80
1734	LL1691-70mA (BIG CORE)	218-185-87	9k to 8Ω, 30Watt. For 845, GM70, or other	347,85	292,31
1735	LL1691-70mA (BIG CORE)	218-318-47	20k to 8Ω, 30Watt. For 211 or other	357,00	300,00
1736	LL1691B	218-243-99		357,00	300,00
1737	LL1691-PP (BIG CORE)	218-186-87	9k to 8Ω, 160Watt. For 845, GM70	347,85	292,31
1738	LL1692A-18mA	218-204-93	Also Line Output. 1+1+1+1 : 1.75+1.75	109,85	92,31
1739	LL1692A-18mA-AM	218-223-91	same as above, but Amorph core.	255,66	214,84
1740	LL1692A-25mA	218-233-74	Also Line Output. 1+1+1+1 : 1.75+1.75	109,85	92,31
1741	LL1692A-40mA	218-234-29	Also Line Output. 1+1+1+1 : 1.75+1.75	109,85	92,31
1742	LL1692A-PP	218-216-26	Also Line Output. 1+1+1+1 : 1.75+1.75	109,85	92,31
1743	LL1692A-PP-AM	218-205-68	same as above, but Amorph core.	255,66	214,84
1744	LL1693-230mA (for 6C33 and other)	218-179-91	2k3, 1k, 0,6k giving 35, 70, 140Watt. BIG Core.	347,85	292,31
1745	LL1693-350mA (for 6C33 and other)	218-259-09	2k3, 1k, 0,6k giving 35, 70, 140Watt. BIG Core.	347,85	292,31
1746	LL1693-PP (for 6C33 and other)	218-178-28	2k3, 1k, 0,6k giving 180, 360, 700Watt. BIG Core.	347,85	292,31
1747	LL1694-1.5A	218-221-35	Low drop Filament Choke, for 1.5A (1,8Ω) or 3A (0,45Ω)	76,20	64,03
1748	LL1694-2A	218-224-39	Low drop Filament Choke, for 2A (1,8Ω) or 4A (0,45Ω)	76,20	64,03
1749	LL1922	218-073-07	1:4 or 1:8 step up for 600Ω input. Replaces UTC LS-10	99,27	83,42
1750	LL1927A	218-181-58	Ribbon Microphone. 1+1 : 55+55	86,89	73,02
1751	LL1930	218-206-39	Line output for tube preamp. Very high performance.	65,50	55,04
1752	LL1931	218-229-86	MC. 1:8 or 1:16. COBALT core, and Cardas™ Wire.	224,85	188,95
1753	LL1931-AG (Silver)	218-262-49	Version with pure silver wire. (AG=Argentum)	734,62	617,33
1754	LL1933	218-220-95	MC. 1:8 or 1:16. NICKEL core, and Cardas™ Wire.	178,44	149,95
1755	LL1933-AG (Silver)	218-263-76	Version with pure silver wire. (AG=Argentum)	688,99	578,98
1756	LL1935	218-222-37	High impedance Guitar Pickup to low impedance input.	68,07	57,20
1757	LL1936	218-244-67		93,72	78,76
1758	LL1940	218-334-31	Line output. For high impedance tubes.	124,88	104,94
1759	LL1941	218-245-92	MC. 1:16 or 1:32. COBALT core, and Cardas™ Wire.	224,85	188,95
1760	LL1941-AG (Silver)	218-264-92	Version with pure silver wire. (AG=Argentum)	734,62	617,33
1761	LL1943	218-246-40	MC. 1:16 or 1:32. NICKEL core, and Cardas™ Wire.	178,44	149,95
1762	LL1943-AG (Silver)	218-265-25	Version with pure silver wire. (AG=Argentum)	688,99	578,98
1763	LL1944	218-282-67	Audio Splitter	77,74	65,33
1764	LL1948	218-277-75	Input. Use 1:1 or 1:2 step up, or 2:1 step down.	224,85	188,95
1765	LL1948-AG (Silver)	218-278-48	Version with pure silver wire. (AG=Argentum)	734,62	617,33
1766	LL2231	218-207-91		42,80	35,97
1767	LL2733-1.25 A	218-248-91	Filament Choke, for 1.25A (3,4Ω) or 2,6A (0,85Ω)	97,60	82,02
1768	LL2733-1.7A	218-225-58	Filament Choke, for 1.7A (3,4Ω) or 3,4A (0,85Ω)	97,60	82,02
1769	LL2734	218-247-24		99,79	83,86
1770	LL2735B-25mA	218-256-19	16k to 8Ω, 5Watt. For EML20A/B Tube.	144,14	121,13
1771	LL2735B-40mA	218-257-94	16k to 8Ω, 5Watt. For EML20B Tube.	144,14	121,13
1772	LL2735B-AM-25mA	218-249-58	16k to 8Ω, 5Watt. For EML20A/B Tube. Amorph Core.	317,93	267,17
1773	LL2735B-AM-40mA	218-250-49	16k to 8Ω, 5Watt. For EML20B Tube. Amorph Core.	317,93	267,17
1774	LL2736	218-250-49		248,70	208,99
1775	LL2737	218-251-91		160,64	134,99
1776	LL2738	218-252-64		183,59	154,28
1777	LL2741	218-302-84	290V-500mA, 4x 6.3Veach each 3.1Amp.	183,59	154,28
1778	LL2742-100mA	218-307-76	Coils in Series, DC Resistance = 160Ω, x 640V~ 100Hz Ripple	107,27	90,14
1779	LL2742-175mA	218-310-64	Coils in Series, DC Resistance = 160Ω, x 640V~ 100Hz Ripple	107,27	90,14
1780	LL2742-250mA	218-308-99	Coils in Series, DC Resistance 160Ω, x 640V~ 100Hz Ripple	107,27	90,14
1781	LL2742-250mA	218-308-99	Coils in Parallel, DC Resistance 40Ω, x 320V~ 100Hz Ripple	107,27	90,14
1782	LL2742-60mA	218-311-81	Coils in Series, DC Resistance = 160Ω, x 640V~ 100Hz Ripple	107,27	90,14
1783	LL2742-80mA	218-313-58	Coils in Series, DC Resistance = 160Ω, x 640V~ 100Hz Ripple	107,27	90,14
1784	LL2742-90mA	218-312-09	Coils in Series, DC Resistance = 160Ω, x 640V~ 100Hz Ripple	107,27	90,14
1785	LL2743-110mA	218-267-91	Coils in Series, DC Resistance 400Ω, x 450V~ 100Hz Ripple	110,10	92,52
1786	LL2743-70mA	218-266-55	Coils in Series, DC Resistance 400Ω, x 450V~ 100Hz Ripple	110,10	92,52
1787	LL2743-90mA	218-309-26	Coils in Series, DC Resistance 400Ω, x 450V~ 100Hz Ripple	110,10	92,52
1788	LL2745-08mA	218-291-43	Also Line Output, 1+1+1+1 : 2.8 + 2.8	124,93	104,98

1789	LL2745-10mA	218-292-90	Also Line Output, 1+1+1+1 : 2.8 + 2.8	124,93	104,98
1790	LL2745-10mA-AM	218-293-38	Also Line Output, 1+1+1+1 : 2.8 + 2.8	270,75	227,52
1791	LL2745-18mA	218-294-49	Also Line Output, 1+1+1+1 : 2.8 + 2.8	124,93	104,98
1792	LL2745-PP	218-293-38	Also Line Output, 1+1+1+1 : 2.8 + 2.8	124,93	104,98
1793	LL2746-30mA	218-275-29	Interstage 1:2 for EML 20B or other.	144,14	121,13
1794	LL2746-30mA	218-324-35	Interstage 1:1 for EML 20A, 20B or other.	144,14	121,13
1795	LL2748	218-297-85	443V-300mA, 2x 5.4V, 4A / 2x 6.7V, 2Amp.	183,59	154,28
1796	LL2752-060mA	218-318-47	4k6, 2k, 1k2, giving 10, 21, 36Watt.	232,07	195,02
1797	LL2752-060mA	218-319-29	4k6, 2k, 1k2, giving 10, 21, 36Watt.	405,99	341,17
1798	LL2752-PP	218-320-92	4k6, 2k, 1k2, giving 45, 105, 180Watt.	232,07	195,02
1799	LL2752-PP-AM	218-321-76	4k6, 2k, 1k2, giving 45, 105, 180Watt.	405,99	341,17
1800	LL2758	218-305-04	2x 250V-130mA, 30V-0,1A, 4x 6V 2Amp	183,59	154,28
1801	LL2760	218-306-39	Mains cleaning transformer, with airgap core.	177,54	149,19
1802	LL2811	218-208-63		58,79	49,40
1803	LL2912	218-209-56	Flying Lead version of 2911 and 2913	74,39	62,51
1804	LL2913	218-200-67	This a LL2911 with another pinout. Use 2913 for new designs	74,39	62,51
1805	LL2914	218-210-50		63,95	53,74
1806	LL2915	218-254-59		67,18	56,45
1807	LL5402	218-074-39	Very Low distortion. Unbalanced drive possible.	58,27	48,97
1808	LL6404	218-168-09		57,63	48,43
1809	LL6702	218-169-84		49,90	41,93
1810	LL6810-PHMPHM	218-091-90	RCA-male <==> RCA-Male.	131,25	110,29
1811	LL7101	218-170-80		56,22	47,24
1812	LL7401	218-171-09		59,69	50,16
1813	LL7901	218-075-92	Input. High performance. Universal type. 1+1+1+1 : 1+1+1+1	137,30	115,38
1814	LL7902	218-076-79	Input. High performance. Universal type. 1+1+1+1 : 1+1+1+1	135,51	113,87
1815	LL7903	218-089-33	Micr, or Line Input. Universal Type. 1+1+1+1 : 2+2+2+2	137,30	115,38
1816	LL7903-AG (Silver)	218-089-33	Version with pure silver wire. (AG=Argentum)	616,02	517,66
1817	LL7904	218-172-17	High Level splitter transformer	141,65	121,67
1818	LL7905	218-090-90	Micr, or Line Input. Universal Type. 1+1+1+1 : 5.6 + 5.6.	137,30	115,38
1819	LL9202-50mA	218-117-98	23k, 11k, 6k5, giving 13, 25, 50Watt.	232,07	195,02
1820	LL9202-50mA-AM	218-129-33	23k, 11k, 6k5, giving 13, 25, 50Watt. Amorph Core.	405,99	341,17
1821	LL9202-85mA	218-118-39	23k, 11k, 6k5, giving 13, 25, 50Watt.	232,07	195,02
1822	LL9202-85mA-AM	218-130-09	23k, 11k, 6k5, giving 13, 25, 50Watt. Amorph Core.	405,99	341,17
1823	LL9202-PP	218-097-71	23k, 11k, 6k5 giving 62, 125, 250Watt.	232,07	195,02
1824	LL9202-PP-AM	218-102-79	23k, 11k, 6k5 giving 62, 125, 250Watt.	405,99	341,17
1825	LL9206	218-078-35	Replace by LL1636 or LL9226.	n.a.	n.a.
1826	LL9226	218-226-90	Cobalt Version of LL9206 with wider Frequency range.	85,48	71,83
1827	Mains-Flex-Black Cable, PVC Cloth	710-047-69	Mains cable, very flexible. With double cotton filling, AND additional PVC cloth layer outside. 3x	4,09	3,44
1828	Mains-Flex-Black Cable, PVC Cloth	710-048-85	Same as Above, but a spool of 50 meter.	153,51	129,00
1829	MC Cookbook by Email only	218-231-29	Basics about building an MC transformer. Includes Excel program with most cartridges known, to calculate exactly each Lundahl MC transformer. We add any new cartridge for you if needed.	17,85	15,00
1830	MC transformer. SUT-01. Yamamoto	520-002-66	Dual impedance, Moving Coil transformer. (Stereo)	1220,30	1025,46
1831	MC transformer. SUT-02. Yamamoto	520-021-55	Solid Aluminium block, Mono Moving Coil transformer. 1:20 Step up. This is one channel, so you	508,46	427,28
1832	Meter Flange, Round Metal. Yamamoto	320-061-62	Meter Flange, Round Metal. Yamamoto With screws from inside.	15,71	13,20
1833	Meter, AVO Mk3, Mk4, CT160	624-020-77	New made meter for AVO CT160. 3250 Ohms, 30uA, Precision calibrated by AVO specs.	535,50	450,00
1834	Meter, AVO Mk3, Mk4, CT160	624-021-68	New made meter for AVO Mk3 and Mk4 tube tester. 3250 Ohms, 30uA, Precision calibrated by AVO	446,25	375,00
1835	Meter, AVO Mk3, Mk4, CT160	624-021-68	New made meter for AVO Mk3 and Mk4 tube tester. 3250 Ohms, 30uA, Precision calibrated by AVO	535,50	450,00
1836	Meter, AVO Mk3, Mk4, CT160	624-022-19	Meter small overhaul. Includes calibration and small repairs like sticky needle, dirt removal, antistatic	148,75	125,00
1837	Meter, AVO Mk3, Mk4, CT160	624-023-25	Meter complete overhaul. Same as above, and also needle balancing, linearity adjustment, weak	297,50	250,00
1838	Meter, Round. "VU". Yamamoto	320-068-68	VU meter. Sensitivity: 1.228V = 0dB . Internal Resistance = 26k.	69,81	58,66
1839	Meter, Round. 050mA. Yamamoto	320-058-98	Meter, Round. 050mA. YamamotoSeries resistor = 50x Cathode Resistor	69,81	58,66
1840	Meter, Round. 100mA. Yamamoto	320-059-18	Meter, Round. 100mA. YamamotoSeries resistor = 100x Cathode Resistor	69,81	58,66
1841	Meter, Round. 150mA. Yamamoto	320-060-37	Meter, Round. 150mA. YamamotoSeries resistor = 150x Cathode Resistor	69,81	58,66
1842	Meter, Round. 300-0-300. Yamamoto	320-057-85	Balanced Meter. 300-0-300. The needle is in the middle. Full scale is +/-300mV.	69,81	58,66
1843	Meter, Round. 300mA. Yamamoto	320-066-15	Meter, Round. 300mA. YamamotoSeries resistor = 300x Cathode Resistor	69,81	58,66
1844	9Pin Gold-Bronze Shield Cap. Yamamoto	320-081-69	9Pin Gold-Bronze Shield Cap. Yamamoto For 9-pin tubes like ECC81, 82, 83, 88, etc.	42,73	35,91
1845	Phone Cartridge, Azimut Tool, Yamamoto	620-005-73	For re-adjusting Azimut of Yamamoto headshells, if needed.	1,19	1,00
1846	Phono Amplifier EQB-01. Yamamoto	520-003-95	All Telefunken Tube Phono Equalizer. MM / MC Input.	3430,00	2882,35
1847	Phono Cartridge. YC-03M. Yamamoto	420-020-90	Moving Coil cartridge, Box wood. Round Needle. "M" for mono version	972,58	817,29
1848	Phono Cartridge. YC-03S. Full repair.	420-088-97	Complete repair + new needle.	667,28	560,74
1849	Phono Cartridge. YC-03S. Yamamoto	420-019-80	Moving Coil cartridge, Ebony wood, Line Contact Needle. "S" for Stereo Version	972,58	817,29
1850	Pot Meter, Stepped Attenuator, Mono. 1x47k 23 steps.	399-123-98	1x 47k LOG. Make before brake contacts. Ceramic Precision Resistors, Vishay Type NPW-E3.	42,86	36,01
1851	Rack OS-32	420-043-47	Audio Rack, OS-32. 2x boards. 506(W) * 450(D)	796,00	668,91
1852	Rack OS-52	420-057-09	Audio Rack, OS-52. 3x boards. 560(W) * 450(D) * 522(H)	934,20	785,04
1853	Rack OS-92	420-044-77	Audio Rack, OS-92, with 4x Boards. 560(W) * 450(D) * 922(H)	1460,92	1227,66
1854	Rack OS-CAS	420-030-89	4x Rolling feet, for Audio Rack. For this price, you get four pcs.	116,69	98,06
1855	Rack OS-SPK	420-047-39	Set of four Yamamoto spikes, Bronze. For speakers or racks.	66,12	55,56

1856	Rack OSW-52	420-045-97	Audio Rack, OSW-52, with 3x Boards. 1090(W) * 450(D) * 922(H)	1818,90	1528,49
1857	Rack OSW-77	420-050-17	Audio Rack, OSW-77, with 3x Boards.		pls. inquire
1858	Rack OSW-92	420-046-07	Audio Rack, SW-92 (the shelf board 4 sheets/the height 92 cm the type)	#WERT!	pls. inquire
1859	Record Arm lift. AL2. Yamamoto	420-024-69	Smooth movement, with hydraulic control (oil pressure) arm lift. Made of Ceramic parts and Ebony	143,57	120,65
1860	Record Clamp. RS-1. Yamamoto	420-023-90	Silver plated bronze, all non magnetic. Special inner shape.	119,64	100,54
1861	Silver Wire (4N Pure). 04, 100% Pure (4N)	710-021-05	D=0.4mm /AWG26. soft, outglowed, pure silver. (4N). Not isolated. Price per meter.	3,52	2,96
1862	Silver Wire (4N Pure). 04-Black, 100% Pure (4N)	710-020-35	D=0.4mm /AWG26. soft, outglowed, pure silver. (4N). 1mm Cotton outside diameter, Brownish-Black. Price per meter.	4,39	3,69
1863	Silver Wire (4N Pure). 04-Blue, 100% Pure (4N)	710-040-07	D=0.4mm /AWG26. soft, outglowed, pure silver. (4N). 1mm Cotton outside diameter, Dark-blue. Price per meter.	4,39	3,69
1864	Silver Wire (4N Pure). 04-Red, 100% Pure (4N)	710-017-92	D=0.4mm /AWG26. soft, outglowed, pure silver. (4N). 1mm Cotton outside diameter, Chili-Red. Price per meter.	4,39	3,69
1865	Silver Wire (4N Pure). 04-White, 100% Pure (4N)	710-019-07	D=0.4mm /AWG26. soft, outglowed, pure silver. (4N). 1mm Cotton outside diameter, Ivory-white. Price per meter.	4,39	3,69
1866	Silver Wire (4N Pure). 04-Yellow, 100% Pure (4N)	710-018-70	D=0.4mm /AWG26. Soft, outglowed, pure silver. (4N). 1mm Cotton outside diameter, Dark-Yellow. Price per meter.	4,39	3,69
1867	Silver Wire (4N Pure). 08, 100% Pure (4N)	710-037-50	D=0.8mm /AWG20. soft, outglowed, pure silver. (4N). Not isolated. Price per meter.	13,44	11,29
1868	Silver Wire (4N Pure). 08-Black, 100% Pure (4N)	710-039-70	D=0.8mm /AWG20. soft, outglowed, pure silver. (4N). Double layer Cotton "Push-back" isolation, 1.8mm outside diameter. Brownish-black. For speaker cable, or medium voltage application.. Price	15,11	12,69
1869	Silver Wire (4N Pure). 08-Blue, 100% Pure (4N)	710-045-87	D=0.8mm /AWG20. soft, outglowed, pure silver. (4N). Double layer Cotton "Push-back" isolation, 1.8mm outside diameter. Dark blue. For speaker cable, or medium voltage application.. Price per	15,11	12,69
1870	Silver Wire (4N Pure). 08-Red, 100% Pure (4N)	710-036-90	D=0.8mm /AWG20. soft, outglowed, pure silver. (4N). Double layer Cotton "Push-back" isolation, 1.8mm outside diameter. Chili Red. For speaker cable, or medium voltage application.. Price per	15,11	12,69
1871	Silver Wire (4N Pure). 08-White, 100% Pure (4N)	710-033-90	D=0.8mm /AWG20. soft, outglowed, pure silver. (4N). Double layer Cotton "Push-back" isolation, 1.8mm outside diameter. Ivory white. For speaker cable, or medium voltage application.. Price per	15,11	12,69
1872	Silver Wire (4N Pure). 15, 100% Pure (4N)	710-024-87	D=1.5mm /AWG15. soft, outglowed, pure silver. (4N). Not isolated. Price per meter.	27,76	23,33
1873	Silver Wire (4N Pure). 20, 100% Pure (4N)	710-025-09	D=2.0mm /AWG12. soft, outglowed, pure silver. (4N). Not isolated. Price per meter.	49,35	41,47
1874	Solder Flux nr1. For Silver Solder.	611-006-77	Finest liquid flux, for silver and normal solder. In 10ml glass bottle with brush. (Price per ml 0,60 €)	7,14	6,00
1875	Solder Iron, for DE-SOLDER only.	624-001-85	230Volt/ 40Watt. Great product. Needs no cleaning! Old Stock, as long as it lasts!	14,28	12,00
1876	Solder. Silver-Gold. Mundorf 100gramm	611-001-87	Mundorf, Sn95,5Cu0,7Ag3,8Au. Melting point 217°C. 3% silver, 0,01% Gold. With Flux	48,19	40,50
1877	#BEZUG!	#BEZUG!	#BEZUG!	#BEZUG!	#BEZUG!
1878	Solder. Silver-Gold. Mundorf SUPREME 100gramm	611-003-09	Mundorf Sn88,6Cu1,8Ag9,5Au0,1 Melting point 290°C. 9.5% Silver, 0.1% Gold. With Flux	86,87	73,00
1879	Solderstrip. 10Goldpins. Treated Wood. 2L10P-COMP. Yamamoto	320-045-90	COMPLITE Material. GOLD Contacts. Vintage Solder Strip. 10x Round contacts (just as with vintage radios) One mounting hole at each end. (total =two mounting holes)	8,54	7,18
1880	Solderstrip. 3Goldpins. Treated Wood. 1L3P-COMP. Yamamoto	320-043-58	COMPLITE Material. GOLD Contacts. Vintage Solder Strip. 5x Round contacts (just as with vintage radios) Single mounting hole in the middle. Has space for large diameter part.	4,27	3,59
1881	Solderstrip. 5Goldpins. Teflon. 1L5P-TEF. Yamamoto	320-046-51	GOLD / TEFLON. Vintage Solder Strip. 5x Round contacts (just as with vintage radios) Single mounting hole in the middle. Has space for large diameter part.	8,54	7,18
1882	Solderstrip. 5Goldpins. Teflon. 2L5P-TEF. Yamamoto	320-047-82	GOLD / TEFLON. Vintage Solder Strip. 5x Round contacts (just as with vintage radios) One mounting hole at each end. (total =two mounting holes)	8,54	7,18
1883	Solderstrip. 5Goldpins. Treated Wood. 1L5P-COMP. Yamamoto	320-044-58	COMPLITE Material. GOLD Contacts. Vintage Solder Strip. 5x Round contacts (just as with vintage radios) Single mounting hole in the middle. Has space for large diameter part.	5,22	4,39
1884	Speaker Posts Mundorf 2xRED +2x Black	323-509-43	For banana plugs, or forks, or bare wire. Special sales. Only one Quad	79,67	66,95
1885	Stand for Equipment. MGB1. 1pc. Yamamoto	320-051-93	Without any mechanical contact! Equipment floats on circular Neodeme magnets. Carries 2....10kg /One. Ebony Wood + Teflon + Neodeme circular magnets. Price for one.	97,41	81,86
1886	Stand for Equipment. MGB2. 1pc. Yamamoto	320-072-56	Without any mechanical contact! Equipment floats on circular Neodeme magnets. Carries 0,9 ...3kg /One. Ebony Wood + Teflon + Neodeme circular magnets. Price for one.	71,78	60,32
1887	Stand for Equipment. PB09. 4pcs. Yamamoto	320-052-72	Black African Ebony wood. Pack of 4pcs. Parts (male) for equipment. 32 x 19mm	35,89	30,16
1888	Stand for Equipment. PB10. 4pcs. Yamamoto	320-053-09	Black African Ebony wood. Pack of 4pcs. Parts (female) to stand on. 32 x 12mm	30,76	25,85
1889	Stand for Equipment. PB18. 4pcs. Yamamoto	320-083-95	Black African Ebony wood. Pack of 4pcs. Large receptacles for spikes.	87,17	73,25
1890	Stand for Equipment. PB20. 4pcs. Yamamoto	320-054-94	Black African Ebony wood. Pack of 4pcs. Parts (male) for equipment. 41 x 21mm	51,28	43,09
1891	Stand for Equipment. PB21. 4pcs. Yamamoto	320-055-55	Black African Ebony wood. Pack of 4pcs. Parts (female) to stand on. 41 x 14mm	46,15	38,78
1892	Stand for Equipment. PB22. 4pcs. Yamamoto	320-056-39	Striped South Asian Ebony wood. Pack of 4pcs.	10,26	8,62
1893	Stand for Equipment. PB23. Receptacles of Ebony. 4pcs. Yamamoto	320-079-26	Black African Ebony wood. Pack of 4pcs . 20 x 59mm	92,30	77,56
1894	Stand for Equipment. QB-1.Complete set.Yamamoto	320-084-35	Spruce wood. Pack of 4pcs. Universal stands.	9,23	7,76

1895	Stand for Equipment. QB-100. Complete set.Yamamoto	320-085-37	Cherry wood. Pack of 4pcs. Speaker stands.	184,58	155,11
1896	Stand for Equipment. VB18.Complete set.Yamamoto	320-077-81	V-Grooved Equipment base. Package with 2 pcs femala and 2pcs Mail .Outside dimension in milimeters: 25(W)x27(H)x180(D)	59,48	49,98
1897	Stand for Equipment. VB25.Complete set.Yamamoto	320-078-09	V-Grooved Equipment base. Package with 2 pcs femala and 2pcs Mail. Outside dimension in milimeters: 35(W) x33(H) x250 (D)	123,06	103,41
1898	Tool, Wire Cutter (Side Cutter)	624-006-76	Side Cutter for Wires of Capacitors, Cables, etc.	3,57	3,00
1899	Transformer Cover #1	218-241-46	For Transformer of 2.5kg. All Screws included.	71,04	59,70
1900	Moving Coil Transformer Box	218-328-19	Solid wooden Box, by Lundahl for MC transformers.	56,35	47,35
1901	Tube Boxes, for 5U4G, 10pcs	610-012-58	Price for pack of 10 pcs. Very high quality boxes. 55x55x150mm	4,80	4,03
1902	Tube Boxes, for 6SN7, EL34 10pcs	610-011-91	Price for pack of 10 pcs. Very high quality boxes. 110x35x35mm	3,20	2,69
1903	Tube Boxes, for EL84, ECC83, 10pcs	610-010-28	Price for pack of 10 pcs. Very high quality boxes. 25x25x90mm	2,80	2,35
1904	Tube Boxes, for EL84, ECC83, 10pcs	610-013-58	Reprinted, 100% original looking Tesla boxes. 25x25x90mm	0,95	0,80
1905	Tube Boxes, for EL84, ECC83, 10pcs	610-014-90	Original, NOS Telefunken boxes. Black and white style. Unique found! 25x25x90mm	0,95	0,80
1906	Tube Boxes, for EL84, ECC83, 10pcs	610-015-51	Original, 1930's Telefunken wrap. Unique found! Very old looking paper, but well preserved, and very	0,83	0,70
1907	Tube Ring, Duende #01	318-036-09	For: 6021W, 6111WA	16,00	13,45
1908	Tube Ring, Duende #02	318-037-43	For: 6AU6	16,00	13,45
1909	Tube Ring, Duende #03	318-038-04	For: ECC83, EL84	16,00	13,45
1910	Tube Ring, Duende #04	318-039-39	For: 6SN7	18,00	15,13
1911	Tube Ring, Duende #05	318-040-76	For: EL34, 5AR4, 6SN7	22,50	18,91
1912	Tube Ring, Duende #06	318-041-99	For: EL34 big glass, 6L6 small glass	24,50	20,59
1913	Tube Ring, Duende #07	318-042-26	For: 6080, KT90, 6L6GC, 300B	26,50	22,27
1914	Tube Ring, Duende #08	318-043-64	For: 2A3, 300B	27,50	23,11
1915	Tube Ring, Duende #09	318-044-81	For: 6550, KT88. (With all EML tubes, these fit on bottom part)	27,50	23,11
1916	Tube Ring, Duende #10	318-045-09	For: 6C33, etc	30,00	25,21
1917	Tube Ring, Duende #11	318-046-58	For: 211, VT4C, 845, 813	33,00	27,73
1918	Tube Ring, Duende #12	318-047-91	For: Fullmusic Aubergine 300B, or GM70	33,00	27,73
1919	Tube Set for calibration. Incl Email Support	624-014-55	Full package: 2x 6L6, 6SN7, 6SL7+ leakage test tool + "Guide to tube tester repair and calibration". Repair or calibrate your tube tester!	202,30	170,00
1920	Tube Tester, Matcher. Digital. Bias King pro.	624-015-39	See tube testers collection on www.jacmusic.com for manual. Year 2004 stock.	327,97	275,61